

ASX Announcement

HUSTLER JOINS GUIDING STAR AS LADY HERIAL LOOKALIKE

KEY POINTS

- Scout drilling identifies stacked structures to southeast of Lady Herial along the Foster Gold Belt
- Hustler was host to LM8's first ASX reported Foster drill intercept in October 2021¹
- Highlights include 11m @ 2.15g/t Au, 20m @ 0.98g/t Au and 19m @ 1.20g/t Au

Lunnon Metals Limited (**ASX: LM8**) (the **Company** or **Lunnon Metals**) is pleased to report assay results from recent step out reverse circulation (**RC**) drilling in the Foster Gold Belt at its Kambalda Gold & Nickel Project (**KGNP**). Five RC holes were drilled at the Hustler prospect and three at Lady Thelma.

All five Hustler holes returned significant intercepts at shallow depths with gold mineralisation between 4m and 20m wide and grades ranging between 0.70 to 2.15g/t Au. The results also indicated the presence of multiple mineralised surfaces in some holes reflecting the structural pattern recorded at Lady Herial. The three Lady Thelma holes returned narrow and low-grade gold mineralisation, downgrading that target. Key highlights at Hustler include (above 0.5g/t Au cut-off, true widths approximate drilled widths):

FOS25RC_099

- 11m @ 2.15g/t Au (from 35m downhole)
- 8m @ 1.43g/t Au (from 57m)

FOS25RC_098

• 20m @ 0.98g/t Au (from 30m)

FOS25RC_097

• 19m @ 1.20g/t Au (from 137m)

FOS25RC_096

• 4m @ 0.85g/t Au (from 112m)

FOS25RC_095

- 11m @ 0.70g/t Au (from 92m)
- 5m @ 1.45g/t Au (from 158m)

These results confirm the area surrounding Lady Herial is prospective for gold in several directions and over considerable distances. The prospective area tested thus far extends for at least 750m in a northwest-southeast direction along the Defiance Dolerite stratigraphic unit and over 500m to the northeast, across stratigraphy, where the Company recently² intersected significant gold proximal to the iron-rich Lunnon Sediment, the same rock unit that hosted the "Father's Day Vein" discovery³ at Beta/Hunt mine in 2018. The Foster Gold Belt is an emerging, previously under-explored belt at the KGNP. The area is well positioned to permit any discoveries quickly given it is on granted mining leases with an abundance of infrastructure nearby.

The expanded program along the Foster Gold Belt has successfully identified new opportunities including Guiding Star and now Hustler. Subject to ongoing success, these new prospects have the capacity to be aggressively drilled and follow the same expedited program of technical analysis and permitting as executed at Lady Herial. A strategy of defining such a pipeline of projects capable of being exploited in the current high A\$ gold price environment positions the Company to self-fund its ongoing exploration program aimed at making significant gold discoveries across its portfolio of tenements in the heart of the St lves gold camp.

Managing Director, Edmund Ainscough, commenting said: "Confirming the prospectivity of both Guiding Star and Hustler means that, together with the more advanced Lady Herial deposit, all three represent a trifecta of golden opportunities in the Foster Belt. This early success gives us great confidence that our Foster-Baker project is indeed under-explored. The area's history as a nickel belt for WMC Resources is well known, but that past single commodity focus sets Lunnon Metals up for a potential golden future".

LUNNON METALS LIMITED | ASX:LM8 | ABN 82 600 008 848 | info@lunnonmetals.com.au | www.lunnonmetals.com.au POSTAL ADDRESS | PO Box 470 West Perth WA 6872 | Ph +61 8 6424 8848 REGISTERED ADDRESS | Suite 10, Level 3, 33 Richardson Street West Perth WA 6005

¹ See ASX announcement dated 5 October 2021.

² See ASX announcement dated 17 December 2024.

³ Reference: TSX announcements dated 9 & 16 September 2018 by RNC Minerals (later renamed Karora Resources Inc and now part of Westgold Resources Ltd): *"New Discovery Yields 9,000 ounces of High Grade Coarse Gold from Single Cut at Beta Hunt Mine".*



PROGRAM DETAILS & OUTCOMES

The Company announced on 10 October 2024 that it was expanding its gold exploration program in the Foster Gold Belt. Scout RC drilling has been conducted at high priority targets in addition to the recent campaigns of more detailed grade control spaced programs undertaken at Lady Herial. The goal was to quickly identify near surface opportunities that exhibited the same positive characteristics as those recorded at the successful Lady Herial discovery.

The plan view of the Hustler and Lady Thelma drill program results is shown in **Figure 1** below and highlights the close proximity of Lady Herial and the under-explored potential of the favourable host rock, specifically Zone 4 of the Defiance Dolerite. This entire area has received limited focus on its gold potential, as it was historically considered a 'nickel' mine. Recent success at the Beta/Hunt gold mine (now owned by Westgold Resources Ltd since August 2024, and originally also just a 'nickel' mine) and the current exploration and analysis by Lunnon Metals, has dramatically changed this perception of the Foster Gold Belt.

Recognising how poorly evaluated it has been in the past, the Foster Gold Belt has now been identified as a significant gold opportunity. To date the Company has directly drill tested just 1.4km of the Foster Gold Belt's strike extent with the balance of the full 7.0km yet to be evaluated. Planning the expansion of the exploration program into the adjacent belts, such as the Paringa belt and the Lunnon Basalt domain, is currently underway.

The Lunnon Basalt domain is the subject of the current Exploration Incentive Scheme (**EIS**) sponsored program⁴ as well as playing host to a series of highly prospective targets where multiple gold bearing structures have the potential to interact with the iron-rich Lunnon Sediment on the Company's own tenements. This setting is analogous to the "Father's Day Vein" discovery³ at Westgold Resources Ltd's Beta/Hunt mine (15km to the north of Foster).




Figure 1: Plan view at the Lady Thelma to Hustler portion of the Foster Gold Belt, showing Lady Herial and two areas drilled in latest RC program.

⁴ See ASX announcement dated 17 March 2025 for progress update on the EIS program.




Figure 2: Long projection (looking northeast +/- 125m) illustrating the significant Hustler results reported today (white call-outs), prior reported results (grey call-outs) and the proximity of Lady Herial above Hustler.



HUSTLER - HOW IT FITS IN WITH THE LADY HERIAL & FOSTER GOLD STORY

These results confirm that the tenements surrounding Lady Herial are prospective for gold over a wide area. This prospective zone extends for over 750m along the strike of the Foster Gold Belt, stretching from the Upper Structure at Lady Herial in the northwest, to the historical 1920's vintage shafts at the southeast end of Hustler. The Lady Herial structures themselves appear to extend over 500m to the northeast where the Company recently intersected significant gold hits proximal to the iron-rich Lunnon Sediment. To the northwest of Lady Herial, there is a further 750m strike length of poorly tested ground, in the same favourable host rock, the Defiance Dolerite.

The results of this scout RC drilling indicate that the Hustler prospect has the potential to develop broad zones of modest to high-grade gold mineralisation in a stacked pattern, as was seen at nearby Lady Herial when first discovered.

The Hustler prospect has been tested further down plunge than Lady Herial by virtue of the fact the Company's early nickel drilling program at Foster intersected the Hustler structure up to 250m to 300m below surface back in 2021⁵, delineating a dip extent of over 500m where the structure is already known to be present at depth.

Figure 2 depicts a long projection looking northeast of a 125m wide slice illustrating the significant Hustler results reported today, prior reported results⁶ and the relative location of Lady Herial above (i.e. approximately 200m in the hanging wall of) Hustler.

NEXT STEPS IN THE FOSTER GOLD BELT

Current activity at Lady Herial includes the targeted program of holes at grade control spacing of approximately 8m x 6m (or similar). This work is seeking to test for the presence of other high-grade zones that the 2024 drill program spacing did not fully identify.

Up to six dedicated diamond drill (**DD**) holes are currently being completed at Lady Herial to derive geotechnical parameters for open pit optimisation studies and to provide material for detailed metallurgical test work based on the Gold Fields' Lefroy Plant flow sheet.

Guiding Star and now Hustler are exhibiting strong potential to be Lady Herial lookalikes and the Company will evaluate and plan follow up programs at both prospects whilst the technical analysis and permitting of Lady Herial continues. A final heritage survey for the potential mining of the Lady Herial development footprint is scheduled to be completed by Company staff in collaboration with representatives of the Ngadju People in late March.

Once the currently planned surface RC drilling is complete, a Mineral Resource estimation exercise will be completed to finalise mining outlines and allow the submission of the relevant applications to the Western Australian Government, Department of Energy, Mines, Industry Regulation and Safety.

In parallel, the Company is actively progressing discussions with Gold Fields Ltd St Ives mine management and other parties in the district, in regard to possible ore purchase or toll treatment arrangements for the deposit.

This release has been approved and authorised for release by the Board.

Edmund Ainscough Managing Director Phone: +61 8 6424 8848 Email: info@lunnonmetals.com.au

⁵ See ASX announcement dated 5 October 2021.

⁶ Previous results (grey call-outs on Figure 2 above) have been reported in ASX announcements dated 22 April, 10 & 17 October and 13 December 2024.



BACKGROUND: ST IVES / KAMBALDA - ONE OF AUSTRALIA'S MOST PROLIFIC GOLD PRODUCTION CENTRES

The Kambalda / St Ives gold camp is one of Australia's most prolific gold production and discovery centres. Gold has been produced in the area since the discovery of the Red Hill gold mine in 1896 (adjacent to the Company's historical Silver Lake nickel mine at Kambalda). The area immediately encompassing and surrounding the Foster-Baker project (**FBA**) produced gold from the 1920s onwards, but this goldfield came to prominence in the early 1980s when WMC commenced dedicated gold production from the Victory-Defiance Complex and the Hunt nickel mine near Kambalda.

The St Ives Gold Mine was sold by WMC to Gold Fields Ltd (**Gold Fields**) in December 2001 after 5.6Moz⁷ of gold had been produced. With an expanded exploration budget requisite with being one of the world's major gold companies, Gold Fields has gone on to mine over 10Moz⁷ of gold itself and has found what is shaping to be the most significant discovery in the camp's history, the Invincible deposit (see **Figure 4**), suggesting that the biggest deposits are not always found first in the discovery cycle. The Company holds all mineral rights over the FBA, except gold in specific "Excluded Areas"⁸ (shown as red polygons on **Figure 3**).

The Company highlights that all gold prospects being tested and evaluated are 100% owned by Lunnon Metals. The FBA project is located on granted mining tenements with significant existing infrastructure in place. Nearby gold plants include the Lefroy, Lakewood (ASX:BC8) and Higginsville Plants (ASX:WGX), with the Lefroy plant, a few kilometres to the north, notably owned and operated by the Company's major shareholder, Gold Fields.

The Hustler and Lady Thelma gold prospects are hosted in the Defiance Dolerite, a known favourable host for gold in the immediate vicinity of FBA at the Victory-Defiance gold complex a few kilometres to the north. High-grade quartz veins were mined in the 1920s in the Foster Gold Belt (then called the Cooee/St Ives field) by prospectors (see ASX announcement dated 22 April 2024) with gold ore won from these workings treated at either the nearby historical State Battery or the privately owned Ives Reward battery, the relic sites of which are both located on what are now Lunnon Metals' leases.

ABOUT THE KAMBALDA GOLD & NICKEL PROJECT (KGNP)

The Kambalda Gold & Nickel Project (**KGNP**) (shown in detail for the Foster-Baker Area in **Figure 3** and regionally in **Figure 4**) features approximately 47sqkm of tenements in the Kambalda Nickel District. KGNP is located approximately 570km east of Perth and 50-70km south-southeast of Kalgoorlie, in the Eastern Goldfields of Western Australia. KGNP comprises two project areas, Foster and Baker* (19 contiguous mining leases) and Silver Lake and Fisher⁺ (20 contiguous mining leases). The world-renowned Kambalda Nickel District has produced in excess of 1.6 million tonnes⁹ of nickel metal since its discovery in 1966 by WMC Resources Ltd (**WMC**). In addition, over 16Moz of gold⁹ in total has been mined, making the Kambalda/St Ives district a globally significant gold camp in its own right.

The KGNP is assessed via public roads, well-established mine road infrastructure and the main St Ives causeway over Lake Lefroy. The KGNP is broadly surrounded by tenements held by St Ives Gold Mining Co. Pty Ltd (**SIGM**), a wholly owned subsidiary of Gold Fields Limited (JSE:GFI) and the Company's major shareholder.

*SIGM retains rights¹⁰ to explore for and mine gold in the "Excluded Areas" at the FBA, as defined in the subsisting agreements between Lunnon Metals and SIGM, and on the remaining area of the tenements, has select rights to gold in limited circumstances.

⁺The Company has the exclusive rights to nickel on 19 mining leases and related access rights on one additional tenure. Gold Fields retains the rights to the other minerals (except to the extent minerals occur in conjunction with nickel mineralisation or nickel bearing ore but excluding gold).

⁷ Sum of historical WMC production records to Dec 2001 and sum of Gold Fields Annual Report filings thereafter.

⁸ Refer to the Company's Prospectus (lodged 11 June 2021) for further details. Gold Fields St Ives has a right of first refusal on any gold offtake.

⁹ Gold: Sum of historical WMC production records to December 2001, then Gold Fields and relevant TSX listed company regulatory filings thereafter. Nickel: Sum of historical WMC production records and relevant ASX company production figures.

¹⁰ Refer to the Company's Prospectus (lodged 11 June 2021) for further details. Gold Fields St Ives has a right of first refusal on any gold offtake.






Figure 3: Foster-Baker Project Area showing nickel Mineral Resource¹¹ positions and select gold prospects.

¹¹ A full breakdown of the nickel Mineral Resource and Ore Reserve is contained on Page 11.






Figure 4: The KGNP (red outlines) with Kambalda / St Ives regional geology and location of key nickel and gold mines/infrastructure.



ANNEXURE 1: DRILL HOLE COLLAR TABLE

Hole ID	Easting	Northing	Elevation (m ASL)	Dip	Azimuth	EOH Drill Depth (m)	Hole Type	Grid
FOS25RC_095	383,284.0	6,529,642.5	319.1	-60.0	168.2	168.0	RC	MGA94_51
FOS25RC_096	383,249.6	6,529,664.8	318.9	-59.5	167.4	168.0	RC	MGA94_51
FOS25RC_097	383,214.1	6,529,685.7	318.6	-60.6	170.7	156.0	RC	MGA94_51
FOS25RC_098	383,384.2	6,529,582.9	320.1	-60.2	166.9	120.0	RC	MGA94_51
FOS25RC_099	383,349.5	6,529,604.2	319.9	-59.8	168.8	156.0	RC	MGA94_51
FOS25RC_100	382,168.4	6,530,450.5	313.6	-60.6	159.3	84.0	RC	MGA94_51
FOS25RC_101	382,133.9	6,530,474.1	313.3	-60.5	161.6	114.0	RC	MGA94_51
FOS25RC_102	382,101.3	6,530,496.1	312.5	-60.1	157.2	72.0	RC	MGA94_51
FOS24RD_009	383,323.0	6,529,645.0	319.0	-60.1	169.5	204.5	DD	MGA94_51
CD16002	383,282.4	6,529,508.0	316.3	-60.0	45.0	156.0	RC	MGA94_51

ANNEXURE 2: ASSAY RESULTS

Hole ID	From (m)	Width (m)	Au g/t	Cut-off Au g/t	Structure	Internal zones below cut-off
FOS25RC_095	3.00	1.00	0.85	0.5		
and	40.00	1.00	0.62	0.5		
and	92.00	11.00	0.70	0.5	Hustler - Upper	Maximum of 4.0m internal dilution
including	102.00	1.00	4.11	1.0		
and	143.00	1.00	0.61	0.5		
and	146.00	1.00	0.56	0.5		
and	158.00	5.00	1.45	0.5	Hustler - Lower	Maximum of 1.0m internal dilution
including	158.00	1.00	4.84	1.0		
and including	160.00	1.00	1.72	1.0		
FOS25RC_096	112.00	4.00	0.85	0.5		
including	112.00	1.00	2.12	1.0		
and	121.00	1.00	0.55	0.5		
FOS25RC_097	91.00	1.00	2.78	1.0		
and	107.00	1.00	2.24	1.0		
and	127.00	1.00	0.54	0.5		
and	137.00	19.00	1.20	0.5	Hustler - Upper	Maximum of 3.0m internal dilution
including	144.00	5.00	2.34	1.0		
and including	151.00	3.00	1.92	1.0		
FOS25RC_098	30.00	20.00	0.98	0.5	Hustler - Upper	Maximum of 8.0m internal dilution
including	30.00	3.00	3.61	1.0		
and including	41.00	1.00	1.45	1.0		
and including	45.00	1.00	2.10	1.0		
and	91.00	1.00	6.43	1.0	Hustler - Lower	



Hole ID	From (m)	Width (m)	Au g/t	Cut-off Au g/t	Structure	Internal zones below cut-off
and	98.00	1.00	1.50	1.0	Hustler - Lower	
FOS25RC_099	35.00	11.00	2.15	0.5	Hustler - Upper	Maximum of 2.0m internal dilution
including	36.00	4.00	3.45	1.0		
and including	42.00	1.00	1.12	1.0		
and including	45.00	1.00	7.15	1.0		
and	57.00	8.00	1.43	0.5	Hustler - Upper	Maximum of 1.0m internal dilution
including	57.00	1.00	1.03	1.0		
and including	59.00	4.00	2.09	1.0		
and including	64.00	1.00	1.48	1.0		
and	80.00	1.00	1.09	1.0		
and	120.00	1.00	0.52	0.5	Hustler - Lower	
FOS25RC_100	27.00	1.00	0.51	0.5	Thelma	
FOS25RC_101	35.00	1.00	0.94	0.5	Thelma	
FOS25RC_102	14.00	1.00	0.67	0.5	Thelma	
FOS24RD_009^	84.00	10.31	1.66	0.5	Hustler - Upper	Maximum of 5.0m internal dilution
including	84.00	1.00	1.35	1.0		
and including	90.97	3.34	4.29	1.0		
CD16002#	134.00	10.00	0.56	0.5	Hustler - Lower	Maximum of 2.0m internal dilution
including	134.00	1.00	1.36	1.0		
and including	137.00	1.00	1.17	1.0		

^ previously reported 22 April 2024, now re-reported with adjusted interval

drilled by a previous owner, not previously reported



COMPETENT PERSON'S STATEMENT & COMPLIANCE

Any information in this announcement that relates to nickel and gold geology, nickel Mineral Resources, Exploration Targets, Exploration Results and the Company's Historical Core Program, which includes the accessing, re-processing, re-logging, cutting and assaying of historical WMC Resources Ltd diamond core and the appropriateness of the use of this data and other historical geoscience hard copy data such as cross sections, underground level mapping plans, longitudinal projections and long sections, including commentary relying on personal experience whilst employed at Kambalda by WMC Resources Ltd and Gold Fields Ltd, is based on, and fairly represents, information and supporting documentation prepared by Mr. Aaron Wehrle, who is a Member of the Australasian Institute of Mining and Metallurgy (**AusIMM**).

Mr. Wehrle is a full-time employee of Lunnon Metals Ltd, a shareholder and holder of employee options/performance rights; he has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity that he is undertaking to qualify as Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Wehrle is the Company's principal Competent Person and consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

Any information in this announcement that relates to the mining, metallurgical and environmental modifying factors or assumptions as they may apply was based on, and fairly represents, information and supporting documentation prepared by Mr. Wehrle, Mr. Max Sheppard and Mr. Edmund Ainscough. Messrs. Sheppard and Ainscough are also Competent Persons and Members of the AusIMM. Mr Ainscough is a full-time employee and Mr Sheppard is a permanent, part-time employee, both of Lunnon Metals Ltd. Both Messrs. Ainscough and Sheppard are shareholders and hold employee performance rights in Lunnon Metals Ltd.

Messrs Wehrle, Sheppard and Ainscough have sufficient experience that is relevant to the style of mineralisation, both gold and nickel, the types of deposit under consideration, the activity that they are undertaking and the relevant factors in the particular location of the prospect areas, the historical Foster mine and the KGNP generally, to qualify as Competent Persons as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Messrs. Sheppard, Wehrle and Ainscough consent to the inclusion in this announcement of the matters based on their information in the form and context in which it appears.

The information in this report that relates to nickel Ore Reserves at Baker is based on information compiled by Mr. Sheppard, who is a Member of the Australasian Institute of Mining and Metallurgy. Mr. Sheppard's details are as above and he has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Sheppard consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

DISCLAIMER

References in this announcement may have been made to certain previous ASX announcements, which in turn may have included Exploration Results, Exploration Targets, Mineral Resources, Ore Reserves and the results of Pre-Feasibility Studies. For full details, please refer to the said announcement on the said date. The Company is not aware of any new information or data that materially affects this information. Other than as specified in this announcement and mentioned announcements, the Company confirms it is not aware of any new information or data that materially affects the information included in the original market announcement(s), and in the case of estimates of Mineral Resources and Ore Reserves that all material assumptions and technical parameters underpinning the estimates in the relevant announcement continue to apply and have not materially changed. The Company confirms that the Competent Person's findings in relation to the estimates of Mineral Resources and Ore Reserves have not been materially modified from the original announcements reporting those estimates.



MINERAL RESOURCES

	M	easured I	vi	Ir	ndicated I	Ni		Inferred N	li		Total Ni	
	Tonnes	%	Ni Tonnes	Tonnes	%*	Ni Tonnes	Tonnes	%*	Ni Tonnes	Tonnes	%*	Ni Tonnes
FOSTER MINE												
Warren				345,000	2.6	8,800	100,000	2.4	2,400	445,000	2.5	11,200
Foster Central												
85H				395,000	3.2	12,800	294,000	1.2	3,600	689,000	2.4	16,400
N75C				271,000	2.6	6,900	142,000	1.9	2,600	413,000	2.3	9,500
S16C / N14C				-	-	-	64,000	5.7	3,700	64,000	5.7	3,700
South				264,000	4.7	12,400	111,000	4.7	5,200	375,000	4.7	17,600
Sub total				1,275,000	3.2	40,900	711,000	2.5	17,500	1,986,000	2.9	58,400
BAKER AREA												
Baker	110,000	3.4	3,700	622,000	3.7	22,900	298,000	2.4	7,100	1,030,000	3.3	33,700
East Trough				-	-	-	108,000	2.7	3,000	108,000	2.7	3,000
Sub total	110,000	3.4	3,700	622,000	3.7	22,900	406,000	2.5	10,100	1,138,000	3.2	36,700
SILVER LAKE												
25H				336,000	1.6	5,300	488,000	1.7	8,500	824,000	1.7	13,800
Sub total				336,000	1.6	5,300	488,000	1.7	8,500	824,000	1.7	13,800
FISHER												
F Zone				56,000	2.7	1,500	196,000	1.6	3,200	252,000	1.9	4,700
Sub total				56,000	2.7	1,500	196,000	1.6	3,200	252,000	1.9	4,700
TOTAL	110,000	3.4	3,700	2,289,000	3.1	70,600	1,801,000	2.2	39,300	4,200,000	2.7	113,600

The detailed breakdown of the Company's nickel Mineral Resources as at 30 June 2024, is as follows:

Note: Figures have been rounded and hence may not add up exactly to the given totals. The Mineral Resource is inclusive of any reported Ore Reserves.

ORE RESERVES

The detailed breakdown of the Company's Baker Ore Reserve as at 30 June 2024, is as follows:

Baker	tonnes	Ni %	Cu%	Co%	Pd g/t	Pt g/t	As ppm	Ni metal
Proved	-	-	-	-	-	-	-	-
Probable	612,000	2.86	0.24	0.052	0.49	0.20	110	17,500
Total	612,000	2.86	0.24	0.052	0.49	0.20	110	17,500

The Ore Reserve is reported using the Baker December 2022 Mineral Resource. The Ore Reserve was evaluated using a cut- off grade of 1.5% Ni, except for an incremental cut-off grade of 1.0% Ni for low grade development necessary for access to mining zones. The inputs used for the NPV in the Ore Reserve study were a A\$35,294/t nickel price (US\$24,000/t at US\$0.68 : A\$1.00) and 8% discount rate. The Ore Reserve is predicated on processing future nickel ore through the Kambalda Concentrator, or other such third-party facility proximal to the KGNP. The BHP Nickel West Kambalda Concentrator will be on care and maintenance from October 2024, with the temporary suspension to be reviewed by BHP by February 2027.

See the Company's 2024 Annual Report (lodged on 16 September 2024) for the latest restatement of Mineral Resources and Ore Reserves.



JORC TABLE 1

The following tables address historical WMC and Gold Fields exploration activities/methods where relevant, Lunnon Metals' reverse circulation and diamond drilling program as well as covering the Company's Historical Core Program, again where relevant. Today's announcement only relates to **RC drill results** by Lunnon Metals for gold and may by necessity reference past DD, RC and grab sampling results, which are therefore also covered in this Table 1.

SECTION 1: SAMPLING TECHNIQUES AND DATA

Criteria	JORC Code explanation	Commentary
Sampling	Nature and quality of sampling	• All drilling and sampling are undertaken in an industry standard manner
techniques	(e.g., cut channels, random chips, or specific specialised industry standard measurement tools	both by Lunnon Metals Ltd (Lunnon Metals or the Company) since 2021 and historically by both Gold Fields Ltd (Gold Fields) from 2001 to 2014 and WMC Resources Ltd (WMC) from 1966 to 2001 (collectively
	appropriate to the minerals	Previous Owners).
	under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be	 Lunnon Metals' diamond drill (DD) and reverse circulation (RC) holes are completed by Blue Spec Drilling Pty Ltd (Blue Spec) following protocols and QAQC procedures aligned with industry best practice. Any DD holes on the surface of the salt lake, Lake Lefroy, have been
	taken as limiting the broad meaning of sampling.	drilled to date by Ausdrill Pty Ltd (Ausdrill), using a track-mounted lake rig. RC Lunnon Metals
	Include reference to measures taken to ensure sample representivity and the	• RC samples are collected directly into calico sample bags on a 1.0m basis from a cone splitter mounted on the drill rig cyclone. 1.0m sample mass typically averages 3.0kg splits.
	appropriate calibration of any measurement tools or systems used.	 Duplicate samples are also collected directly into calico sample bags from the drill rig cyclone, at a rate of 1 in every 25 samples and more frequently in the expected mineralised zones. Duplicate samples were collected at a rate of 1 in every 5 samples for
	Aspects of the determination of mineralisation that are Material to the Public Report. In cases	 this first phase of grade control at Lady Herial. Sub-sampling techniques and sample preparation are described further below in the relevant section.
	where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse	 Sample sizes are considered appropriate for the material sampled. The samples are considered representative and appropriate for this type of drilling. PC samples are appropriate for use in a Mineral Descurse estimate.
	circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a	 RC samples are appropriate for use in a Mineral Resource estimate. DD Lunnon Metals Core samples are collected with a DD rig typically drilling HQ (63.5mm
	30 g charge for fire assay'). In other cases more explanation may be required, such as where	core diameter) and/or NQ2 (51mm core diameter) either from surface or as tails from RC pre-collars. Occasionally PQ (83mm core diameter) is drilled in shallow holes which have the additional purpose of collecting
	there is coarse gold that has inherent sampling problems. Unusual commodities or	 material and data for metallurgical and geotechnical studies. All DD core is stored in industry standard plastic core trays labelled with the drill hole ID and core depth intervals.
	mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed	 Sub-sampling techniques and sample preparation are described further below in the relevant section. Sample sizes are considered appropriate for the material sampled.
	information.	• The samples are considered representative and appropriate for this type of drilling.
		• DD core samples are appropriate for use in a Mineral Resource estimate. Historical data
		• Sampling procedures followed by Previous Owners in the drilling, retrieval, and storage of air core (AC), RC and DD samples and core were in line with industry standards at the time.
		• Surface diamond drill obtaining NQ (48mm) and/or BQ (37mm) diameter drill core, were the standard exploration sample techniques employed by WMC. Underground DD was also used extensively in the operating environment, with drilling of both up and down holes,
		retrieving typically BQ diameter drill core and to a lesser extent AQ (22mm) diameter drill core. • The core trays were labelled with the drill hole number and numbered
		• The core trays were labelled with the drill hole number and numbered with the downhole meterage for the start of the first 1 m run and the



Criteria	JORC Code explanation	Commentary
Sampling		end of the last 1 m run on the lip of the core tray and typically included
techniques		core blocks within the core trays demarcating the depth meterage of
(continued)		rod pull breaks.
		• The earlier drilling was collected in wooden, and hybrid wooden/steel
		core trays and occasionally depths recorded in feet.
		Handheld XRF
		Where a handheld XRF tool was used to collect any exploration data
		reported, it was done so to assess the levels of key elements such as
		nickel, chromium, copper and zinc. The individual XRF results themselves
		are not reported and any element ratios are used as a guide only for
		logging/ sampling and to assist vectoring to potential mineralisation. No
		XRF results are used in the MRE.
		Surface rock chip and grab Sampling
		Rock chip samples are taken manually from outcrop exposures using
		geological pick / crack hammer while grab samples are collected from
		loose rock material proximal to its original source such as spoils from
		historical sample pits.
		• Larger rock samples may be reduced in size using geological pick / crack
		hammer for representative sample compositing purposes.Individual samples comprise several rock chips / grab samples from the
		area of interest, typically totalling 1.0 to 3.0kg collected in pre- numbered calico bags.
		 The sampling methodology is considered to be appropriate for the
		intended purpose of the data.
		 Sub-sampling techniques and sample preparation are described further
		below in the relevant section.
		• Sample sizes are considered appropriate for the material sampled and
		the intended use of the assay data in exploration planning only.
		• The samples are not considered appropriate for use, and will not be
		used, in any resource estimate.
Drilling	Drill type (e.g. core, reverse	RC Lunnon Metals
techniques	circulation, open-hole hammer,	 RC holes are typically drilled with a 5 1/2-inch bit and face sampling
	rotary air blast, auger, Bangka,	hammer. Holes are drilled dry with use of booster/auxiliary air when/if
	sonic, etc.) and details (e.g. core	ground water is encountered.
	diameter, triple or standard tube,	• In the case of short holes not likely to intersect the water table and thus
	depth of diamond tails, face-	not requiring the use of booster/auxiliary air, a 4-inch bit and face
	sampling bit or other type,	sampling hammer may be used.
	whether core is oriented and if	DD Lunnon Metals
	so, by what method, etc.).	 Core samples are collected with a DD rig typically drilling HQ (63.5mm core diameter) and/or NQ2 (51mm core diameter) from surface, or as
		tails from RC pre-collars, or as wedge holes off parent DD holes.
		Occasionally PQ (83mm core diameter) is drilled in shallow holes which
		have the additional purpose of collecting material and data for
		metallurgical and geotechnical studies.
		• Triple tube HQ or PQ drilling techniques may be used where maximum
		recovery and preservation of core is required through the weathered
		zone from surface until competent fresh rock ground conditions are
		reached.
		 To help accurately test the targets, "navi" or motor drilling is sometimes
		used over short runs to control the direction of the drill hole. In these
		instances, no drill core or sample is returned from that portion of the
		drill hole. No navi drilling is undertaken within expected intervals of
		mineralisation.
		• Wedge holes, where present, utilise the parent hole to a given depth
		then branch off from the parent hole using either a casing wedge, a
		Hall-Rowe wedge, or a natural elbow, or navi bend, in the parent hole
		from where a lip can be cut with the diamond drill bit and the wedge
		hole drilled straight off the parent.



Criteria	JORC Code explanation	Commentary
Drilling		• The DD core is orientated during the drilling process by the drill
techniques (continued)		contractor, using a down hole Reflex ACTIII TM Rapid Descent Digital Core Orientation Tool, and then reconstructed over zones of interest by Lunnon Metals field staff for structural and geotechnical logging. Historical Drilling
		 Historical surface DD completed by Previous Owners typically comprised HQ, NQ and BQ size drill core. Pre-collars to the surface diamond drillholes are typically PQ and HQ size and occasionally comprised RC drilling techniques. The pre-collars are not typically mineralised. Underground WMC DD was used extensively in the underground mining environments when present. Drilling included both up hole and downhole, retrieving typically BQ diameter drill core and to a lesser extent AQ diameter drill core. Although no documentation is available to describe the drilling techniques used by Previous Owners at the time it is understood that
		the various drilling types used conventional drilling methods consistent with industry standards of the time.None of the historical WMC diamond drill core was oriented.
Drill sample	Method of recording and	For both Lunnon Metals RC and DD
recovery	assessing core and chip sample recoveries and results assessed. Measures taken to maximise	• Every RC sample is assessed and recorded for recovery and moisture by Lunnon Metals field staff in real time during the drilling process. Samples are monitored for possible contamination during the drilling process by Lunnon Metals geologists.
	sample recovery and ensure representative nature of the samples.	 DD core recovery is measured for each drilling run by the driller and then checked by the Lunnon Metals geological team during the mark up and logging process.
		No sample bias is observed.
	Whether a relationship exists	• There is no observed relationship between recovery and nickel or gold
	between sample recovery and	grade nor bias related to fine or coarse sample material.
	grade and whether sample bias may have occurred due to	 Historical data There are no available records for sample recovery for AC, DD or RC
	preferential loss/gain of fine/coarse material.	drilling completed by Previous Owners; however, re-logging exercises completed by Lunnon Metals of surface and underground DD holes
		from across the KGNP between 2017 and present found that on average drill recovery was good and acceptable by industry standards.
Logging	Whether core and chip samples	For both Lunnon Metals RC and DD (and re-logging of Historical DD
	have been geologically and	where relevant)
	geotechnically logged to a level of detail to support appropriate	• Geological logging is undertaken for the entire hole recording lithology, oxidation state, mineralisation, alteration, structural fabrics, and veining.
	Mineral Resource estimation,	 DD orientated structural logging, core recovery, and Rock Quality
	mining studies and metallurgical studies	Designation (RQDs) are all recorded from drill core over intervals of interest and relevance.
		• Detailed geotechnical logging and rock property test work is completed
	Whether logging is qualitative or quantitative in nature. Core (or	over intervals of relevance by independent MineGeoTech Pty Ltd (MGT) contractor geotechnical engineers.
	costean, channel, etc.) photography.	• Geological logging (and where required, geotechnical logging) is completed in sufficient detail to support future Mineral Resource
		estimation, mining and metallurgical studies. • Metallurgical test work in the broader project area is ongoing in
		addition to the geological logging and element assaying detailed below.
		 General logging data captured are qualitative (descriptions of the various geological features and units) and quantitative (numbers
		representing structural attitudes, and vein and sulphide percentages, magnetic susceptibility and conductivity).
		 DD core is photographed in both dry and wet form.
		• RC chip trays are photographed in both dry and wet form.
		Historical data
		• There is no available documentation describing the logging procedures
		employed by Previous Owners' geologists in the KGNP area.



Criteria	JORC Code explanation	Commentary
Logging		However, the WMC historical graphical hardcopy logs and other
(continued)		geoscientific records available for the project are of high quality and
		contain significant detail with logging intervals down to as narrow as
		0.01 m.
		• The geological logs document lithology, textures, structures, alteration,
		and mineralisation observed in drill core captured both graphically and
		in a five-character logging code (Lunnon Metals notes that a previous
		logging legend employed at WMC's Kambalda nickel operations utilised
		a 3-letter code which is often represented on hard copy plans and cross
		sections of an older vintage and which was converted by WMC to the
		latter 5-character code at some later time).
		• Stratigraphy is also captured in a three-character logging code. Sample
		intervals are recorded on the graphical log. These logging legends are well documented in lieu of a recorded procedure and are utilised by
		Lunnon Metals in current logging practices.
		• In regard geotechnical logging or procedures, there is no record of any
		formal relevant procedures or logging and based on personal
		experience of the Competent Person, such logging was not routinely
		completed prior to the introduction of Regulation 10:28 in the WA Mine Safety and Inspection Act, requiring the same in approximately 1996.
		Based on the personal experience of the relevant Competent Person to
		this announcement, having worked for WMC in Kambalda between 1996
		and 2001, and Gold Fields between 2001 and 2006, it is known that the
		Previous Owners had a rigorous and regimented system for storing and
		archiving the graphical logs physically, microfilmed, and drafted on to
		master cross sections, plans, and long sections.
		• Starting in the early 2000s under Gold Fields ownership drillhole logging
		information was captured digitally via rugged tablet, field- based
		laptops (known as " Toughbooks ") using a newly developed in-house
		(and industry standard) geological logging legend which was overseen
		by the Competent Person who was Exploration Manager for the St Ives
		Gold Mining Co Pty Ltd (SIGM) at that time.
		• Both the graphically captured interval data and the more recently digitally captured geological logging information was stored in a secure
		digital database.
		• Lunnon Metals sourced historical diamond core from the SIGM
		Kambalda core yard on Durkin Road where relevant to its investigations.
		Optical Televiewer downhole surveys
		• For additional information regarding Optical Televiewer surveys please
		refer to Table 1 section 2 'Other substantive exploration data' criteria. Surface rock chip and grab sampling
		• All rock chip / grab samples have been geologically described and
		recorded by a qualified geologist.
		• The geological logging was to a level appropriate for exploration
		planning purposes.
		Geological logging of the samples is qualitative in nature.
Sub-sampling	If core, whether cut or sawn and	Lunnon Metals RC
techniques	whether quarter, half or all core	• Dry RC samples are collected directly into calico sample bags on a 1.0m
and sample	taken.	basis from a cone splitter mounted on the drill rig cyclone. 1.0m sample
preparation	If non core whathar illed tot	mass typically averages 3.0kg splits.
	If non-core, whether riffled, tube sampled, rotary split, etc. and	 Industry prepared certified reference material (CRM), or standard samples, of various grades appropriate to the mineralisation expected
	whether sampled wet or dry.	are inserted into the sample batches, approximately every 50 samples
	For all sample types, the nature,	and more frequently in the expected mineralised zones.
	quality and appropriateness of	Lunnon Metals prepared blank samples are inserted, approximately
	the sample preparation	every 50 samples and more frequently in the expected mineralised
	technique.	zones.
	Quality control procedures	• At present blank samples are prepared from CRM Bunbury Basalt. In the
	adopted for all sub-sampling	past blanks were prepared from barren non-ultramafic RC chips as



Criteria	JORC Code explanation	Commentary
Sub-sampling	stages to maximise representivity	verified by laboratory analysis or barren non-ultramafic Proterozoic
techniques	of samples.	Dyke DD core acquired locally and verified by geological logging.
and sample	Measures taken to ensure that	• Blank samples are prepared from barren reject RC chips as verified by
preparation	the sampling is representative of	laboratory analysis and geological logging.
(continued)	the in situ material collected,	• Duplicate samples are also collected from the drill rig cyclone, at a rate
	including for instance results for	of 1 in every 25 samples and more frequently in the expected
	field duplicate/second-half	mineralised zones. Duplicate samples were collected at a rate of 1 in
	sampling.	every 5 samples for the grade control at Lady Herial.
		• After receipt of the RC samples by the independent laboratory the
	Whether sample sizes are appropriate to the grain size of	samples are typically dried and pulverised with >85% pulverised to
	the material being sampled.	75micron or better. For sample weights > 3kg the sample is dried, split and pulverised up to 3kg.
	the material being sampled.	 RC samples submitted for Chrysos PhotonAssay[™] (PhotonAssay)
		method of gold analysis, are dried and crushed to ~2-3mm and loaded
		into 330mL plastic jars (typically 400-650g) ready for analysing.
		Lunnon Metals DD (and re-sampling of Historical DD where relevant)
		• DD core samples are collected with a diamond drill rig drilling HQ
		and/or NQ2 size core. After logging, sample interval mark-up,
		photographing, and geotechnical rock property test work, selected
		sample intervals of drill core are cut in half along the length of the drill
		core with a diamond saw in a Discoverer® Automatic Core Cutting
		Facility using a Corewise Auto Core Saw.
		• Typically, one half of the drill core is sent to the laboratory for assay and
		the other half retained in its original core tray.In zones of potential metallurgical interest, the half core sample is
		vacuum sealed and stored refrigerated for later use, the remaining half
		core is further cut into quarters with one quarter sent to the laboratory
		for assay and the remaining quarter retained in its original core tray.
		• In the case of metallurgical 'twin' holes, the quarter core is sent to the
		laboratory for assay, while the remaining three quarters of core is
		vacuum sealed and stored refrigerated. No core is retained in its original
		core tray.
		• Holes are marked-up and sampled for assaying over mineralised and
		surrounding intervals at a typical minimum sample interval of 0.3m to
		ensure adequate sample weight and a typical maximum sample interval
		of 1.0m, constrained by geological boundaries. • Specific Gravity – Sufficient density measurements are taken for each
		mineralised DD sample for the Lunnon Metals drill holes.
		Sample weights vary depending on core diameter, sample length and
		density of the rock. Regolith zonation is taken into account.
		• Industry prepared certified reference material (CRM), or standard
		samples of various grades appropriate to the mineralisation expected
		are inserted into the sample batches, approximately every 50 samples
		and more frequently in the identified mineralised zones.
		• Lunnon Metals prepared blank samples are inserted, approximately
		every 50 samples and more frequently in the identified mineralised
		zones. At present blank samples are prepared from CRM Bunbury Basalt
		In the past blanks were prepared from barren non-ultramafic RC chips as
		verified by laboratory analysis or barren non-ultramafic Proterozoic Dyke DD core acquired locally and verified by geological logging.
		 Field duplicate samples are collected at a rate of 1 in 25 samples, and
		more frequently in the identified mineralised zones, by cutting the core
		into quarters and submitting both quarters to the laboratory for analysis
		as two separate samples.
		• In the case of the metallurgical holes no field duplicates are collected to
		preserve a consistent amount of core for metallurgical testwork.
		• After receipt of the DD core samples by the independent laboratory the
		samples are dried, crushed to \sim 2mm, and pulverised with >85%



Criteria	JORC Code explanation	Commentary
Sub-sampling		pulverised to 75micron or better. For sample weights >3kg the sample is
techniques		dried, crushed to ~2mm, split, and pulverised up to 3kg.
and sample		• DD core samples submitted for PhotonAssay method of gold analysis,
preparation		are dried and crushed to \sim 2-3mm and loaded into 330mL plastic jars
(continued)		(typically 400-650g) ready for analysing.
		• Sample sizes are considered appropriate for the style of mineralisation.
		Samples are submitted to Intertek Genalysis in Kalgoorlie for sample
		preparation i.e. drying, crushing where necessary, and pulverising.
		Pulverised samples are then transported to Intertek Genalysis in Perth
		for analysis.
		Historical data
		• All historical core that was relevant to the mineralisation drilled and
		sampled by WMC as sighted by Lunnon Metals was sawn with half or
		quarter core sampling practices. It is assumed that all samples otherwise contributing to any estimation of nickel mineralisation by Lunnon Metal
		were processed with this standard methodology.
		 In regard historical core if used in a future MRE, subsampling techniques
		for WMC drilled NQ and BQ and occasionally AQ size drill holes typical
		involved half and quarter sawn drill core with the quarter core
		dispatched for assaying in the case of NQ and BQ, and half core in the
		case of AQ.
		• Portions of drill core distal to the main high-grade mineralisation were
		sometimes 'chip sampled' by WMC. Lunnon Metals has chosen not to
		utilise such samples in any estimation of grade or mineralisation.
		• WMC typically sampled in interval lengths relevant to the underlying
		lithology and mineralisation such that sample interval lengths may vary
		from between minima of 0.05m and maxima up to 2.00m approximately
		within any mineralised zone.
		Intervals of no mineralisation or interest were not sampled.
		 Review of historical drill core by Lunnon Metals indicated that there were no areas of interest relevant to mineralisation that were not half of
		quarter core sawn and sampled by WMC and that the sample sizes were
		appropriate for the type, style and thickness of mineralisation being
		tested with sample breaks corresponding to lithological or
		mineralisation breaks being the norm. Although faded through time,
		sample depth intervals are evident as marked on the remaining half cor
		as observed by Lunnon Metals and these correlate to sample interval
		depths in the original paper graphical drill logs and the historical
		database
		• While the Previous Owners' procedures for logging, sampling, assaying
		and QAQC of drillhole programs was not available at the time of this
		announcement it is interpreted that it was of high quality and in line
		with industry standards at that time.
		• It is the opinion of the relevant Competent Person that the sample
		preparation, security, and analytical procedures pertaining to the above
		mentioned historical drilling by Previous Owners were adequate and fit
		for purpose based on:
		Both WMC and Gold Fields' reputation in geoscience, in WMC's case
		stemming from their discovery of nickel sulphides in Kambalda in the
		late 1960s;
		 identification of procedures entitled "WMC QAQC Practices for Sampling and Applyris Version 2 - adapted for St lyos Cold" data
		Sampling and Analysis, Version 2 – adapted for St Ives Gold" date
		February 2001 and which includes practices for nickel; and
		- the first-hand knowledge and experience of the Competer
		Person of this announcement whilst working for WMC and Gol
		Fields at Kambalda between 1996 and 2006.



Criteria	JORC Code explanation	Commentary
Sub-sampling techniques and sample preparation (continued)		 Surface rock chip and grab sampling As the rock chip / grab samples are intended for exploration planning purposes only no Company sample preparation QAQC processes were undertaken (insertion of CRM's or blanks). Laboratory QAQC protocols were utilized in the sample preparation and analysis phase. After receipt of the rock chip / grab samples by the independent laboratory the samples are dried, crushed to ~2mm, and pulverised with >85% pulverised to 75micron or better. For sample weights >3kg the sample is dried, crushed to ~2mm, split, and pulverised up to 3kg. Rock chip / grab samples submitted for PhotonAssay method of gold analysis, are dried and crushed to ~2-3mm and loaded into 330mL plastic jars (typically 400-650g) ready for analysing. Samples are submitted to Intertek Genalysis in Kalgoorlie for sample preparation i.e. drying, crushing where necessary, and pulverising. Pulverised samples are then transported to Intertek Genalysis in Perth for analysis.
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	 For both Lunnon Metals RC and DD (and re-assaying of Historical DD where relevant) and surface rock chip / grab samples Samples are submitted to Intertek Genalysis in Kalgoorlie for sample preparation such as drying, crushing where necessary, and pulverising. Prepared samples are then transported to Intertek Genalysis in Perth for analysis. Samples are analysed for a multi-element suite (typically 33 or 48 elements) including, as a minimum, Ni, Cu, Co, Cr, As, Fe, Mg, Pb, S, Ti, Zn. Analytical techniques used a four-acid digest (with ICP-OES or ICP-MS finish) of hydrofluoric, nitric, perchloric and hydrochloric acids, suitable for near total dissolution of almost all mineral species including silica-based samples. Within nickel mineralised zones, the platinum group elements (Pd, Pt, Au) are also analysed using a 50g charge lead collection fire assay method with ICP-MS finish. For the purpose of gold exploration, all samples have been typically submitted for 50g charge lead collection fire assay. while samples specifically located in weathered regolith and mineralised zones are submitted for the same multi-element suite as above for the purpose of assessing potential gold path finder elements. From 2024 the Company has moved to Chrysos PhotonAssayTM (PhotonAssay) as its preferred methods of gold analysis. PhotonAssay is a high-energy X-ray source that is used to irradiate large mineral samples, typically about 0.5 kg. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured



Criteria	JORC Code explanation	Commentary
Quality of		Historical data
assay data and		• There is no data available at the time of this announcement pertaining
-		
laboratory		to the assaying and laboratory procedures nor the historical field or
tests		laboratory quality assurance and quality control (QAQC), if any,
(continued)		undertaken by Previous Owners' drilling programs in the KGNP area;
		however, it is expected that industry standards as a minimum were likely
		to have been adopted in the KGNP area and the analytical laboratory.
Verification of	The verification of significant	For both Lunnon Metals RC and DD
sampling and	intersections by either	• Numerous DD twin holes of original RC holes, and DD wedge twin holes
assaying	independent or alternative	from original DD parent holes now completed at KGNP demonstrate
	company personnel.	acceptable correlation and verification of the associated significant
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	nickel intersections reported. The distance between the original and twin
	The use of twinned holes.	holes typically ranges between 0.5m and 5.0m.
		• In the case of current gold exploration, previous lodgements have
	Documentation of primary data	specifically documented the results of drilling DD holes adjacent to
	Documentation of primary data,	
	data entry procedures, data	previous Company RC holes.
	verification, data storage	• Specific assayed gold interval samples nominated for verification are
	(physical and electronic)	either re-split in the field via riffle splitter in the case of RC samples, or in
	protocols.	the case of DD core the remaining half of core from the core trays are
		sampled. These full intervals of duplicate samples are assayed via the
	Discuss any adjustment to assay	original and/or alternative methods as a means of verifying the original
	data.	gold assays.
		 Prior to drilling, all planned collar data is captured in a digital drillhole
		collar register stored on a secure site-based server which is backed up to
		Perth based server continuously. The collar register is updated as drilling
		progresses and is completed.
		• Sample intervals are captured in digital QAQC'd spreadsheets via
		Toughbooks. After internal sign-off, these digital sampling registers are
		saved by geologists in the designated folder on the server.
		• After further data validation by the database administrator, the items in
		the upload folder are uploaded to a secure digital Database on a
		separate sequel sever.
		 Since September 2023 the data collected on the Toughbooks
		synchronises directly to the Database stored on a separate secure sequel
		server. A set of buffer tables store the data before the database
		administrator does a second validation of the data (driven by in-built
		validation rules in the Database) before loading to the production data
		tables.
		 Assays from the laboratory are sent directly to the database
		administrator via a dedicated Lunnon Metals assays email address where
		they are all checked and verified by the Lunnon Metals database
		administrator before accepting the batches into the database.
		 No adjustments are made to the original assay data. Only the Lunnon
		Metals database administrator has editable access to assay values stored
		in the Database and an internal periodic audit protocol is in place to
		verify Database assay values against original laboratory provided assay
		data.
		Historical data
		• Diamond core data – across the KGNP, Lunnon Metals has undertaken
		exhaustive assessment of historical WMC underground and surface
		diamond drill core to inspect and visually validate significant drill assays
		and intercepts, and re-sample and re-assay to validate historical assay
		data in the KGNP Database.
		• No significant or systematic inconsistencies have been identified and the
		Competent Person is satisfied that the original data in the project area is
		representative of the geology and mineralisation modelled; thus, no
		adjustments to assay data have been deemed necessary or made.



Criteria	JORC Code explanation	Commentary
Verification of		Twin holes of select historical WMC intercepts have now been
sampling and		completed and also demonstrate acceptable correlation and verification
assaying		of the associated historically significant nickel intersections. Lunnon
(continued)		Metals notes that the Kambalda style of nickel mineralisation is highly
		visible permitting the nickel grade to be relatively accurately estimated
		by experienced geologists to validate the laboratory assay grade; this is a practice that is not uncommon in the nickel mining industry.
		a practice that is not uncommon in the nicker mining industry.
		Surface rock chip and grab sampling
		• No verification of sampling and assaying of surface rock chip/grab
		samples is undertaken
Location of	Accuracy and quality of surveys	General
data points	used to locate drillholes (collar	• The grid projection is GDA94/ MGA Zone 51.
	and down-hole surveys),	• Diagrams and location data tables have been provided in the previous
	trenches, mine workings and	reporting of exploration results where relevant.
	other locations used in Mineral	For both Lunnon Metals RC and DD
	Resource estimation.	• RC and DD hole collar locations are located initially by handheld GPS to
	Specification of the grid system	an accuracy of +/- 3m. Planned resource drill holes are set out by a licensed surveyor for better than 3m accuracy. Subsequently, drill hole
	used.	collar locations are then picked up by a licensed surveyor using DGPS
		methods following the completion of the drilling.
	Quality and adequacy of	• All drill holes are typically surveyed downhole at 5m intervals using the
	topographic control.	REFLEX gyro Sprint-IQ (north seeking gyro) system for both azimuth and
		dip measurements or the new REFLEX gyro OMNIx42, which is stated to
		have an even greater accuracy than the Sprint-IQ.
		• Downhole surveys are uploaded by Blue Spec and Ausdrill to the
		IMDEXHUB-IQ, a cloud-based data management program where
		surveys are validated and approved by trained Lunnon Metals staff.
		Surveys can now be validated live and in 3D with the introduction of
		Seequent Central to the process, a cloud-based management system with direct integration between IMDEX and Leapfrog Geo (3D geology
		modelling software). Approved exports are then downloaded to the
		server and after additional QAQC checks and sign off the survey data is
		uploaded to the Database. The input file is the same file directly
		downloaded from the IMDEX hub, so data entry errors are eliminated.
		Historical data
		Historical methods of drill collar survey pick-up are not recorded
		however Previous Owners did employ surface surveyors dedicated to
		the collection of exploration collar data. The easting, northing and
		elevation values were originally recorded in local KNO ('Kambalda Nickel
		Operations') grid and later converted to the currently used GDA94/MGA
		Zone 51 grid. Both the original KNO grid coordinates and the converted
		coordinates are recorded in the Database. A representative number of historical drill collars were located in the field and their locations cross
		checked via differential GPS and/or handheld GPS to validate the
		Database collar coordinates.
		Historical hardcopy downhole survey data is generally available for the
		majority of surface drillholes and the records show that single shot
		magnetic instruments were used. A representative number of these
		hardcopy downhole survey records have been cross checked against the
		digital records in the Database.
		• Downhole surveys of select historical surface DD have been conducted
		using modern gyro systems as described above and no significant errors
		or inconsistencies were deemed present.
		Lunnon Metals has corrected where necessary incorrect data in the Database where down hole measurements from the hardsony data were
		Database where down hole measurements from the hardcopy data were
		incorrectly processed.



Criteria	JORC Code explanation	Commentary
Data spacing and	Data spacing for reporting of Exploration Results.	 No other significant errors or inconsistencies were deemed present or capable of being detrimental to any interpretation of gold or nickel mineralisation, including any MRE work. Surface rock chip and grab sampling The rock chip / grab sampling points are located by handheld GPS to a typical accuracy of +/- 3m. For both Lunnon Metals RC and DD The RC and DD programs at KGNP comprise drillhole spacings that are
and distribution	Exploration Results. Whether the drill spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied Whether sample compositing has been applied	 The RC and DD programs at KGNP comprise drillhole spacings that are dependent on the target style, orientation and depth. Drillholes are not necessarily drilled to set patterns or spacing at the exploration stage of the program. Previous drill spacing varies greatly, again subject to the target style dimensions, orientation and depth and inherent geological variability and complexity. All holes have been geologically logged and provide a strong basis for geological control and continuity of mineralisation. No sample compositing has been applied except at the reporting stage of drill intercepts within a single hole. Historical data The typical spacing for the early WMC DD surface drill traverses varies but is typically approximately 200m to 400m apart with drillhole spacing along the traverses at 100m to 50m. In areas of shallower RC drilling this drill spacing for areas the subject of underground DD holes was variable but was on average spaced at approximately 20m along the strike of a mineralised zone with fans or rings of DD holes that deliver pierce points in the dip orientation at variable spacing, but typically 10m to 20m apart. The drill spacing for the gold prospects reported, with both Lunnon Metals surface DD and RC and Previous Owners surface DD, RC and AC, is variable but ranges typically from 320m, 160m, 80m, 40m, to 20m hole spacing depending on the maturity or state of advancement of the prospect by those Previous owners. Surface rock chip and grab sampling Not relevant to the reporting of rock chip / grab samples. Spacing of sample location is arbitrary, and dependent on the surface exposures identified in the field. The location, assay results and geological descriptions of the rock chip / grab samples reported is not appropriate for use, and will not be used, in any mineral resource estimate.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	 The preferred orientation of drilling at KGNP is designed to intercept the target approximately perpendicular to the strike and dip of the mineralisation where/if known. Subsequent sampling is therefore considered representative of the mineralised zones if/when intersected. In the broader project area, the majority of historical drill holes were collared vertically and lifted/drifted in towards close to perpendicular to the mineralisation with depth as the nickel contact was approached. The chance of bias introduced by sample orientation relative to structures, mineralised zones or shears at a low angle to the drillhole is possible, however quantified orientation of the intercepted interval allows this possible bias to be assessed. Where drilling intercepts the interpreted mineralisation as planned, bias is considered non-existent to minimal. Lunnon Metals does not consider that any bias was introduced by the orientation of sampling resulting from any particular drilling technique. Where drilling intercepts the interpreted mineralisation as planned, bias is considered non-existent to minimal.



Criteria	JORC Code explanation	Commentary
Sample	The measures taken to ensure	Lunnon Metals RC
		programs; however, it is assumed that due care was taken with security of samples during field collection, transport and laboratory analysis. The historical drill core remaining after sampling was stored and catalogued at the KNO core farm (now Gold Fields, SIGM core farm) and it remains at this location to the present day.
Audits or review	The results of any audits or reviews of sampling techniques and data.	 No external audits or reviews have been undertaken at this stage of the program. WMC Historical data Cube Consulting Pty Ltd (Cube) are independent of Lunnon Metals and have been previously retained by Lunnon Metals to complete the grade estimation for nickel mineralisation models and MRE exercises but also to review and comment on the protocols developed by Lunnon Metals to deal with, and thereafter utilise, the historical WMC Resources' data, in particular the re-sampling and QAQC exercise completed by Lunnon Metals such that the data is capable of being used in accordance with current ASX Listing Rules where applicable and JORC 2012 guidelines and standards for the generation and reporting of MREs. Cube has documented no fatal flaws in the work completed by Lunnon Metals in this regard.



SECTION 2: REPORTING OF EXPLORATION RESULTS

Criteria	JORC Code explanation	Commentary
Mineral	Type, reference name/number,	• The property is located on granted Mining Leases. Although all the
tenement and	location and ownership including	tenements wholly or partially overlap with areas the subject of
land tenure	agreements or material issues with	determined native title rights and interests, the Company notes that
status	third parties such as joint ventures, partnerships, overriding royalties,	the original grant of the right to mine pre-dates 23 December 1996 and as such section 26D of the Native Title Act may be applied to
	native title interests, historical	exempt any future renewals or term extensions from the right to
	sites, wilderness or national park	negotiate in Subdivision P of the Act.
	and environmental settings.	Notwithstanding the above, on January 9 2025, the Company
	The security of the tenure held at	announced that it had executed a Land Access Agreement with the
	the time of reporting along with	Ngadju Native Title Aboriginal Corporation RNTBC (NNTAC), covering
	any known impediments to	the relevant parts of the KGNP that fall on Ndadju Determination Area
	obtaining a licence to operate in	country. Significantly, the Agreement secures the renewal of the
	the area.	Company's mining licences, delivering certainty beyond the current
		term ending in December 2025.
		• The complete area of contiguous tenements on which the Silver Lake-
		Fisher project and rights is located is, together with the wholly owned
		Foster-Baker project area on the south side of Lake Lefroy, collectively
		referred to as the Kambalda Gold & Nickel Project ("KGNP") area.
		 Gold Fields Ltd's wholly owned subsidiary, SIGM, remains the registered holder and the beneficial owner of the Silver Lake- Fisher
		area.
		Lunnon Metals holds:
		- 100% of the rights and title to the Foster-Baker (FBA) area of KGNP,
		its assets and leases, subject to certain select reservations and
		excluded rights retained by SIGM, principally relating to the right to
		gold in defined areas and the rights to process any future gold ore
		mined at their nearby Lefroy Gold Plant;
		- The FBA project area of KGNP comprises 19 tenements, each
		approximately 1,500 m by 800 m in area, and three tenements on
		which infrastructure may be placed in the future. The tenement
		numbers are as follows:
		M15/1546; M15/1548; M15/1549; M15/1550; M15/1551;
		M15/1553; M15/1556; M15/1557; M15/1559; M15/1568;
		M15/1570; M15/1571; M15/1572; M15/1573; M15/1575;
		M15/1576 M15/1577; M15/1590; M15/1592;
		and additional infrastructure tenements:
		M15/1668; M15/1669; M15/1670; and
		- 100% of the mineral rights to nickel and associated metals in the
		Silver Lake-Fisher (SLF) project area of KGNP, subject to the rights
		retained by SIGM as tenement holder and as detailed in the Mineral
		Rights Agreement (MRA). The tenement numbers are as follows (note
		select tenements are not wholly within the MRA area):
		M15/1497; M15/1498; M15/1499; M15/1505; M15/1506;
		M15/1507; M15/1511; M15/1512; M15/1513; M15/1515;
		M15/1516; M15/1523; M15/1524; M15/1525; M15/1526;
		M15/1528; M15/1529; M15/1530; M15/1531:
		and access rights to ML15/0142.
		• There are no known impediments to potential future development or
		operations, subject to relevant regulatory approvals, over the leases
		where significant results have been reported.
		• The tenements are in good standing with the Western Australian
	l	Department of Mines, Industry Regulation and Safety.



Criteria	JORC Code explanation	Commentary
Exploration	Acknowledgement and appraisal	• In relation to nickel mineralisation, WMC, now BHP Nickel West Pty Ltd
done by other parties	of exploration by other parties.	 and a wholly owned subsidiary of BHP Group Ltd, conducted all relevant exploration, resource estimation, development and mining of the mineralisation at Foster, Jan, Silver Lake and Fisher mines from establishment of the mineral licences through to sale of the properties to SIGM in December 2001. Approximately over 550,000m of DD was undertaken on the properties the subject of the FBA and SLF area by WMC prior to 2001. SIGM has conducted later gold exploration activities on the KGNP area since 2001, however until nickel focused work recommenced under Lunnon Metals management, no meaningful nickel exploration has been conducted since the time of WMC ownership and only one nickel focused surface diamond core hole (with two wedge holes), was completed in total since WMC ownership and prior to Lunnon Metals' IPO. On the KGNP, past total production from underground mining in contained nickel metal terms by WMC was: Foster 61,129 nickel tonnes; Inp. 20.270 nickel tonnes;
		 Jan 30,270 nickel tonnes; Fisher 38,070 nickel tonnes; and
		 Fisher 58,070 micker tonnes, and Silver Lake 123,318 nickel tonnes.
Geology	Deposit type, geological setting and style of mineralisation.	 The KGNP area is host to both typical 'Kambalda' style, komatiitic hosted, nickel sulphide deposits and Archaean greenstone gold deposits such as routinely discovered and mined in Kambalda/St lves district. The project area is host to nickel mineralisation and elements associated with this nickel mineralisation, such as Cu, Co, Pd and Pt and also gold mineralisation as evidenced by the past mining activities noted above.
Drillhole information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes: easting and northing of the drillhole collar elevation or RL (elevation above sea level in metres) of the drillhole collar dip and azimuth of the hole down hole length and interception depth hole length 	 Drill hole collar location and directional information has been provided within the body of related previous ASX reports and also within the relevant Additional Details Table in the Annexures of those reports. A representative proportion of historical drilling completed by Previous Owners as recorded in the drilling Database and relevant to the report, has been verified. If long plunge extents are present, long projections are often considered the most appropriate format to present most results, especially if there are insufficient drill hole intercepts to present meaningful, true cross sections. Isometric and plan views are also utilised to place drill results in context if possible. In regard the gold prospects reported, plan, isometric, long projection and/or cross section views are presented if sufficient data or individual drill intercepts are present to make this meaningful. Cross sections are often only able to be presented once sufficient pierce points on the same section have been generated and the interpretation sufficiently well advanced to present such sections in a meaningful manner.
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	 Grades have been reported as intervals recording down-hole length and interpreted true width where this estimation is able to be made. Any grades composited and reported to represent an interpreted mineralised intercept of significance are reported as sample-length weighted averages over that drill intercept. Other composite grades may be reported above differing cut-offs however in such cases the cut off will be specifically stated. Gold Exploration Results The Company currently considers that grades above 0.5g/t Au and/or 1.0g/t Au are worthy of consideration for individual reporting in any



Criteria	JORC Code explanation	Commentary
Data		announcement of Exploration Results in additional details tables
aggregation methods (continued)		 announcement of exploration Results in additional details tables provided. Composite grades may be calculated typically to a 0.5g/t Au cut-off with intervals greater than 1.0g/t reported as "including" in any zones of broader lower grade mineralisation. Other composite grades may be reported above differing cut-offs however in such cases the cut off will be specifically stated.
		 Reported intervals may contain variable widths of internal waste (samples with values below stated cut-off grade) depending on the style of gold mineralisation being investigated however the resultant composite must be greater than either the 0.5g/t Au or 1.0g/t Au as relevant (or the alternatively stated cut-off grade). No top-cuts have been applied to reporting of drill assay results and no metal equivalent values have been reported. Where present, historical SIGM drilling in the project area was typically only assayed for Au. Surface rock chip and grab sampling Only individual rock chip assay results have been released. Results have not been aggregated. No metal equivalent values are reported. Results are from surface outcrops and / or existing historical sample pit spoils as relevant, no estimate of width or geometry of the sampled medium is provided
Relationship between mineralisation widths and intercept lengths	If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	 In regard to the gold prospects reported, subject to the stage of maturity and thus understanding of the prospect and target mineralisation, again, if possible, drillholes are designed to intersect target surfaces at approximately perpendicular to the strike of mineralisation. Earlier stage or conceptual gold targets however may not be sufficiently well understood to allow this to be the case.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.	 It is often not possible to display all significant intercepts in any plan view due to the overlapping nature and broad width of gold mineralisation encountered. Accordingly cross sections or a long section are provided to depict the program results more clearly. Generally numerous and extensive plans, long projections and sections, and isometric imagery where able to clearly represent the results of drilling, have been previously provided in prior lodged reports.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	 Drill collar locations of Previous Owners Historical drilling and current drilling completed by Lunnon Metals have been previously lodged on the ASX platform and all results of the drilling have also been previously reported. In relation to previous nickel MREs, some WMC Historical DD holes may have informed the margins, periphery or extents of the MRE, but themselves were not significantly mineralised.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results;	 The KGNP has a long history of geological investigation, primarily for nickel, but also gold to a lesser degree. Datasets pertinent to the KGNP that represent other meaningful and material information include: Geophysics - multiple ground and aerial based surveys of magnetic, gravity, Sub Audio Magnetics, electro magnetics, and down hole



Criteria	JORC Code explanation	Commentary
Other	bulk samples – size and method of	transient electromagnetic surveys along with more limited 2D and 3D
substantive	treatment; metallurgical test	seismic surveys.
exploration data	results; bulk density, groundwater, geotechnical and rock	- Geochemistry - nickel and gold soil geochemistry datasets across the KGNP and rock chip sampling in areas of outcrop.
(continued)	geolectrinical and rock characteristics; potential deleterious or contaminating substances.	 Select historical production data recording metallurgical performance of the mines located on the KGNP and the nickel metal delivered to the Kambalda Concentrator is also available in aggregated format. Geotechnical test work on drill core is carried out by independent consultants MGT involving on-site geotechnical logging of the DD core and off-site rock property testing of selected DD core samples. Downhole Transient Electro-magnetic (DHTEM) surveys, when conducted, use the DigiAtlantis system and DRTX transmitter. The readings are typically recorded at 2.5m to 10m intervals. The survey used loops ranging from 300m x 200m to 690m x 290m in orientations designed relative to the target and stratigraphic setting. If required, the Company generally retains ABIM Solutions Pty Ltd (ABIMS) to use the latest generation QL40 OBI Optical Televiewer (OTV) and a customized logging vehicle, to conduct OTV wireline surveys in the project area in select RC or DD holes. The OTV survey generates an oriented 360-degree image of the borehole wall by way of a CCD camera recording the image reflected from a prism. ABIMS provide in-house OTV data interpretation techniques which include structural feature classifications along with structural feature dip and dip direction determination The OTV wireline surveys in RC holes, if applicable, are particularly useful in defining geological and structural orientation data, data that is otherwise unobtainable from RC drill chips. Where completed, these OTV surveys can identify the downhole locations of geological and structural features potentially associated with gold mineralisation such as veining and shearing, such that the positions and intensity of these features can be reconciled with the RC chips used by the geologist for geological logging. For nickel, the OTV surveys can identify the extents of the sulphide mineralisation, the down hole depths of other key contacts, and enabled the visual reconciliati



Criteria	JORC Code explanation	Commentary
Other		Commentary specific to previous metallurgical test work
substantive		• In regard gold, initial 'sighter' testwork has now been conducted on
exploration		RC samples to characterise and confirm high level recovery and
data		reagent usage parameters at the Company's first discovery Lady
(continued)		Herial. This work was conducted by an independent firm, Independent Metallurgical Operations Pty Ltd and based on reverse circulation material sourced from the 2024 drill program and reported on 17 & 19 February 2025, with full details provided in those reports of:
		- the sample preparation for metallurgical testing;
		 the Gravity Stage test work; and
		- the 48 hr Cyanide Leach test work
		 In summary, a series of bottle roll tests were completed at P80 passing 125 μm to simulate leach conditions over 48 hours and were considered sighter in nature.
		• Individual 1 metre RC samples at site (in the ' green bags') containing the remainder of the drilled sample not already sampled and assayed for reporting and Mineral Resource estimation purposes, were selected by site personnel.
		 The basis for selection was to ensure spatial coverage of the three structures at Lady Herial whilst testing all weathering types intersected by drilling and the range of gold grades recorded to date.
		• Gold grades for the intervals selected ranged from 0.47g/t to 4.13g/t
		and are considered representative and reflective of the broad gold
		grade distribution recorded to date by Lunnon Metals' drilling.
		• In the future, available DD core will undergo a testwork program
		aligned with the likely or potential chosen processing route, for
		example, the nearby Gold Fields' Lefroy Plant or other 3 rd party plants
		in the Kambalda-Kalgoorlie-Coolgardie district.
Further work	The nature and scale of planned	• Since the Company's IPO, over 98,000m of either diamond or RC
	further work (e.g. tests for lateral	drilling has now been completed at FBA and SLF, primarily focused on
	extensions or depth extensions or	nickel exploration until a recent shift of focus on to gold.
	large-scale step-out drilling).	• Over 25,000m of historical core has also been reprocessed in the
		Company's Historical Core Program (HCP).
		• All Company work programs are continuously assessed against, and in
		comparison to, ongoing high priority programs elsewhere at KGNP.Where activity or drilling relates to early-stage exploration, it is an
		iterative process with assay, geological, geochemical, geophysical and litho-structural observations and results all contributing to a
		continuous assessment of the merits of any particular target, and how, or whether, to continue to pursue further data and further definition,
		potentially by continuing to drill.
		• Where drilling relates to an MRE, subject to further drilling results and success, the outcome of future metallurgical and geotechnical
		assessment, that MRE may be upgraded, in whole or in part.
		• Thereafter, subject to positive ongoing results and external market and price variables, updates and future additions to the Company's MRE
		may then form the basis for development studies that may lead to the
		future declaration of a Probable Ore Reserve from those portions of
		the MRE at the Indicated (or higher) classification.
		• Any such Ore Reserves then in turn may form the basis of technical
		and economic studies to investigate the potential to exploit those gold or nickel deposits in the future.