

17 August 2026

Aurum extends gold at Boundiali's BST1 deposit and BST2 prospect

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce the latest gold intercepts from an ongoing 100,000m diamond drilling program at its 3.22Moz Boundiali Gold Project¹ in Côte d'Ivoire. Aurum received assay results from 46 diamond drill (DD) holes totalling 8,835.14m, completed as a mix of infill, step-out and extensional drilling at **BST1 deposit** (35 holes for 7,303.79m) and **BST2 prospect** (formerly Gbemou) (11 holes for 1,531.35m), both located on the BST tenement (100% interest).

Key drill intercepts from the latest drilling include²:

BST1 (22Mt @ 0.8 g/t Au for 570koz)

- **3m @ 80.09 g/t Au** from 66m inc. **2m @ 117.73 g/t Au** (BSDD0091)
- **1.50m @ 37.38 g/t Au** from 16.50m (BSDD0096)
- **38m @ 4.20 g/t Au** from 65m inc. **3m @ 30.52 g/t Au** (BSDD0096)
- **3.77m @ 9.62 g/t Au** from 57.23m inc. **2.77m @ 12.75 g/t Au** (BSDD0101)
- **7m @ 3.85 g/t Au** from 70m inc. **5m @ 5.27 g/t Au** (BSDD0089).

BST2 (no resources currently defined)

- **3m @ 27.65 g/t Au** from 144m inc. **1m @ 78.13 g/t Au** (BSDD0077)
- **3m @ 1.39 g/t Au** from 96m inc. **1m @ 3.49 g/t Au** (BSDD0073)
- **2m @ 5.10 g/t Au** from 117m inc. **1m @ 9.74 g/t Au**.

Highlights:

- **Resource growth potential:** Drilling confirms gold mineralisation outside the current MRE at BST1 and at the BST2 prospect, which sits entirely outside the MRE; gold system remains open.
- **130,000m drilling planned for CY2026:** 16 Aurum-owned diamond drill rigs now operating to drive resource growth at **Boundiali** (100,000m) and **Napié** (30,000m).
- **Next Boundiali MRE update** is targeted for end Q3 CY2026.
- **Boundiali Definitive Feasibility Study** (DFS) expected late CY2026.
- Aurum has **4.4Moz gold combined group resources** including flagship **3.22Moz Boundiali Gold Project** and **1.16Moz Napié Gold Project**³.
- Aurum is well-funded for continued exploration success with **A\$54.7M** cash (30 June 2026 unaudited).

Aurum's Managing Director Dr Caigen Wang said: "Our latest results from drilling at BST continue to derisk and build our resource base for the Boundiali Gold Project. At BST1, new holes have intersected shallow high-grade mineralisation including **3m @ 80.09 g/t Au** from 66m (BSDD0091) as well as confirming gold mineralisation in areas currently classified as Inferred. At the BST2 prospect, which sits entirely outside the current Mineral Resource, today's results support further growth potential, although more drilling will be required before it can be classified.

"With 16 diamond rigs owned by Aurum now active across Boundiali, these results will feed directly into our next major resource update, targeted for the end of Q3 CY2026.

¹ "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au

“Our balance sheet remains strong with A\$54.7M in cash, enabling us to advance drilling, studies and permitting in parallel. Environmental approval in May and the delivery of the PFS and Maiden Ore Reserve in June have set a clear pathway toward grant of Mining Licences and DFS completion later this year.

“Boundiali continues to grow in both scale and confidence, and today’s results reinforce that trajectory. We look forward to reporting further progress on Boundiali exploration and development through the remainder of 2026.”

New drilling at BST – Boundiali Gold Project⁴

Aurum has received assay results⁵ from 46 diamond drill (DD) holes totalling 8,835.14m, completed as a mix of infill, step-out and extensional drilling at **BST1** deposit (35 holes for 7,303.79m) and **BST2** prospect (11 holes for 1,531.35m), which are located on the **BST** tenement (100% interest).

These results are from an ongoing 100,000m Boundiali drilling program (CY2026) aimed at increasing resources, as well as improving resource confidence. Aurum will incorporate results into the next MRE update, expected at the end of Q3 CY2026.

Details of drill collar locations, assay results and intercepts⁶ for the new drilling at Boundiali are provided in Table 1 and Table 2. Plans showing location of the Boundiali Gold Project are presented in **Figure 1** and **Figure 2** and project details in **Figure 3**. A detailed plan showing the latest assay results is presented in **Figure 4** and **Figure 5** and an example cross section of the latest results is presented in **Figure 6**.

Drilling has returned a mixture of high-grade gold intersections with most holes reporting multiple zones of gold mineralisation downhole; better results include:

BST1

- **3m @ 80.09 g/t Au** from 66m inc. **2m @ 117.73 g/t Au** (BSDD0091)
- **38m @ 4.20 g/t Au** from 65m inc. **3m @ 30.52 g/t Au** (BSDD0096)
- **1.50m @ 37.38 g/t Au** from 16.50m (BSDD0096)
- **3.77m @ 9.62 g/t Au** from 57.23m inc. **2.77m @ 12.75 g/t Au** (BSDD0101)
- **7m @ 3.85 g/t Au** from 70m inc. **5m @ 5.27 g/t Au** (BSDD0089)
- **6.50m @ 3.67 g/t Au** from 7.50m inc. **1m @ 20.12 g/t Au** (BSDD0093)
- **7m @ 3.31 g/t Au** from 15m inc. **2m @ 11.09 g/t Au** (BSDD0089)
- **9.06m @ 2.44 g/t Au** from 1.94m inc. **1m @ 13.51 g/t Au** (BSDD0088)
- **21m @ 0.75 g/t Au** from 69m inc. **4m @ 1.81 g/t Au** (BSDD0100)
- **5m @ 2.70 g/t Au** from 132m inc. **0.59m @ 20.12 g/t Au** (BSDD0086)

BST2

- **3m @ 27.65 g/t Au** from 144m inc. **1m @ 78.13 g/t Au** (BSDD0077)
- **2m @ 5.10 g/t Au** from 117m inc. **1m @ 9.74 g/t Au** (BSDD0073)
- **3m @ 1.39 g/t Au** from 96m inc. **1m @ 3.49 g/t Au** (BSDD0073)
- **4m @ 1.00 g/t Au** from 77m inc. **1m @ 2.13 g/t Au** (BSDD0068)
- **0.75m @ 5.13 g/t Au** from 86.25m (BSDD0077)
- **2m @ 1.64 g/t Au** from 50m (BSDD0076)
- **1m @ 2.84 g/t Au** from 55m (BSDD0072)
- **4.56m @ 0.47 g/t Au** from 57m inc. **0.56m @ 2.43 g/t Au** (BSDD0076)
- **0.88m @ 2.28 g/t Au** from 35.12m (BSDD0072).

⁴ Refer to About Aurum’s Boundiali Gold Project

⁵ Refer to Table 1 for collar information and Table 2 for full assay results for the new drilling

⁶ All intercepts are reported as downhole lengths using a 0.2 g/t Au cut-off grade with up to 3m consecutive internal dilution and no top cut applied

These new results are in addition to previous exploration drilling at **BST1** that returned impressive results⁷:

- **20m @ 10.45g/t Au** from 38m (BRC0004S BIS)
- **30m @ 8.30g/t Au** from 39m (NDC007)
- **28m @ 4.04g/t Au** from 3m and **6m @ 3.29g/t Au** from 47m (BRC003)
- **9m @ 7.90g/t Au** from 99m (BRC006)
- **27m @ 2.42g/t Au** from 27m (BRC175).

The **BST1** gold deposit, located 19km to the south of **BDT1** on the Nyangboue shear zone, is hosted in a sedimentary package comprising alternating sandstones and shales with minor intraformational conglomerates. Broad zones of lower grade disseminated mineralisation envelope higher grade zones which are in some instances associated with quartz veining with visible gold. Gold mineralisation encountered occurs as discrete higher-grade zones within a broad low-grade envelope within a folded sedimentary package. Extensive sulphide and carbonate alteration occurs with higher grade zones being associated with structurally controlled zones of quartz veining. Oxidation extends to approximately 50m vertical depth and being a sedimentary protolith is soft and friable.

The **BST2** gold prospect is located approximately 18km northwest of **BST1**. The prospect was identified by permit-wide reconnaissance soil sampling in 2015–16 by the Predictive Discovery–Toro Gold joint venture and defined by 200m x 50m infill sampling in early 2017 as a coherent ~2km long +50ppb Au gold-in-soil anomaly, including more than 600m of strike above 100ppb Au and a peak value of 706ppb Au.

The gold-in-soil anomaly was tested by 43 RC holes for 2,396m (BRC127–BRC169) and results from the drilling reported by Predictive Discovery (5 September 2017). Holes were drilled at 120° azimuth and -50° dip on fences spaced approximately 200m apart, with the majority terminating at approximately 50m depth and only two holes (BRC141 and BRC148) exceeding 100m. Eighteen of the 43 holes returned mineralised intercepts at a 0.25 g/t Au cut-off. Better results from the 2017 RC drilling include:

- **1m @ 22.2 g/t Au** from 51m (BRC137)
- **2m @ 4.04 g/t Au** from 15m, including **1m @ 7.59 g/t Au** (BRC144)
- **1m @ 3.71 g/t Au** from 11m (BRC146)
- **1m @ 3.03 g/t Au** from 61m (BRC141)
- **4m @ 1.56 g/t Au** from 36m (BRC139)
- **4m @ 1.53 g/t Au** from 25m (BRC140)
- **6m @ 0.85 g/t Au** from 43m within a broader zone of **18m @ 0.60 g/t Au** (BRC148)

Gold mineralisation at **BST1** and **BST2** remains open along strike and at depth. Assay results from these holes will feed the next major Boundiali Mineral Resource update, and follow-up drilling to test the gold mineralisation identified outside the current resource is being planned.

Aurum's drill rigs continue drill activities on the **BM** and **BST tenements**; drilling at Boundiali has so far only targeted the most obvious outcropping anomalies. Aurum believes there remains a high potential for blind discoveries, providing a clear pathway for continued resource growth in CY2026 and beyond.

Next Steps

Aurum will continue to use its strong balance sheet and self-owned drill rig fleet to drive multi-rig drilling activity throughout CY2026 focussed on rapid resource conversion, resource growth and economic de-risking.

1. Boundiali: Moving to Development

- **Drilling (100,000m):** 16 diamond rigs to test strike and depth extensions across **BD, BM, and BST** tenements.

⁷ Predictive Discovery ASX announcements dated 23 June 2016, 25 July 2016, 8 August 2016, 17 May 2017, 29 May 2017, 5 Sep 2017, 27 May 2019 and Turaco Gold's ASX Announcements dated 12 November 2021, 17 June 2022



- **Resource Update:** Next major MRE update is targeted for end Q3 CY2026.
- **DFS Delivery:** Results from 2026 drilling and the PFS will be incorporated in a **DFS** expected in late 2026.

2. Napié: Scaling the Resource

- **Resource Expansion:** A **30,000m diamond drilling** program is planned to grow the 1.16Moz gold resource.
- **Drilling Efficiency:** Aurum is building an exploration camp close to the Napié gold deposits to reduce operating costs and improve access efficiency.

3. Regional Exploration & Discovery

- **Pipeline Generation:** Scout drilling is planned for the **BD, BM, and BST** tenements to test new targets identified via soil anomalies and geological mapping.
- **Early-Stage Growth:** Aurum is advancing its **Encore JV⁸** and **Major Star Plus⁹** partnership projects to identify new gold systems in the region.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, Mineral Resource Estimates, Ore Reserves, the Pre-Feasibility Study and potential Definitive Feasibility Study, project development timelines, and the potential for first gold production. Forward-looking statements are identified by words such as "target", "expected", "planned", "potential", "anticipated", "goal" and similar expressions. These statements are based on the Company's current expectations, assumptions, and estimates as at the date of this release, and are subject to risks and uncertainties that could cause actual results to differ materially from those expressed or implied. Key risks include, but are not limited to: exploration and drilling outcomes; resource and reserve estimation uncertainty; commodity price fluctuations, including the gold price; currency exchange rate movements; the ability to obtain and maintain required regulatory, environmental, and mining approvals; operational and project execution risks; capital and financing risks; geopolitical and sovereign risks associated with operations in Côte d'Ivoire; and broader economic and market conditions. The Ore Reserve and PFS outcomes referred to in this release were prepared in accordance with the JORC Code 2012 and the assumptions underlying those studies are summarised in the relevant ASX announcements (ASX:AUE, 11 June 2026). Those assumptions remain subject to change as the project advances toward a Definitive Feasibility Study and as new information becomes available. Investors and potential investors are cautioned not to place undue reliance on forward-looking statements, which reflect the Company's views only as at the date of this release. The Company undertakes no obligation to update forward-looking statements, whether as a result of new information, future events, or otherwise, except to the extent required by applicable law or ASX Listing Rules.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a Non-Executive Director of the Company since 1 February 2024 and joined as an Executive Director on 1 June 2024. Mr Strizek holds shares in Aurum Resources Limited and holds options and performance rights that have been approved by shareholders of the Company. Mr Strizek has sufficient experience

⁸ ASX release dated 27 May 2025, Aurum secures strategic Joint Venture to expand Boundiali Gold Project, summarised in "About" section

⁹ ASX release dated 1 September 2025, Aurum expands footprint of Boundiali and Napié Gold Projects, summarised in "About" section

relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the Company is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this release.

COMPLIANCE STATEMENT

The information in this release that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz" released to the Australian Securities Exchange on 14 May 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this release that relates to Boundiali Ore Reserves is extracted from the announcement "Boundiali PFS and Maiden Ore Reserve delivered" released to the Australian Securities Exchange on 11 June 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Ore Reserves, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement. The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au" released to the Australian Securities Exchange on 10 April 2026 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

PREVIOUSLY REPORTED INFORMATION

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

7 Aug 2026, Aurum hits 0.72m @ 367g/t gold at Boundiali BMT3 (ASX:AUE)	18 Nov 2025, Aurum hits 3.10m @ 70.78 g/t gold from 112.90m at Boundiali (ASX:AUE)
28 Jul 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)	07 Nov 2025, Aurum hits 5m @ 11.07 g/t gold from outside BDT2 resources (ASX:AUE)
24 Jul 2026, Aurum extends BDT2 gold beyond current resource (ASX:AUE)	06 Nov 2025, Addendum to the 2025 Annual Report (ASX:AUE)
29 Jun 2026, Aurum hits 1.7m @ 70.35 g/t gold from 276.5m at BDT2 (ASX:AUE)	30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
17 Jun 2026, AUE adds key personnel to strengthen Boundiali development (ASX:AUE)	27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
11 Jun 2026, Boundiali PFS and Maiden Ore Reserve delivered (ASX:AUE)	06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
25 May 2026, Aurum Receives Environmental Approvals for Boundiali (ASX:AUE)	29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
14 May 2026, Boundiali 3.22 Moz gold - Indicated up 24% to 1.70 Moz (ASX:AUE)	10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
7 May 2026, Aurum hits thick gold intersections at BDT2 (ASX:AUE)	01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
28 Apr 2026, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)	05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
21 Apr 2026, Aurum hits multiple thick gold intersections at BDT2 (ASX:AUE)	29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
16 Apr 2026, Boundiali BST1 depth extension 220m below current MRE (ASX:AUE)	25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
10 Apr 2026, Napié Grows to 1.2Moz Au and Aurum reaches 4.2Moz Au (ASX:AUE)	23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
23 Mar 2026, Aurum raises \$28.8M via Strategic Placement (ASX:AUE)	15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
13 Mar 2026, Half Yearly Report and Accounts (ASX:AUE)	27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
5 Mar 2026, Aurum Hits High-Grade Gold at Napié, Côte d'Ivoire (ASX:AUE)	17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
23 Feb 2026, Boundiali Resource Grows to 3Moz - Indicated Up 49% (ASX:AUE)	27 May 25, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
16 Feb 2026, Boundiali extends strike and depth at BDT3 and BST1 (ASX:AUE)	21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
5 Feb 2026, High-Grade Extensions at BD Deposits for Resource Growth (ASX:AUE)	13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
28 Jan 2026, Further high-grade intercepts at BMT3 in Boundiali (ASX:AUE)	13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
14 Jan 2026, Boundiali Gold Project produces more good drilling results (ASX:AUE)	07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
7 Jan 2026, Aurum advances Boundiali development with 3 ML Applications (ASX:AUE)	16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
19 Dec 2025, More high grade gold intercepts at BMT3 in Boundiali (ASX:AUE)	08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
11 Dec 2025, Drilling at Napié Extends Gold Mineralisation to 400m Depth (ASX:AUE)	31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
28 Nov 2025, Aurum completes \$22.98M Montage share sale (ASX:AUE)	27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)



19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)

30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for the BST2¹⁰

¹⁰ Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 5: Plan view showing new drill results (yellow) for the BST1¹¹

¹¹ Only showing selected new intercepts, full list of new intercepts included in assay results table




Figure 6: Cross Section looking north (+/-25m) showing new drill results (yellow) for BST1¹²

¹² Only showing new intercepts greater than 5 gold gram metres, full list of new intercepts included in assay results table

Table 1: Drill collar information for holes drilled at Boundiali (BST)

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
BSDD0056	784,520	1,034,050	391	151.70	90	-50	BST1	DD
BSDD0057	784,584	1,034,100	396	132.40	90	-60		
BSDD0058	784,592	1,034,150	397	109.85	90	-60		
BSDD0059	784,516	1,034,101	395	181.70	90	-60		
BSDD0060	784,529	1,034,150	396	182.70	90	-60		
BSDD0061	784,614	1,034,250	396	124.30	90	-60		
BSDD0064	784,477	1,034,250	396	253.10	90	-60		
BSDD0065	784,581	1,034,350	401	143.30	90	-60		
BSDD0070	784,500	1,034,350	399	287.60	90	-60		
BSDD0071	784,480	1,034,400	400	251.20	90	-60		
BSDD0074	784,532	1,034,450	403	232.25	90	-60		
BSDD0075	784,610	1,034,500	406	252.15	90	-60		
BSDD0078	784,549	1,034,560	405	247.30	90	-60		
BSDD0079	784,542	1,034,500	402	251.30	90	-60		
BSDD0080	784,597	1,034,650	408	154.20	90	-60		
BSDD0081	784,502	1,034,700	407	278.30	90	-60		
BSDD0082	784,530	1,034,650	407	232.50	90	-60		
BSDD0083	784,528	1,034,780	412	298.95	90	-60		
BSDD0084	784,500	1,034,750	410	355.10	90	-60		
BSDD0085	784,520	1,034,829	416	333.70	90	-60		
BSDD0086	784,649	1,034,808	415	162.05	90	-55		
BSDD0087	784,729	1,034,858	415	126.59	90	-55		
BSDD0088	784,769	1,034,908	416	97.90	90	-55		
BSDD0089	784,666	1,034,759	413	172.50	90	-58		
BSDD0090	784,609	1,034,809	415	207.80	90	-55		
BSDD0091	784,649	1,034,658	409	126.55	90	-55		
BSDD0092	784,688	1,034,858	416	153.80	90	-55		
BSDD0093	784,728	1,034,907	416	181.30	90	-55		
BSDD0094	784,760	1,034,801	414	115.10	87	-60		
BSDD0095	784,808	1,034,850	416	156.60	90	-55		
BSDD0096	784,728	1,034,950	419	218.30	87	-55		
BSDD0099	784,588	1,034,800	414	336.90	81	-65		
BSDD0100	784,750	1,035,050	430	269.65	84	-62		
BSDD0101	784,660	1,034,850	417	253.90	84	-65		
BSDD0102	784,648	1,034,899	420	271.25	84	-55		
35 holes				7,303.79m				
BSDD0055	768,043	1,042,596	392	100.50	305	-55	BST2	
BSDD0062	767,727	1,041,803	393	100.00	305	-55		
BSDD0063	768,080	1,042,570	393	102.90	305	-55		
BSDD0066	767,773	1,041,770	393	101.30	305	-55		
BSDD0067	768,123	1,042,544	395	105.00	305	-55		
BSDD0068	767,811	1,041,746	393	108.90	305	-55		
BSDD0069	767,885	1,041,694	394	102.50	305	-55		
BSDD0072	767,802	1,041,751	393	196.25	125	-50		
BSDD0073	767,749	1,041,890	392	217.90	122	-55		
BSDD0076	767,589	1,041,287	401	199.70	122	-55		
BSDD0077	767,650	1,041,482	395	196.40	122	-55		
11 holes				1,531.35m				
46 holes				8,835.14m			Total	

Table 2: Significant assay results for holes drilled at Boundiali (BST)¹³

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0056	2.52	3.98	1.46	0.103			
BST1	BSDD0056	12.00	13.50	1.50	0.506	1.50 m @ 0.51 g/t Au	0.8	
BST1	BSDD0056	22.00	23.06	1.06	0.113			
BST1	BSDD0056	38.00	39.46	1.46	0.965	1.46 m @ 0.96 g/t Au	1.4	
BST1	BSDD0056	46.00	47.00	1.00	0.277	9.00 m @ 0.47 g/t Au	4.2	
BST1	BSDD0056	47.00	48.00	1.00	0.642			
BST1	BSDD0056	48.00	49.00	1.00	0.080			
BST1	BSDD0056	49.00	50.00	1.00	0.023			
BST1	BSDD0056	50.00	51.00	1.00	0.494			
BST1	BSDD0056	51.00	52.00	1.00	0.097			
BST1	BSDD0056	52.00	53.00	1.00	0.075			
BST1	BSDD0056	53.00	54.00	1.00	1.622			1.00 m @ 1.62 g/t Au
BST1	BSDD0056	54.00	55.00	1.00	0.920			
BST1	BSDD0056	81.00	82.00	1.00	0.546	3.00 m @ 0.30 g/t Au	0.9	
BST1	BSDD0056	82.00	83.00	1.00	0.008			
BST1	BSDD0056	83.00	84.00	1.00	0.352			
BST1	BSDD0056	111.00	112.00	1.00	0.415	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0056	115.45	116.00	0.55	1.202	2.05 m @ 0.41 g/t Au	0.8	0.55 m @ 1.20 g/t Au
BST1	BSDD0056	116.00	117.00	1.00	0.028			
BST1	BSDD0056	117.00	117.50	0.50	0.296			
BST1	BSDD0057	10.50	12.00	1.50	0.246	1.50 m @ 0.25 g/t Au	0.4	
BST1	BSDD0057	55.00	56.00	1.00	0.373	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0057	67.00	68.00	1.00	0.152			
BST1	BSDD0057	73.00	74.00	1.00	0.162			
BST1	BSDD0058	1.25	1.80	0.55	0.120			
BST1	BSDD0058	34.50	36.00	1.50	0.302	1.50 m @ 0.30 g/t Au	0.5	
BST1	BSDD0058	44.00	45.50	1.50	0.251	1.50 m @ 0.25 g/t Au	0.4	
BST1	BSDD0058	51.50	52.00	0.50	0.529	1.50 m @ 0.40 g/t Au	0.6	
BST1	BSDD0058	52.00	53.00	1.00	0.340			
BST1	BSDD0058	53.00	54.00	1.00	0.149			
BST1	BSDD0058	56.00	57.00	1.00	0.676	1.00 m @ 0.68 g/t Au	0.7	
BST1	BSDD0058	58.00	58.65	0.65	0.123			
BST1	BSDD0058	63.00	63.70	0.70	0.378	0.70 m @ 0.38 g/t Au	0.3	
BST1	BSDD0058	69.38	70.00	0.62	0.591	1.62 m @ 0.67 g/t Au	1.1	
BST1	BSDD0058	70.00	71.00	1.00	0.719			
BST1	BSDD0058	71.00	72.00	1.00	0.184			
BST1	BSDD0058	72.00	73.20	1.20	0.114			
BST1	BSDD0058	86.00	87.00	1.00	0.393	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0059	0.00	0.50	0.50	0.113			
BST1	BSDD0059	1.50	2.40	0.90	0.257	1.50 m @ 0.51 g/t Au	0.8	
BST1	BSDD0059	2.40	3.00	0.60	0.899			
BST1	BSDD0059	9.00	10.04	1.04	0.173			
BST1	BSDD0059	22.50	23.50	1.00	0.355	2.32 m @ 0.28 g/t Au	0.7	
BST1	BSDD0059	23.50	24.82	1.32	0.225			
BST1	BSDD0059	35.00	36.00	1.00	0.274	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0059	49.00	50.00	1.00	0.367	1.80 m @ 2.19 g/t Au	3.9	
BST1	BSDD0059	50.00	50.80	0.80	4.474			0.80 m @ 4.47 g/t Au
BST1	BSDD0059	59.00	60.00	1.00	0.150			
BST1	BSDD0059	60.00	61.00	1.00	0.303	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0059	62.00	62.50	0.50	0.222	0.50 m @ 0.22 g/t Au	0.1	
BST1	BSDD0059	66.00	67.00	1.00	0.359	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0059	70.40	71.00	0.60	0.443	0.60 m @ 0.44 g/t Au	0.3	

¹³ 0.2 g/t Au cut off used with up to 3m consecutive internal dilution and no top cut applied

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0059	82.00	83.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0059	92.00	93.00	1.00	0.174			
BST1	BSDD0059	93.00	93.64	0.64	0.267			
BST1	BSDD0059	93.64	95.00	1.36	0.044			
BST1	BSDD0059	95.00	96.00	1.00	0.378	5.00 m @ 0.21 g/t Au	1.1	
BST1	BSDD0059	96.00	97.20	1.20	0.171			
BST1	BSDD0059	97.20	98.00	0.80	0.310			
BST1	BSDD0059	100.00	101.00	1.00	0.123			
BST1	BSDD0059	126.00	127.30	1.30	0.146			
BST1	BSDD0059	127.30	128.00	0.70	0.642			
BST1	BSDD0059	128.00	129.00	1.00	0.037	2.70 m @ 0.39 g/t Au	1.0	
BST1	BSDD0059	129.00	130.00	1.00	0.562			
BST1	BSDD0059	133.00	134.00	1.00	0.208			
BST1	BSDD0060	0.00	0.77	0.77	0.101	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0060	22.75	23.50	0.75	0.396	0.75 m @ 0.40 g/t Au	0.3	
BST1	BSDD0060	31.00	31.64	0.64	1.094	0.64 m @ 1.09 g/t Au	0.7	0.64 m @ 1.09 g/t Au
BST1	BSDD0060	45.00	46.00	1.00	0.195			
BST1	BSDD0060	49.00	50.00	1.00	0.631			
BST1	BSDD0060	50.00	51.00	1.00	0.100	4.00 m @ 0.44 g/t Au	1.8	
BST1	BSDD0060	51.00	52.00	1.00	0.573			
BST1	BSDD0060	52.00	53.00	1.00	0.458			
BST1	BSDD0060	53.00	54.00	1.00	0.122			
BST1	BSDD0060	54.00	55.00	1.00	0.184			
BST1	BSDD0060	65.29	66.00	0.71	1.265	9.71 m @ 0.37 g/t Au	3.6	0.71 m @ 1.26 g/t Au
BST1	BSDD0060	66.00	67.00	1.00	0.121			
BST1	BSDD0060	67.00	68.00	1.00	0.092			
BST1	BSDD0060	68.00	69.00	1.00	0.661			
BST1	BSDD0060	69.00	70.20	1.20	0.960			
BST1	BSDD0060	70.20	71.00	0.80	0.045			
BST1	BSDD0060	71.00	72.00	1.00	0.261			
BST1	BSDD0060	72.00	73.00	1.00	0.031			
BST1	BSDD0060	73.00	74.00	1.00	0.028			
BST1	BSDD0060	74.00	75.00	1.00	0.295			
BST1	BSDD0060	78.00	78.55	0.55	0.816	0.55 m @ 0.82 g/t Au	0.4	
BST1	BSDD0060	81.00	82.00	1.00	0.176			
BST1	BSDD0060	83.00	84.00	1.00	0.795			
BST1	BSDD0060	84.00	85.00	1.00	0.263	11.00 m @ 0.44 g/t Au	4.8	
BST1	BSDD0060	85.00	86.00	1.00	0.378			
BST1	BSDD0060	86.00	87.00	1.00	0.113			
BST1	BSDD0060	87.00	88.00	1.00	0.824			
BST1	BSDD0060	88.00	89.00	1.00	0.180			
BST1	BSDD0060	89.00	90.00	1.00	0.852			
BST1	BSDD0060	90.00	91.00	1.00	0.135			
BST1	BSDD0060	91.00	92.00	1.00	0.019			
BST1	BSDD0060	92.00	93.00	1.00	0.957			
BST1	BSDD0060	93.00	94.00	1.00	0.324			
BST1	BSDD0060	94.00	95.00	1.00	0.145			
BST1	BSDD0061	0.00	1.00	1.00	0.106			
BST1	BSDD0061	1.50	3.00	1.50	0.110			
BST1	BSDD0061	3.00	4.50	1.50	0.189			
BST1	BSDD0061	11.00	12.00	1.00	1.106	4.00 m @ 0.83 g/t Au	3.3	1.00 m @ 1.11 g/t Au
BST1	BSDD0061	12.00	13.50	1.50	0.008			
BST1	BSDD0061	13.50	15.00	1.50	1.469			1.50 m @ 1.47 g/t Au
BST1	BSDD0061	15.00	16.50	1.50	0.157			
BST1	BSDD0061	23.50	25.00	1.50	0.294	1.50 m @ 0.29 g/t Au	0.4	
BST1	BSDD0061	29.60	31.00	1.40	0.196			
BST1	BSDD0061	38.00	39.00	1.00	0.444	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0061	42.00	43.00	1.00	0.171			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0061	46.00	47.00	1.00	1.073	4.00 m @ 0.43 g/t Au	1.7	1.00 m @ 1.07 g/t Au
BST1	BSDD0061	47.00	48.00	1.00	0.035			
BST1	BSDD0061	48.00	48.50	0.50	0.024			
BST1	BSDD0061	48.50	49.00	0.50	0.261			
BST1	BSDD0061	49.00	50.00	1.00	0.482			
BST1	BSDD0061	54.00	55.00	1.00	0.250	12.00 m @ 0.35 g/t Au	4.2	
BST1	BSDD0061	55.00	56.00	1.00	0.153			
BST1	BSDD0061	56.00	57.00	1.00	0.483			
BST1	BSDD0061	57.00	58.00	1.00	0.349			
BST1	BSDD0061	58.00	59.00	1.00	0.289			
BST1	BSDD0061	59.00	60.00	1.00	0.658			
BST1	BSDD0061	60.00	61.00	1.00	0.289			
BST1	BSDD0061	61.00	62.00	1.00	0.133			
BST1	BSDD0061	62.00	63.00	1.00	0.293			
BST1	BSDD0061	63.00	64.00	1.00	0.033			
BST1	BSDD0061	64.00	65.00	1.00	0.103			
BST1	BSDD0061	65.00	66.00	1.00	1.143			1.00 m @ 1.14 g/t Au
BST1	BSDD0061	71.00	72.00	1.00	0.432	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0061	73.00	74.00	1.00	0.106			
BST1	BSDD0061	85.00	86.00	1.00	0.329	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0061	86.00	87.00	1.00	0.100			
BST1	BSDD0061	88.00	89.00	1.00	0.326	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0064	3.00	4.00	1.00	0.110			
BST1	BSDD0064	160.00	161.00	1.00	0.610	1.00 m @ 0.61 g/t Au	0.6	
BST1	BSDD0064	170.00	171.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0064	171.00	172.00	1.00	0.130			
BST1	BSDD0064	172.00	173.00	1.00	0.160			
BST1	BSDD0065	0.00	1.00	1.00	0.120			
BST1	BSDD0065	17.00	18.50	1.50	0.150			
BST1	BSDD0065	25.93	27.00	1.07	0.410	2.87 m @ 0.71 g/t Au	2.0	
BST1	BSDD0065	27.00	28.00	1.00	0.940			
BST1	BSDD0065	28.00	28.80	0.80	0.820			
BST1	BSDD0065	38.00	38.81	0.81	2.210	3.00 m @ 1.41 g/t Au	4.2	3.00 m @ 1.41 g/t Au
BST1	BSDD0065	38.81	40.00	1.19	0.050			
BST1	BSDD0065	40.00	41.00	1.00	2.390			
BST1	BSDD0065	46.00	47.00	1.00	0.230	3.00 m @ 0.31 g/t Au	0.9	
BST1	BSDD0065	47.00	48.00	1.00	0.010			
BST1	BSDD0065	48.00	49.00	1.00	0.700			
BST1	BSDD0065	53.00	54.00	1.00	0.140			
BST1	BSDD0065	54.00	55.00	1.00	0.160			
BST1	BSDD0065	56.68	57.30	0.62	0.900	0.62 m @ 0.90 g/t Au	0.6	
BST1	BSDD0065	61.00	62.00	1.00	0.140			
BST1	BSDD0065	64.00	65.00	1.00	1.080	1.00 m @ 1.08 g/t Au	1.1	1.00 m @ 1.08 g/t Au
BST1	BSDD0065	83.00	84.00	1.00	0.880	3.00 m @ 0.45 g/t Au	1.4	
BST1	BSDD0065	84.00	85.00	1.00	0.030			
BST1	BSDD0065	85.00	86.00	1.00	0.440			
BST1	BSDD0065	89.00	90.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0065	104.00	105.00	1.00	0.380	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0065	118.00	119.00	1.00	0.110			
BST1	BSDD0065	119.00	120.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0065	129.00	130.00	1.00	0.100			
BST1	BSDD0065	131.00	132.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0070	65.00	66.00	1.00	1.312	1.00 m @ 1.31 g/t Au	1.3	1.00 m @ 1.31 g/t Au
BST1	BSDD0070	75.60	76.80	1.20	0.258	1.20 m @ 0.26 g/t Au	0.3	
BST1	BSDD0070	82.00	83.00	1.00	1.430	3.80 m @ 0.70 g/t Au	2.7	1.00 m @ 1.43 g/t Au
BST1	BSDD0070	83.00	84.00	1.00	0.034			
BST1	BSDD0070	84.00	85.00	1.00	0.363			
BST1	BSDD0070	85.00	85.80	0.80	1.053			0.80 m @ 1.05 g/t Au

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0070	94.00	95.00	1.00	0.190			
BST1	BSDD0070	98.06	98.80	0.74	0.782	0.74 m @ 0.78 g/t Au	0.6	
BST1	BSDD0070	107.00	108.00	1.00	0.305	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0070	112.00	113.00	1.00	0.272	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0070	118.00	119.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0070	129.00	130.00	1.00	0.425	3.00 m @ 0.23 g/t Au	0.7	
BST1	BSDD0070	130.00	131.00	1.00	0.033			
BST1	BSDD0070	131.00	132.00	1.00	0.247			
BST1	BSDD0070	135.00	136.00	1.00	0.301	2.80 m @ 1.06 g/t Au	3.0	
BST1	BSDD0070	136.00	136.85	0.85	0.619			
BST1	BSDD0070	136.85	137.80	0.95	2.259			0.95 m @ 2.26 g/t Au
BST1	BSDD0070	140.00	141.00	1.00	2.792	1.00 m @ 2.79 g/t Au	2.8	1.00 m @ 2.79 g/t Au
BST1	BSDD0070	156.50	157.00	0.50	5.243	0.50 m @ 5.24 g/t Au	2.6	0.50 m @ 5.24 g/t Au
BST1	BSDD0070	188.00	189.00	1.00	0.682	1.00 m @ 0.68 g/t Au	0.7	
BST1	BSDD0070	195.00	196.00	1.00	0.547	1.00 m @ 0.55 g/t Au	0.5	
BST1	BSDD0070	200.00	201.00	1.00	0.110			
BST1	BSDD0071	0.00	1.50	1.50	0.103			
BST1	BSDD0071	70.00	71.00	1.00	0.112			
BST1	BSDD0071	71.00	72.00	1.00	0.130			
BST1	BSDD0071	72.00	73.00	1.00	0.885	1.00 m @ 0.89 g/t Au	0.9	
BST1	BSDD0071	120.00	121.00	1.00	0.763	2.00 m @ 0.96 g/t Au	1.9	
BST1	BSDD0071	121.00	122.00	1.00	1.159			1.00 m @ 1.16 g/t Au
BST1	BSDD0071	145.00	146.00	1.00	0.143			
BST1	BSDD0071	148.00	149.00	1.00	0.274	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0071	168.00	169.00	1.00	0.342	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0071	177.00	178.00	1.00	0.881	5.00 m @ 0.76 g/t Au	3.8	
BST1	BSDD0071	178.00	179.00	1.00	1.402			1.00 m @ 1.40 g/t Au
BST1	BSDD0071	179.00	180.00	1.00	0.008			
BST1	BSDD0071	180.00	181.00	1.00	0.939			
BST1	BSDD0071	181.00	182.00	1.00	0.550			
BST1	BSDD0071	185.00	186.00	1.00	0.259	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0071	187.00	188.00	1.00	0.224	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0071	212.00	213.00	1.00	0.669	1.00 m @ 0.67 g/t Au	0.7	
BST1	BSDD0071	223.00	224.00	1.00	0.978	1.00 m @ 0.98 g/t Au	1.0	
BST1	BSDD0071	230.00	231.00	1.00	0.407	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0071	246.00	247.00	1.00	0.384	2.00 m @ 0.32 g/t Au	0.6	
BST1	BSDD0071	247.00	248.00	1.00	0.250			
BST1	BSDD0074	0.00	1.50	1.50	0.109			
BST1	BSDD0074	15.00	16.00	1.00	0.565	1.00 m @ 0.56 g/t Au	0.6	
BST1	BSDD0074	24.50	25.50	1.00	0.163			
BST1	BSDD0074	30.50	31.50	1.00	0.202	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0074	36.00	37.00	1.00	0.116			
BST1	BSDD0074	40.50	41.07	0.57	0.439	0.57 m @ 0.44 g/t Au	0.3	
BST1	BSDD0074	45.60	47.00	1.40	0.199			
BST1	BSDD0074	56.00	57.00	1.00	0.115			
BST1	BSDD0074	58.00	59.00	1.00	1.396	4.00 m @ 0.85 g/t Au	3.4	1.00 m @ 1.40 g/t Au
BST1	BSDD0074	59.00	60.00	1.00	0.008			
BST1	BSDD0074	60.00	61.00	1.00	0.087			
BST1	BSDD0074	61.00	62.00	1.00	1.900			1.00 m @ 1.90 g/t Au
BST1	BSDD0074	81.00	82.00	1.00	1.290	1.00 m @ 1.29 g/t Au	1.3	1.00 m @ 1.29 g/t Au
BST1	BSDD0074	88.00	89.00	1.00	0.423	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0074	96.00	97.00	1.00	0.750	5.00 m @ 0.76 g/t Au	3.8	
BST1	BSDD0074	97.00	98.00	1.00	1.201			1.00 m @ 1.20 g/t Au
BST1	BSDD0074	98.00	99.00	1.00	0.032			
BST1	BSDD0074	99.00	100.00	1.00	0.509			
BST1	BSDD0074	100.00	101.00	1.00	1.324			1.00 m @ 1.32 g/t Au
BST1	BSDD0074	115.00	116.00	1.00	0.174			
BST1	BSDD0074	117.00	118.00	1.00	0.148			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0074	122.00	123.00	1.00	0.184			
BST1	BSDD0074	123.00	124.00	1.00	0.149			
BST1	BSDD0074	124.00	125.00	1.00	1.017	2.00 m @ 0.65 g/t Au	1.3	1.00 m @ 1.02 g/t Au
BST1	BSDD0074	125.00	126.00	1.00	0.287			
BST1	BSDD0074	130.00	131.00	1.00	0.151			
BST1	BSDD0074	131.00	132.00	1.00	1.364	11.00 m @ 0.38 g/t Au	4.2	1.00 m @ 1.36 g/t Au
BST1	BSDD0074	132.00	133.00	1.00	0.008			
BST1	BSDD0074	133.00	134.00	1.00	0.036			
BST1	BSDD0074	134.00	135.00	1.00	1.276			1.00 m @ 1.28 g/t Au
BST1	BSDD0074	135.00	136.00	1.00	0.083			
BST1	BSDD0074	136.00	137.00	1.00	0.351			
BST1	BSDD0074	137.00	138.00	1.00	0.039			
BST1	BSDD0074	138.00	139.00	1.00	0.466			
BST1	BSDD0074	139.00	140.00	1.00	0.205			
BST1	BSDD0074	140.00	141.00	1.00	0.040			
BST1	BSDD0074	141.00	142.00	1.00	0.289			
BST1	BSDD0074	143.00	144.00	1.00	0.109			
BST1	BSDD0074	145.00	146.00	1.00	0.718	1.00 m @ 0.72 g/t Au	0.7	
BST1	BSDD0074	149.00	150.00	1.00	0.169			
BST1	BSDD0074	150.00	151.00	1.00	0.407	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0074	163.00	164.00	1.00	0.451	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0074	186.00	187.00	1.00	0.125			
BST1	BSDD0074	198.00	199.00	1.00	0.114			
BST1	BSDD0074	208.00	209.00	1.00	0.168			
BST1	BSDD0074	216.00	217.00	1.00	0.488	7.00 m @ 0.49 g/t Au	3.4	
BST1	BSDD0074	217.00	217.80	0.80	0.017			
BST1	BSDD0074	217.80	219.00	1.20	0.022			
BST1	BSDD0074	219.00	220.00	1.00	1.331			1.00 m @ 1.33 g/t Au
BST1	BSDD0074	220.00	221.00	1.00	0.048			
BST1	BSDD0074	221.00	222.00	1.00	0.821			
BST1	BSDD0074	222.00	223.00	1.00	0.719			
BST1	BSDD0075	19.50	21.00	1.50	0.948	1.50 m @ 0.95 g/t Au	1.4	
BST1	BSDD0075	63.00	64.00	1.00	0.141			
BST1	BSDD0075	68.00	69.00	1.00	1.941	1.00 m @ 1.94 g/t Au	1.9	1.00 m @ 1.94 g/t Au
BST1	BSDD0075	92.00	93.00	1.00	0.312	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0075	98.00	99.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.2	
BST1	BSDD0075	110.00	111.00	1.00	0.108			
BST1	BSDD0075	111.00	112.00	1.00	0.610	1.00 m @ 0.61 g/t Au	0.6	
BST1	BSDD0075	116.00	117.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0075	128.00	129.00	1.00	2.212	5.00 m @ 0.67 g/t Au	3.3	1.00 m @ 2.21 g/t Au
BST1	BSDD0075	129.00	130.00	1.00	0.435			
BST1	BSDD0075	130.00	131.00	1.00	0.173			
BST1	BSDD0075	131.00	132.00	1.00	0.028			
BST1	BSDD0075	132.00	133.00	1.00	0.501			
BST1	BSDD0075	133.00	134.00	1.00	0.106			
BST1	BSDD0075	217.00	218.00	1.00	0.166			
BST1	BSDD0078	0.50	1.50	1.00	0.629	1.00 m @ 0.63 g/t Au	0.6	
BST1	BSDD0078	1.50	2.40	0.90	0.113			
BST1	BSDD0078	9.50	10.74	1.24	0.243	1.24 m @ 0.24 g/t Au	0.3	
BST1	BSDD0078	16.50	17.44	0.94	0.153			
BST1	BSDD0078	18.00	19.29	1.29	0.235	1.29 m @ 0.23 g/t Au	0.3	
BST1	BSDD0078	20.50	22.00	1.50	0.313	1.50 m @ 0.31 g/t Au	0.5	
BST1	BSDD0078	34.00	35.50	1.50	0.107			
BST1	BSDD0078	35.50	37.00	1.50	0.322	1.50 m @ 0.32 g/t Au	0.5	
BST1	BSDD0078	38.50	39.16	0.66	0.281	0.66 m @ 0.28 g/t Au	0.2	
BST1	BSDD0078	46.00	47.00	1.00	0.107			
BST1	BSDD0078	67.00	68.00	1.00	0.406	3.00 m @ 0.61 g/t Au	1.8	
BST1	BSDD0078	68.00	69.00	1.00	0.250			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0078	69.00	70.00	1.00	1.161			1.00 m @ 1.16 g/t Au
BST1	BSDD0078	83.00	84.00	1.00	0.121			
BST1	BSDD0078	84.00	85.00	1.00	0.538			
BST1	BSDD0078	85.00	86.00	1.00	0.035	3.00 m @ 0.29 g/t Au	0.9	
BST1	BSDD0078	86.00	87.00	1.00	0.307			
BST1	BSDD0078	96.00	97.00	1.00	0.282	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0078	103.00	104.00	1.00	0.117			
BST1	BSDD0078	110.00	111.00	1.00	0.213			
BST1	BSDD0078	111.00	112.00	1.00	11.997	3.00 m @ 4.19 g/t Au	12.6	1.00 m @ 12.00 g/t Au
BST1	BSDD0078	112.00	113.00	1.00	0.373			
BST1	BSDD0078	117.00	118.00	1.00	0.623			
BST1	BSDD0078	118.00	119.00	1.00	0.008			
BST1	BSDD0078	119.00	120.00	1.00	0.008			
BST1	BSDD0078	120.00	121.00	1.00	0.815			
BST1	BSDD0078	121.00	122.00	1.00	0.111			
BST1	BSDD0078	122.00	123.00	1.00	1.078	11.00 m @ 0.32 g/t Au	3.5	1.00 m @ 1.08 g/t Au
BST1	BSDD0078	123.00	124.00	1.00	0.042			
BST1	BSDD0078	124.00	125.00	1.00	0.141			
BST1	BSDD0078	125.00	126.00	1.00	0.385			
BST1	BSDD0078	126.00	127.00	1.00	0.018			
BST1	BSDD0078	127.00	128.00	1.00	0.299			
BST1	BSDD0078	130.00	131.00	1.00	0.172			
BST1	BSDD0078	131.00	132.00	1.00	0.388	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0078	135.00	136.00	1.00	0.492			
BST1	BSDD0078	136.00	137.00	1.00	0.348	4.00 m @ 0.45 g/t Au	1.8	
BST1	BSDD0078	137.00	138.00	1.00	0.072			
BST1	BSDD0078	138.00	139.00	1.00	0.887			
BST1	BSDD0078	142.00	143.00	1.00	0.182			
BST1	BSDD0078	151.00	152.00	1.00	0.167			
BST1	BSDD0078	152.00	153.00	1.00	0.715	1.00 m @ 0.71 g/t Au	0.7	
BST1	BSDD0078	157.00	158.00	1.00	1.267	1.00 m @ 1.27 g/t Au	1.3	1.00 m @ 1.27 g/t Au
BST1	BSDD0078	175.55	177.00	1.45	0.274	1.45 m @ 0.27 g/t Au	0.4	
BST1	BSDD0078	181.00	182.00	1.00	0.815	1.00 m @ 0.81 g/t Au	0.8	
BST1	BSDD0078	184.00	185.00	1.00	0.126			
BST1	BSDD0078	189.00	190.00	1.00	0.388	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0078	190.00	191.00	1.00	0.142			
BST1	BSDD0078	198.00	199.00	1.00	0.408			
BST1	BSDD0078	199.00	200.00	1.00	0.522	3.00 m @ 0.77 g/t Au	2.3	
BST1	BSDD0078	200.00	201.00	1.00	1.371			1.00 m @ 1.37 g/t Au
BST1	BSDD0078	223.00	224.00	1.00	0.180			
BST1	BSDD0078	224.00	225.00	1.00	0.364	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0078	232.00	233.00	1.00	0.256	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0079	0.00	1.50	1.50	0.240	1.50 m @ 0.24 g/t Au	0.4	
BST1	BSDD0079	10.50	11.50	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0079	17.20	18.00	0.80	0.420	0.80 m @ 0.42 g/t Au	0.3	
BST1	BSDD0079	19.50	21.00	1.50	0.100			
BST1	BSDD0079	27.00	27.65	0.65	0.330	0.65 m @ 0.33 g/t Au	0.2	
BST1	BSDD0079	31.50	33.00	1.50	0.820	1.50 m @ 0.82 g/t Au	1.2	
BST1	BSDD0079	39.00	40.00	1.00	0.180			
BST1	BSDD0079	69.00	70.00	1.00	0.540	2.00 m @ 0.54 g/t Au	1.1	
BST1	BSDD0079	70.00	71.00	1.00	0.540			
BST1	BSDD0079	81.46	82.00	0.54	0.130			
BST1	BSDD0079	82.00	83.00	1.00	0.450			
BST1	BSDD0079	83.00	84.00	1.00	0.020	4.00 m @ 0.24 g/t Au	1.0	
BST1	BSDD0079	84.00	85.00	1.00	0.020			
BST1	BSDD0079	85.00	86.00	1.00	0.460			
BST1	BSDD0079	98.00	99.00	1.00	0.120			
BST1	BSDD0079	100.00	101.00	1.00	0.140			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0079	120.00	121.00	1.00	0.240	12.00 m @ 0.49 g/t Au	5.9	
BST1	BSDD0079	121.00	122.00	1.00	0.610			
BST1	BSDD0079	122.00	123.00	1.00	0.660			
BST1	BSDD0079	123.00	124.00	1.00	0.030			
BST1	BSDD0079	124.00	125.00	1.00	0.010			
BST1	BSDD0079	125.00	126.00	1.00	0.290			
BST1	BSDD0079	126.00	127.00	1.00	0.530			
BST1	BSDD0079	127.00	128.00	1.00	1.130			2.00 m @ 1.64 g/t Au
BST1	BSDD0079	128.00	129.00	1.00	2.140			
BST1	BSDD0079	129.00	130.00	1.00	0.010			
BST1	BSDD0079	130.00	131.00	1.00	0.010			
BST1	BSDD0079	131.00	132.00	1.00	0.230			
BST1	BSDD0079	135.00	136.00	1.00	0.110			
BST1	BSDD0079	137.00	138.00	1.00	1.260	1.00 m @ 1.26 g/t Au	1.3	1.00 m @ 1.26 g/t Au
BST1	BSDD0079	141.00	142.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0079	172.00	173.00	1.00	0.650	1.00 m @ 0.65 g/t Au	0.7	
BST1	BSDD0079	177.00	178.00	1.00	0.160			
BST1	BSDD0079	178.00	179.00	1.00	1.410	1.00 m @ 1.41 g/t Au	1.4	1.00 m @ 1.41 g/t Au
BST1	BSDD0079	188.00	189.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0079	198.00	199.00	1.00	0.120			
BST1	BSDD0079	205.00	206.00	1.00	0.330	4.00 m @ 0.28 g/t Au	1.1	
BST1	BSDD0079	206.00	207.00	1.00	0.420			
BST1	BSDD0079	207.00	208.00	1.00	0.030			
BST1	BSDD0079	208.00	209.00	1.00	0.320			
BST1	BSDD0080	0.00	1.50	1.50	0.130			
BST1	BSDD0080	1.50	2.33	0.83	0.100			
BST1	BSDD0080	4.12	4.84	0.72	0.520	0.72 m @ 0.52 g/t Au	0.4	
BST1	BSDD0080	27.00	28.50	1.50	0.240	1.50 m @ 0.24 g/t Au	0.4	
BST1	BSDD0080	28.50	30.00	1.50	0.130			
BST1	BSDD0080	39.00	40.10	1.10	0.100			
BST1	BSDD0080	56.00	57.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0080	57.00	58.00	1.00	0.190			
BST1	BSDD0080	59.00	60.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0080	65.00	66.00	1.00	0.840	2.00 m @ 0.55 g/t Au	1.1	
BST1	BSDD0080	66.00	67.00	1.00	0.250			
BST1	BSDD0080	85.00	86.00	1.00	0.290	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0080	97.00	98.00	1.00	0.130			
BST1	BSDD0080	98.00	99.00	1.00	0.400	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0080	102.00	103.00	1.00	0.120			
BST1	BSDD0080	134.00	135.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0080	138.00	139.00	1.00	0.150			
BST1	BSDD0080	139.00	140.00	1.00	0.130			
BST1	BSDD0080	142.00	143.00	1.00	0.440	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0080	145.00	146.00	1.00	0.150			
BST1	BSDD0081	42.00	43.00	1.00	0.193			
BST1	BSDD0081	106.00	107.00	1.00	0.711	1.00 m @ 0.71 g/t Au	0.7	
BST1	BSDD0081	113.00	114.00	1.00	0.154			
BST1	BSDD0081	136.00	137.00	1.00	1.098	1.00 m @ 1.10 g/t Au	1.1	1.00 m @ 1.10 g/t Au
BST1	BSDD0081	146.00	147.00	1.00	0.145			
BST1	BSDD0081	147.00	148.00	1.00	0.119			
BST1	BSDD0081	148.00	149.00	1.00	0.476	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0081	149.00	150.00	1.00	0.104			
BST1	BSDD0081	152.00	153.00	1.00	0.119	3.00 m @ 0.35 g/t Au	1.0	
BST1	BSDD0081	153.00	154.00	1.00	0.396			
BST1	BSDD0081	154.00	155.00	1.00	0.043			
BST1	BSDD0081	155.00	156.00	1.00	0.608			
BST1	BSDD0081	156.00	157.00	1.00	0.111			
BST1	BSDD0081	165.00	166.00	1.00	0.249	1.00 m @ 0.25 g/t Au	0.2	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0081	170.00	171.00	1.00	0.446	1.00 m @ 0.45 g/t Au	0.4	
BST1	BSDD0081	175.00	176.00	1.00	0.937	1.00 m @ 0.94 g/t Au	0.9	
BST1	BSDD0081	185.50	186.00	0.50	0.317	2.50 m @ 0.62 g/t Au	1.6	
BST1	BSDD0081	186.00	187.00	1.00	0.780			
BST1	BSDD0081	187.00	188.00	1.00	0.616			
BST1	BSDD0081	189.00	190.00	1.00	0.120			
BST1	BSDD0081	192.00	193.50	1.50	0.671	1.50 m @ 0.67 g/t Au	1.0	
BST1	BSDD0081	202.00	203.00	1.00	0.726	1.00 m @ 0.73 g/t Au	0.7	
BST1	BSDD0081	206.00	207.00	1.00	0.320	6.00 m @ 0.39 g/t Au	2.4	
BST1	BSDD0081	207.00	208.00	1.00	0.058			
BST1	BSDD0081	208.00	209.00	1.00	0.062			
BST1	BSDD0081	209.00	210.00	1.00	1.462			1.00 m @ 1.46 g/t Au
BST1	BSDD0081	210.00	211.00	1.00	0.051			
BST1	BSDD0081	211.00	212.00	1.00	0.406			
BST1	BSDD0081	215.00	216.00	1.00	0.499	2.00 m @ 0.44 g/t Au	0.9	
BST1	BSDD0081	216.00	217.00	1.00	0.375			
BST1	BSDD0081	220.00	221.00	1.00	0.477	6.00 m @ 0.44 g/t Au	2.6	
BST1	BSDD0081	221.00	222.00	1.00	0.008			
BST1	BSDD0081	222.00	223.00	1.00	0.029			
BST1	BSDD0081	223.00	224.00	1.00	0.569			
BST1	BSDD0081	224.00	224.90	0.90	1.411			0.90 m @ 1.41 g/t Au
BST1	BSDD0081	224.90	226.00	1.10	0.265			
BST1	BSDD0081	230.04	231.00	0.96	1.807	0.96 m @ 1.81 g/t Au	1.7	0.96 m @ 1.81 g/t Au
BST1	BSDD0081	237.00	238.00	1.00	2.434	1.00 m @ 2.43 g/t Au	2.4	1.00 m @ 2.43 g/t Au
BST1	BSDD0081	242.00	243.00	1.00	0.432	16.00 m @ 0.37 g/t Au	5.9	
BST1	BSDD0081	243.00	244.00	1.00	0.198			
BST1	BSDD0081	244.00	245.00	1.00	0.584			
BST1	BSDD0081	245.00	246.00	1.00	0.951			
BST1	BSDD0081	246.00	247.00	1.00	0.008			
BST1	BSDD0081	247.00	248.00	1.00	0.218			
BST1	BSDD0081	248.00	249.00	1.00	0.076			
BST1	BSDD0081	249.00	250.00	1.00	0.531			
BST1	BSDD0081	250.00	251.00	1.00	0.144			
BST1	BSDD0081	251.00	252.00	1.00	0.136			
BST1	BSDD0081	252.00	253.00	1.00	0.320			
BST1	BSDD0081	253.00	254.00	1.00	0.081			
BST1	BSDD0081	254.00	255.00	1.00	0.008			
BST1	BSDD0081	255.00	256.00	1.00	0.220			
BST1	BSDD0081	256.00	257.00	1.00	0.036			
BST1	BSDD0081	257.00	258.00	1.00	1.984			1.00 m @ 1.98 g/t Au
BST1	BSDD0081	258.00	258.50	0.50	0.143			
BST1	BSDD0081	276.00	277.00	1.00	0.303	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0082	10.00	11.00	1.00	0.271	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0082	15.00	15.92	0.92	0.174			
BST1	BSDD0082	45.00	46.00	1.00	1.065	1.00 m @ 1.06 g/t Au	1.1	1.00 m @ 1.06 g/t Au
BST1	BSDD0082	56.00	57.00	1.00	1.297	1.00 m @ 1.30 g/t Au	1.3	1.00 m @ 1.30 g/t Au
BST1	BSDD0082	73.00	74.00	1.00	0.466	1.00 m @ 0.47 g/t Au	0.5	
BST1	BSDD0082	76.00	77.00	1.00	0.142			
BST1	BSDD0082	83.00	84.00	1.00	0.141			
BST1	BSDD0082	86.00	87.00	1.00	0.244	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0082	107.57	109.00	1.43	1.460	1.43 m @ 1.46 g/t Au	2.1	1.43 m @ 1.46 g/t Au
BST1	BSDD0082	112.00	112.80	0.80	0.284	0.80 m @ 0.28 g/t Au	0.2	
BST1	BSDD0082	124.30	125.00	0.70	0.120			
BST1	BSDD0082	125.00	126.00	1.00	0.184			
BST1	BSDD0082	129.00	130.00	1.00	0.657	1.00 m @ 0.66 g/t Au	0.7	
BST1	BSDD0082	138.00	139.20	1.20	0.957	3.00 m @ 0.55 g/t Au	1.6	
BST1	BSDD0082	139.20	140.00	0.80	0.071			
BST1	BSDD0082	140.00	141.00	1.00	0.436			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0082	143.30	144.00	0.70	2.697	0.70 m @ 2.70 g/t Au	1.9	0.70 m @ 2.70 g/t Au
BST1	BSDD0082	152.00	153.00	1.00	0.265	4.00 m @ 1.05 g/t Au	4.2	
BST1	BSDD0082	153.00	154.00	1.00	0.055			
BST1	BSDD0082	154.00	155.00	1.00	3.105			1.00 m @ 3.10 g/t Au
BST1	BSDD0082	155.00	156.00	1.00	0.759			
BST1	BSDD0082	159.00	159.95	0.95	0.328	0.95 m @ 0.33 g/t Au	0.3	
BST1	BSDD0082	162.00	163.00	1.00	1.103	2.05 m @ 0.73 g/t Au	1.5	1.00 m @ 1.10 g/t Au
BST1	BSDD0082	163.00	164.05	1.05	0.383			
BST1	BSDD0082	166.00	167.00	1.00	0.164			
BST1	BSDD0082	172.04	173.00	0.96	1.078	1.96 m @ 0.68 g/t Au	1.3	0.96 m @ 1.08 g/t Au
BST1	BSDD0082	173.00	174.00	1.00	0.307			
BST1	BSDD0082	186.00	187.00	1.00	0.259	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0082	193.00	194.00	1.00	0.863	1.00 m @ 0.86 g/t Au	0.9	
BST1	BSDD0082	200.00	201.00	1.00	0.134			
BST1	BSDD0082	201.00	202.00	1.00	0.764	1.00 m @ 0.76 g/t Au	0.8	
BST1	BSDD0082	218.00	219.13	1.13	0.183			
BST1	BSDD0082	219.13	219.80	0.67	1.075	0.67 m @ 1.07 g/t Au	0.7	0.67 m @ 1.07 g/t Au
BST1	BSDD0082	225.00	226.00	1.00	0.163			
BST1	BSDD0083	72.00	73.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0083	87.15	88.00	0.85	0.180			
BST1	BSDD0083	88.00	89.00	1.00	1.050	3.44 m @ 0.94 g/t Au	3.2	1.00 m @ 1.05 g/t Au
BST1	BSDD0083	89.00	90.00	1.00	0.010			
BST1	BSDD0083	90.00	91.44	1.44	1.510			1.44 m @ 1.51 g/t Au
BST1	BSDD0083	95.24	96.00	0.76	0.550	0.76 m @ 0.55 g/t Au	0.4	
BST1	BSDD0083	109.20	110.00	0.80	0.180			
BST1	BSDD0083	110.00	111.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0083	114.00	115.00	1.00	0.450	2.00 m @ 0.40 g/t Au	0.8	
BST1	BSDD0083	115.00	116.00	1.00	0.340			
BST1	BSDD0083	124.00	125.00	1.00	1.920	1.00 m @ 1.92 g/t Au	1.9	1.00 m @ 1.92 g/t Au
BST1	BSDD0083	138.13	139.00	0.87	0.920	0.87 m @ 0.92 g/t Au	0.8	
BST1	BSDD0083	147.00	148.00	1.00	0.190			
BST1	BSDD0083	157.00	158.00	1.00	0.970	1.00 m @ 0.97 g/t Au	1.0	
BST1	BSDD0083	165.00	166.00	1.00	0.600	2.00 m @ 0.44 g/t Au	0.9	
BST1	BSDD0083	166.00	167.00	1.00	0.280			
BST1	BSDD0083	171.00	172.00	1.00	0.200	2.00 m @ 0.46 g/t Au	0.9	
BST1	BSDD0083	172.00	173.00	1.00	0.710			
BST1	BSDD0083	179.00	180.00	1.00	0.470	1.00 m @ 0.47 g/t Au	0.5	
BST1	BSDD0083	189.00	190.00	1.00	0.550	8.00 m @ 0.42 g/t Au	3.3	
BST1	BSDD0083	190.00	191.00	1.00	0.090			
BST1	BSDD0083	191.00	192.00	1.00	0.030			
BST1	BSDD0083	192.00	193.00	1.00	0.510			
BST1	BSDD0083	193.00	194.00	1.00	0.010			
BST1	BSDD0083	194.00	195.00	1.00	0.010			
BST1	BSDD0083	195.00	196.00	1.00	1.760			1.00 m @ 1.76 g/t Au
BST1	BSDD0083	196.00	197.00	1.00	0.370			
BST1	BSDD0083	208.74	210.00	1.26	0.560	1.26 m @ 0.56 g/t Au	0.7	
BST1	BSDD0083	221.00	222.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0083	227.00	228.00	1.00	0.120			
BST1	BSDD0083	229.00	230.00	1.00	0.380	3.00 m @ 1.80 g/t Au	5.4	
BST1	BSDD0083	230.00	231.00	1.00	3.710			2.00 m @ 2.51 g/t Au
BST1	BSDD0083	231.00	232.00	1.00	1.310			
BST1	BSDD0083	238.00	239.00	1.00	0.870	6.35 m @ 0.79 g/t Au	5.0	
BST1	BSDD0083	239.00	240.00	1.00	0.040			
BST1	BSDD0083	240.00	241.00	1.00	0.040			
BST1	BSDD0083	241.00	242.00	1.00	3.530			1.00 m @ 3.53 g/t Au
BST1	BSDD0083	242.00	243.00	1.00	0.010			
BST1	BSDD0083	243.00	244.35	1.35	0.410			
BST1	BSDD0083	254.00	255.00	1.00	0.180			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0083	256.00	257.00	1.00	0.120			
BST1	BSDD0083	264.00	265.00	1.00	0.220	1.00 m @ 0.22 g/t Au	0.2	
BST1	BSDD0083	276.00	277.00	1.00	0.490	8.00 m @ 0.77 g/t Au	6.2	4.49 m @ 1.06 g/t Au
BST1	BSDD0083	277.00	278.00	1.00	1.520			
BST1	BSDD0083	278.00	279.00	1.00	0.010			
BST1	BSDD0083	279.00	280.00	1.00	0.800			
BST1	BSDD0083	280.00	281.49	1.49	1.630			
BST1	BSDD0083	281.49	282.00	0.51	0.250			
BST1	BSDD0083	282.00	283.00	1.00	0.140			
BST1	BSDD0083	283.00	284.00	1.00	0.650			
BST1	BSDD0084	1.50	2.50	1.00	1.086	2.00 m @ 0.76 g/t Au	1.5	1.00 m @ 1.09 g/t Au
BST1	BSDD0084	2.50	3.50	1.00	0.431			
BST1	BSDD0084	4.50	6.00	1.50	0.185			
BST1	BSDD0084	79.75	81.00	1.25	0.182			
BST1	BSDD0084	108.52	110.00	1.48	1.322	3.48 m @ 0.68 g/t Au	2.4	1.48 m @ 1.32 g/t Au
BST1	BSDD0084	110.00	111.00	1.00	0.008			
BST1	BSDD0084	111.00	112.00	1.00	0.414			
BST1	BSDD0084	116.00	117.00	1.00	1.132	1.00 m @ 1.13 g/t Au	1.1	1.00 m @ 1.13 g/t Au
BST1	BSDD0084	143.00	144.00	1.00	0.139			
BST1	BSDD0084	150.00	151.00	1.00	0.469	1.00 m @ 0.47 g/t Au	0.5	
BST1	BSDD0084	155.00	156.50	1.50	0.534	1.50 m @ 0.53 g/t Au	0.8	
BST1	BSDD0084	171.15	172.00	0.85	0.530	0.85 m @ 0.53 g/t Au	0.5	
BST1	BSDD0084	181.00	182.22	1.22	0.709	1.22 m @ 0.71 g/t Au	0.9	
BST1	BSDD0084	183.00	184.48	1.48	0.127			
BST1	BSDD0084	192.00	193.00	1.00	2.164	1.00 m @ 2.16 g/t Au	2.2	1.00 m @ 2.16 g/t Au
BST1	BSDD0084	198.00	199.00	1.00	1.312	1.00 m @ 1.31 g/t Au	1.3	1.00 m @ 1.31 g/t Au
BST1	BSDD0084	199.00	200.00	1.00	0.124			
BST1	BSDD0084	203.00	204.00	1.00	0.117			
BST1	BSDD0084	205.00	206.00	1.00	0.402	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0084	210.00	211.00	1.00	0.697	1.00 m @ 0.70 g/t Au	0.7	
BST1	BSDD0084	215.00	216.00	1.00	1.540	1.00 m @ 1.54 g/t Au	1.5	1.00 m @ 1.54 g/t Au
BST1	BSDD0084	224.60	225.50	0.90	1.118	0.90 m @ 1.12 g/t Au	1.0	0.90 m @ 1.12 g/t Au
BST1	BSDD0084	229.00	230.00	1.00	0.650	3.00 m @ 0.32 g/t Au	1.0	
BST1	BSDD0084	230.00	231.00	1.00	0.027			
BST1	BSDD0084	231.00	232.00	1.00	0.284			
BST1	BSDD0084	235.00	236.00	1.00	0.150			
BST1	BSDD0084	237.00	238.00	1.00	0.371	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0084	247.00	247.50	0.50	2.507	4.00 m @ 0.79 g/t Au	3.2	0.50 m @ 2.51 g/t Au
BST1	BSDD0084	247.50	249.00	1.50	0.039			
BST1	BSDD0084	249.00	250.00	1.00	0.264			
BST1	BSDD0084	250.00	251.00	1.00	1.586			1.00 m @ 1.59 g/t Au
BST1	BSDD0084	251.00	252.00	1.00	0.119			
BST1	BSDD0084	256.50	257.00	0.50	1.780	2.40 m @ 2.77 g/t Au	6.6	2.40 m @ 2.77 g/t Au
BST1	BSDD0084	257.00	258.00	1.00	0.591			
BST1	BSDD0084	258.00	258.90	0.90	5.742			
BST1	BSDD0084	258.90	259.50	0.60	0.136			
BST1	BSDD0084	261.00	261.50	0.50	0.418	1.00 m @ 0.52 g/t Au	0.5	
BST1	BSDD0084	261.50	262.00	0.50	0.617			
BST1	BSDD0084	262.00	263.00	1.00	0.133			
BST1	BSDD0084	280.00	281.00	1.00	0.173			
BST1	BSDD0084	285.00	286.00	1.00	0.964	1.00 m @ 0.96 g/t Au	1.0	
BST1	BSDD0084	290.35	291.00	0.65	0.127			
BST1	BSDD0084	295.00	296.00	1.00	0.166			
BST1	BSDD0084	299.00	300.00	1.00	0.402	1.00 m @ 0.40 g/t Au	0.4	
BST1	BSDD0084	302.20	302.80	0.60	0.156			
BST1	BSDD0084	303.75	304.60	0.85	0.294	0.85 m @ 0.29 g/t Au	0.2	
BST1	BSDD0084	326.00	327.00	1.00	1.072	1.00 m @ 1.07 g/t Au	1.1	1.00 m @ 1.07 g/t Au
BST1	BSDD0085	0.00	1.50	1.50	0.177			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0085	104.00	105.00	1.00	0.247	1.00 m @ 0.25 g/t Au	0.2	
BST1	BSDD0085	107.38	108.00	0.62	0.333	0.62 m @ 0.33 g/t Au	0.2	
BST1	BSDD0085	129.00	130.26	1.26	0.637	2.00 m @ 0.70 g/t Au	1.4	
BST1	BSDD0085	130.26	131.00	0.74	0.807			
BST1	BSDD0085	139.00	140.00	1.00	0.291	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0085	147.00	148.00	1.00	0.265	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0085	176.00	177.00	1.00	0.179	3.88 m @ 0.32 g/t Au	1.2	
BST1	BSDD0085	179.12	180.00	0.88	0.788			
BST1	BSDD0085	180.00	181.00	1.00	0.008			
BST1	BSDD0085	181.00	182.00	1.00	0.219			
BST1	BSDD0085	182.00	183.00	1.00	0.316			
BST1	BSDD0085	190.00	190.73	0.73	1.483	0.73 m @ 1.48 g/t Au	1.1	0.73 m @ 1.48 g/t Au
BST1	BSDD0085	205.00	206.00	1.00	0.102			
BST1	BSDD0085	206.00	207.00	1.00	0.697	1.00 m @ 0.70 g/t Au	0.7	
BST1	BSDD0085	212.16	213.00	0.84	0.299	1.84 m @ 0.49 g/t Au	0.9	
BST1	BSDD0085	213.00	214.00	1.00	0.646			
BST1	BSDD0085	225.00	226.00	1.00	0.279	9.00 m @ 0.29 g/t Au	2.6	
BST1	BSDD0085	226.00	227.00	1.00	0.428			
BST1	BSDD0085	227.00	228.00	1.00	0.021			
BST1	BSDD0085	228.00	229.00	1.00	0.018			
BST1	BSDD0085	229.00	230.00	1.00	1.132			1.00 m @ 1.13 g/t Au
BST1	BSDD0085	230.00	231.00	1.00	0.021			
BST1	BSDD0085	231.00	232.00	1.00	0.413			
BST1	BSDD0085	232.00	233.00	1.00	0.019			
BST1	BSDD0085	233.00	234.00	1.00	0.260			
BST1	BSDD0085	238.00	239.00	1.00	1.370	2.00 m @ 0.90 g/t Au	1.8	1.00 m @ 1.37 g/t Au
BST1	BSDD0085	239.00	240.00	1.00	0.436			
BST1	BSDD0085	240.00	241.00	1.00	0.125			
BST1	BSDD0085	244.00	245.05	1.05	0.295	1.90 m @ 2.15 g/t Au	4.1	
BST1	BSDD0085	245.05	245.90	0.85	4.446			0.85 m @ 4.45 g/t Au
BST1	BSDD0085	247.00	248.00	1.00	0.154			
BST1	BSDD0085	248.00	249.00	1.00	1.158	5.00 m @ 0.50 g/t Au	2.5	1.00 m @ 1.16 g/t Au
BST1	BSDD0085	249.00	250.10	1.10	0.221			
BST1	BSDD0085	250.10	250.80	0.70	1.105			0.70 m @ 1.10 g/t Au
BST1	BSDD0085	250.80	252.00	1.20	0.042			
BST1	BSDD0085	252.00	253.00	1.00	0.285			
BST1	BSDD0085	253.00	254.00	1.00	0.149			
BST1	BSDD0085	257.00	258.00	1.00	0.996	1.00 m @ 1.00 g/t Au	1.0	
BST1	BSDD0085	258.00	259.00	1.00	0.101			
BST1	BSDD0085	265.72	267.00	1.28	0.466	8.28 m @ 0.27 g/t Au	2.3	
BST1	BSDD0085	267.00	268.00	1.00	0.294			
BST1	BSDD0085	268.00	269.00	1.00	0.023			
BST1	BSDD0085	269.00	270.00	1.00	0.088			
BST1	BSDD0085	270.00	271.20	1.20	0.621			
BST1	BSDD0085	271.20	272.00	0.80	0.008			
BST1	BSDD0085	272.00	273.00	1.00	0.040			
BST1	BSDD0085	273.00	274.00	1.00	0.479			
BST1	BSDD0085	281.00	281.76	0.76	0.275	10.25 m @ 0.21 g/t Au	2.1	
BST1	BSDD0085	281.76	283.00	1.24	0.334			
BST1	BSDD0085	283.00	284.00	1.00	0.019			
BST1	BSDD0085	284.00	285.00	1.00	0.248			
BST1	BSDD0085	285.00	286.00	1.00	0.290			
BST1	BSDD0085	286.00	287.00	1.00	0.017			
BST1	BSDD0085	287.00	288.00	1.00	0.101			
BST1	BSDD0085	288.00	288.50	0.50	0.916			
BST1	BSDD0085	288.50	290.00	1.50	0.020			
BST1	BSDD0085	290.00	291.25	1.25	0.279			
BST1	BSDD0085	291.25	292.00	0.75	0.194			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0085	293.00	294.00	1.00	0.238	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0085	295.00	296.00	1.00	0.132			
BST1	BSDD0085	307.00	308.00	1.00	1.765	1.00 m @ 1.76 g/t Au	1.8	1.00 m @ 1.76 g/t Au
BST1	BSDD0085	311.00	312.00	1.00	0.298	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0086	0.00	1.50	1.50	0.800	3.00 m @ 0.51 g/t Au	1.5	
BST1	BSDD0086	1.50	3.00	1.50	0.210			
BST1	BSDD0086	26.00	27.00	1.00	1.240	1.00 m @ 1.24 g/t Au	1.2	1.00 m @ 1.24 g/t Au
BST1	BSDD0086	41.00	42.00	1.00	0.990	2.00 m @ 0.65 g/t Au	1.3	
BST1	BSDD0086	42.00	43.00	1.00	0.310			
BST1	BSDD0086	47.00	48.00	1.00	1.590	5.00 m @ 1.15 g/t Au	5.8	4.00 m @ 1.36 g/t Au
BST1	BSDD0086	48.00	49.00	1.00	0.070			
BST1	BSDD0086	49.00	50.00	1.00	0.700			
BST1	BSDD0086	50.00	51.00	1.00	3.090			
BST1	BSDD0086	51.00	52.00	1.00	0.320	4.00 m @ 0.29 g/t Au	1.2	
BST1	BSDD0086	65.00	66.00	1.00	0.570			
BST1	BSDD0086	66.00	67.00	1.00	0.010			
BST1	BSDD0086	67.00	68.00	1.00	0.020			
BST1	BSDD0086	68.00	69.00	1.00	0.570			
BST1	BSDD0086	70.00	71.00	1.00	0.100			
BST1	BSDD0086	72.40	73.00	0.60	1.550	1.60 m @ 1.02 g/t Au	1.6	0.60 m @ 1.55 g/t Au
BST1	BSDD0086	73.00	74.00	1.00	0.710	4.00 m @ 0.63 g/t Au	2.5	
BST1	BSDD0086	79.00	80.00	1.00	0.750			
BST1	BSDD0086	80.00	81.00	1.00	0.080			
BST1	BSDD0086	81.00	82.00	1.00	0.180			
BST1	BSDD0086	82.00	83.00	1.00	1.510			1.00 m @ 1.51 g/t Au
BST1	BSDD0086	84.00	85.00	1.00	0.100	2.30 m @ 1.17 g/t Au	2.7	1.30 m @ 1.60 g/t Au
BST1	BSDD0086	85.70	86.20	0.50	2.180			
BST1	BSDD0086	86.20	87.00	0.80	1.230			
BST1	BSDD0086	87.00	88.00	1.00	0.620			
BST1	BSDD0086	92.00	93.00	1.00	0.170			
BST1	BSDD0086	93.00	94.00	1.00	0.130			
BST1	BSDD0086	95.00	96.00	1.00	3.000	1.00 m @ 3.00 g/t Au	3.0	1.00 m @ 3.00 g/t Au
BST1	BSDD0086	96.00	97.00	1.00	0.180			
BST1	BSDD0086	101.00	102.00	1.00	1.460	8.00 m @ 0.60 g/t Au	4.8	1.00 m @ 1.46 g/t Au
BST1	BSDD0086	102.00	103.00	1.00	0.400			
BST1	BSDD0086	103.00	104.00	1.00	0.060			
BST1	BSDD0086	104.00	105.00	1.00	0.030			
BST1	BSDD0086	105.00	106.00	1.00	2.150			1.00 m @ 2.15 g/t Au
BST1	BSDD0086	106.00	107.00	1.00	0.060			
BST1	BSDD0086	107.00	108.00	1.00	0.100			
BST1	BSDD0086	108.00	109.00	1.00	0.550			
BST1	BSDD0086	112.00	113.00	1.00	1.350	1.00 m @ 1.35 g/t Au	1.4	1.00 m @ 1.35 g/t Au
BST1	BSDD0086	116.00	117.00	1.00	1.030	1.00 m @ 1.03 g/t Au	1.0	1.00 m @ 1.03 g/t Au
BST1	BSDD0086	124.00	125.00	1.00	0.360	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0086	132.00	133.00	1.00	0.720	5.00 m @ 2.70 g/t Au	13.5	
BST1	BSDD0086	133.00	134.00	1.00	0.030			
BST1	BSDD0086	134.00	135.00	1.00	0.260			
BST1	BSDD0086	135.00	136.41	1.41	0.430			
BST1	BSDD0086	136.41	137.00	0.59	20.120			0.59 m @ 20.12 g/t Au
BST1	BSDD0086	141.00	142.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0086	143.00	144.00	1.00	0.170			
BST1	BSDD0086	148.00	149.00	1.00	0.610	1.00 m @ 0.61 g/t Au	0.6	
BST1	BSDD0086	151.00	152.00	1.00	0.150			
BST1	BSDD0086	159.00	160.00	1.00	0.170			
BST1	BSDD0086	161.00	162.05	1.05	0.140			
BST1	BSDD0087	0.00	1.00	1.00	0.539	2.50 m @ 0.39 g/t Au	1.0	
BST1	BSDD0087	1.00	2.50	1.50	0.295			
BST1	BSDD0087	4.00	5.13	1.13	0.118			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0087	7.07	8.50	1.43	3.169	2.93 m @ 1.66 g/t Au	4.9	1.43 m @ 3.17 g/t Au
BST1	BSDD0087	8.50	10.00	1.50	0.225			
BST1	BSDD0087	29.13	30.50	1.37	1.381	1.37 m @ 1.38 g/t Au	1.9	1.37 m @ 1.38 g/t Au
BST1	BSDD0087	33.00	33.67	0.67	0.109			
BST1	BSDD0087	34.50	36.00	1.50	4.918	2.42 m @ 3.45 g/t Au	8.3	2.42 m @ 3.45 g/t Au
BST1	BSDD0087	36.00	36.92	0.92	1.052			
BST1	BSDD0087	37.50	38.50	1.00	0.113			
BST1	BSDD0087	38.50	39.64	1.14	0.117			
BST1	BSDD0087	45.00	46.50	1.50	0.118			
BST1	BSDD0087	46.50	47.54	1.04	0.256	1.04 m @ 0.26 g/t Au	0.3	
BST1	BSDD0087	60.00	61.00	1.00	0.188	6.00 m @ 0.33 g/t Au	2.0	
BST1	BSDD0087	62.00	63.00	1.00	0.352			
BST1	BSDD0087	63.00	64.00	1.00	0.341			
BST1	BSDD0087	64.00	65.00	1.00	0.127			
BST1	BSDD0087	65.00	66.00	1.00	0.129			
BST1	BSDD0087	66.00	67.00	1.00	0.786			
BST1	BSDD0087	67.00	68.00	1.00	0.257			
BST1	BSDD0087	71.00	72.00	1.00	0.199			
BST1	BSDD0087	74.40	75.50	1.10	0.128			
BST1	BSDD0087	75.50	77.00	1.50	0.108			
BST1	BSDD0087	77.00	78.00	1.00	0.112	4.00 m @ 0.45 g/t Au	1.8	1.00 m @ 1.11 g/t Au
BST1	BSDD0087	80.00	81.00	1.00	0.608			
BST1	BSDD0087	81.00	82.00	1.00	0.042			
BST1	BSDD0087	82.00	83.00	1.00	0.049			
BST1	BSDD0087	83.00	84.00	1.00	1.111			
BST1	BSDD0087	84.00	85.00	1.00	0.117			
BST1	BSDD0087	86.00	87.00	1.00	0.111			
BST1	BSDD0087	88.00	89.00	1.00	1.112	3.00 m @ 1.06 g/t Au	3.2	3.00 m @ 1.06 g/t Au
BST1	BSDD0087	89.00	90.00	1.00	0.032			
BST1	BSDD0087	90.00	91.00	1.00	2.032			
BST1	BSDD0087	96.00	97.00	1.00	0.261	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0087	99.00	100.00	1.00	0.271	1.00 m @ 0.27 g/t Au	0.3	
BST1	BSDD0087	122.00	123.00	1.00	0.147			
BST1	BSDD0088	0.00	0.73	0.73	0.683	0.73 m @ 0.68 g/t Au	0.5	
BST1	BSDD0088	1.94	3.00	1.06	0.567	9.06 m @ 2.44 g/t Au	22.1	4.00 m @ 1.81 g/t Au
BST1	BSDD0088	3.00	4.50	1.50	1.032			
BST1	BSDD0088	4.50	6.00	1.50	0.791			
BST1	BSDD0088	6.00	7.00	1.00	4.503			
BST1	BSDD0088	7.00	8.00	1.00	0.433			
BST1	BSDD0088	8.00	9.00	1.00	13.505			1.00 m @ 13.51 g/t Au
BST1	BSDD0088	9.00	10.00	1.00	0.138			
BST1	BSDD0088	10.00	11.00	1.00	0.208			
BST1	BSDD0088	11.00	12.00	1.00	0.154			
BST1	BSDD0088	13.50	15.00	1.50	0.620	1.50 m @ 0.62 g/t Au	0.9	
BST1	BSDD0088	15.00	16.00	1.00	0.135			
BST1	BSDD0088	18.00	19.00	1.00	0.792	4.00 m @ 0.65 g/t Au	2.6	1.00 m @ 1.33 g/t Au
BST1	BSDD0088	19.00	20.00	1.00	0.268			
BST1	BSDD0088	20.00	21.00	1.00	1.326			
BST1	BSDD0088	21.00	22.00	1.00	0.220			
BST1	BSDD0088	25.50	27.00	1.50	0.335	1.50 m @ 0.34 g/t Au	0.5	
BST1	BSDD0088	31.00	32.00	1.00	0.160			
BST1	BSDD0088	32.00	33.00	1.00	6.361	1.00 m @ 6.36 g/t Au	6.4	1.00 m @ 6.36 g/t Au
BST1	BSDD0088	78.00	79.50	1.50	0.139			
BST1	BSDD0088	97.00	97.50	0.50	0.175			
BST1	BSDD0089	0.00	1.50	1.50	0.403	4.00 m @ 0.25 g/t Au	1.0	
BST1	BSDD0089	1.50	3.00	1.50	0.118			
BST1	BSDD0089	3.00	4.00	1.00	0.205			
BST1	BSDD0089	7.50	9.00	1.50	0.365	1.50 m @ 0.36 g/t Au	0.5	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0089	15.00	16.00	1.00	0.277	7.00 m @ 3.31 g/t Au	23.2	
BST1	BSDD0089	16.00	17.00	1.00	19.578			2.00 m @ 11.09 g/t Au
BST1	BSDD0089	17.00	18.00	1.00	2.592			
BST1	BSDD0089	18.00	19.00	1.00	0.022			
BST1	BSDD0089	19.00	20.00	1.00	0.129			
BST1	BSDD0089	20.00	21.00	1.00	0.364			
BST1	BSDD0089	21.00	22.00	1.00	0.236			
BST1	BSDD0089	33.00	34.50	1.50	0.111			
BST1	BSDD0089	38.00	39.00	1.00	0.235	2.00 m @ 0.66 g/t Au	1.3	
BST1	BSDD0089	39.00	40.00	1.00	1.086			1.00 m @ 1.09 g/t Au
BST1	BSDD0089	44.00	45.00	1.00	0.171			
BST1	BSDD0089	53.00	54.00	1.00	0.210	10.00 m @ 1.13 g/t Au	11.3	
BST1	BSDD0089	54.00	55.00	1.00	0.008			
BST1	BSDD0089	55.00	56.00	1.00	0.038			
BST1	BSDD0089	56.00	57.00	1.00	5.150			4.00 m @ 2.64 g/t Au
BST1	BSDD0089	57.00	58.00	1.00	0.108			
BST1	BSDD0089	58.00	59.00	1.00	3.181			
BST1	BSDD0089	59.00	60.00	1.00	2.135			
BST1	BSDD0089	60.00	61.00	1.00	0.089			
BST1	BSDD0089	61.00	62.00	1.00	0.074			
BST1	BSDD0089	62.00	63.00	1.00	0.304			
BST1	BSDD0089	66.00	67.00	1.00	0.560	1.00 m @ 0.56 g/t Au	0.6	
BST1	BSDD0089	70.00	71.00	1.00	0.277	7.00 m @ 3.85 g/t Au	26.9	
BST1	BSDD0089	71.00	72.00	1.00	23.769			5.00 m @ 5.27 g/t Au
BST1	BSDD0089	72.00	73.00	1.00	0.063			
BST1	BSDD0089	73.00	74.00	1.00	1.023			
BST1	BSDD0089	74.00	75.00	1.00	0.194			
BST1	BSDD0089	75.00	76.00	1.00	1.312			
BST1	BSDD0089	76.00	77.00	1.00	0.294			
BST1	BSDD0089	78.00	79.00	1.00	0.143			
BST1	BSDD0089	88.00	89.00	1.00	0.116			
BST1	BSDD0089	96.00	97.00	1.00	0.125			
BST1	BSDD0089	97.00	98.00	1.00	1.279	1.00 m @ 1.28 g/t Au	1.3	1.00 m @ 1.28 g/t Au
BST1	BSDD0089	102.00	103.00	1.00	0.107			
BST1	BSDD0089	103.80	105.00	1.20	2.154	4.20 m @ 1.55 g/t Au	6.5	4.20 m @ 1.55 g/t Au
BST1	BSDD0089	105.00	106.00	1.00	0.343			
BST1	BSDD0089	106.00	107.00	1.00	0.035			
BST1	BSDD0089	107.00	108.00	1.00	3.557			
BST1	BSDD0089	112.00	113.00	1.00	1.080	1.00 m @ 1.08 g/t Au	1.1	1.00 m @ 1.08 g/t Au
BST1	BSDD0089	122.00	123.00	1.00	0.233	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0089	155.00	156.00	1.00	0.190			
BST1	BSDD0089	156.00	157.00	1.00	0.164			
BST1	BSDD0089	157.00	158.00	1.00	0.480	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0089	158.00	159.00	1.00	0.183			
BST1	BSDD0089	159.00	160.00	1.00	0.136			
BST1	BSDD0090	0.00	1.50	1.50	0.269	1.50 m @ 0.27 g/t Au	0.4	
BST1	BSDD0090	7.50	9.00	1.50	0.357	1.50 m @ 0.36 g/t Au	0.5	
BST1	BSDD0090	68.00	69.00	1.00	0.428	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0090	84.90	86.00	1.10	2.949	7.20 m @ 0.75 g/t Au	5.4	1.10 m @ 2.95 g/t Au
BST1	BSDD0090	86.00	87.00	1.00	0.731			
BST1	BSDD0090	87.00	88.00	1.00	0.297			
BST1	BSDD0090	88.00	89.00	1.00	0.026			
BST1	BSDD0090	89.00	90.00	1.00	0.024			
BST1	BSDD0090	90.00	91.00	1.00	0.772			
BST1	BSDD0090	91.00	92.10	1.10	0.250			
BST1	BSDD0090	99.00	100.00	1.00	0.155			
BST1	BSDD0090	100.00	101.00	1.00	0.398	6.14 m @ 0.46 g/t Au	2.8	
BST1	BSDD0090	101.00	102.00	1.00	0.080			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0090	102.00	103.00	1.00	0.981			
BST1	BSDD0090	103.00	103.80	0.80	0.607			
BST1	BSDD0090	103.80	105.00	1.20	0.182			
BST1	BSDD0090	105.00	106.14	1.14	0.580			
BST1	BSDD0090	121.00	122.00	1.00	0.878	1.00 m @ 0.88 g/t Au	0.9	
BST1	BSDD0090	126.00	127.00	1.00	0.133			
BST1	BSDD0090	127.00	128.00	1.00	6.677	1.00 m @ 6.68 g/t Au	6.7	1.00 m @ 6.68 g/t Au
BST1	BSDD0090	132.00	133.00	1.00	0.549	1.00 m @ 0.55 g/t Au	0.5	
BST1	BSDD0090	133.00	134.00	1.00	0.187	2.00 m @ 0.64 g/t Au	1.3	
BST1	BSDD0090	136.00	137.00	1.00	0.954			
BST1	BSDD0090	137.00	138.00	1.00	0.326			
BST1	BSDD0090	143.00	144.00	1.00	0.121			
BST1	BSDD0090	147.00	148.00	1.00	0.183			
BST1	BSDD0090	148.00	149.00	1.00	8.375	3.00 m @ 3.00 g/t Au	9.0	1.00 m @ 8.38 g/t Au
BST1	BSDD0090	149.00	150.00	1.00	0.359			
BST1	BSDD0090	150.00	151.00	1.00	0.266			
BST1	BSDD0090	154.00	155.40	1.40	0.126			
BST1	BSDD0090	155.40	156.00	0.60	1.793	4.60 m @ 0.39 g/t Au	1.8	0.60 m @ 1.79 g/t Au
BST1	BSDD0090	156.00	157.00	1.00	0.065			
BST1	BSDD0090	157.00	158.00	1.00	0.418			
BST1	BSDD0090	158.00	159.00	1.00	0.026			
BST1	BSDD0090	159.00	160.00	1.00	0.230			
BST1	BSDD0090	164.00	165.30	1.30	0.145	5.70 m @ 0.41 g/t Au	2.4	
BST1	BSDD0090	165.30	166.00	0.70	0.270			
BST1	BSDD0090	166.00	167.00	1.00	0.008			
BST1	BSDD0090	167.00	168.00	1.00	0.394			
BST1	BSDD0090	168.00	169.00	1.00	0.147			
BST1	BSDD0090	169.00	170.00	1.00	0.073			
BST1	BSDD0090	170.00	171.00	1.00	1.553			1.00 m @ 1.55 g/t Au
BST1	BSDD0090	175.00	176.00	1.00	0.197			
BST1	BSDD0090	176.00	177.00	1.00	0.293	1.00 m @ 0.29 g/t Au	0.3	
BST1	BSDD0090	180.00	181.00	1.00	0.452	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0090	192.00	193.00	1.00	0.211	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0090	196.00	197.00	1.00	0.105			
BST1	BSDD0090	206.00	207.00	1.00	0.254	1.00 m @ 0.25 g/t Au	0.3	
BST1	BSDD0091	0.78	1.50	0.72	1.660	7.74 m @ 0.60 g/t Au	4.6	0.72 m @ 1.66 g/t Au
BST1	BSDD0091	1.50	3.00	1.50	0.380			
BST1	BSDD0091	3.00	3.50	0.50	0.260			
BST1	BSDD0091	3.50	4.00	0.50	0.390			
BST1	BSDD0091	4.00	5.00	1.00	0.660			
BST1	BSDD0091	5.00	6.00	1.00	0.500			
BST1	BSDD0091	6.00	7.50	1.50	0.360			
BST1	BSDD0091	7.50	8.52	1.02	0.800			
BST1	BSDD0091	9.47	10.00	0.53	0.270	2.53 m @ 0.39 g/t Au	1.0	
BST1	BSDD0091	10.00	11.00	1.00	0.510			
BST1	BSDD0091	11.00	12.00	1.00	0.340			
BST1	BSDD0091	16.50	17.50	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0091	22.00	23.00	1.00	0.680	1.00 m @ 0.68 g/t Au	0.7	
BST1	BSDD0091	23.00	24.00	1.00	0.160			
BST1	BSDD0091	26.00	27.00	1.00	0.140			
BST1	BSDD0091	32.00	33.00	1.00	0.100			
BST1	BSDD0091	41.00	42.00	1.00	0.110			
BST1	BSDD0091	47.00	48.00	1.00	0.140			
BST1	BSDD0091	52.00	53.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0091	54.00	55.00	1.00	0.110			
BST1	BSDD0091	59.00	60.00	1.00	0.420	1.00 m @ 0.42 g/t Au	0.4	
BST1	BSDD0091	62.00	63.00	1.00	0.190			
BST1	BSDD0091	65.00	66.00	1.00	0.150			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0091	66.00	67.00	1.00	31.590	3.00 m @ 80.09 g/t Au	240.3	3.00 m @ 80.09 g/t Au
BST1	BSDD0091	67.00	68.00	1.00	203.860			
BST1	BSDD0091	68.00	69.00	1.00	4.830			
BST1	BSDD0091	69.00	70.00	1.00	0.100			
BST1	BSDD0091	83.00	84.00	1.00	1.490	1.00 m @ 1.49 g/t Au	1.5	1.00 m @ 1.49 g/t Au
BST1	BSDD0091	86.63	88.00	1.37	0.170			
BST1	BSDD0091	89.00	90.00	1.00	0.110			
BST1	BSDD0091	93.00	94.00	1.00	1.400	1.61 m @ 1.19 g/t Au	1.9	1.00 m @ 1.40 g/t Au
BST1	BSDD0091	94.00	94.61	0.61	0.850			
BST1	BSDD0091	124.00	125.00	1.00	0.190			
BST1	BSDD0092	0.00	1.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0092	1.00	2.25	1.25	0.170			
BST1	BSDD0092	3.00	4.00	1.00	0.140			
BST1	BSDD0092	4.00	5.00	1.00	3.190	1.00 m @ 3.19 g/t Au	3.2	1.00 m @ 3.19 g/t Au
BST1	BSDD0092	5.00	6.00	1.00	0.120			
BST1	BSDD0092	12.00	13.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0092	20.00	21.00	1.00	0.370	1.00 m @ 0.37 g/t Au	0.4	
BST1	BSDD0092	26.00	27.00	1.00	0.190			
BST1	BSDD0092	27.00	28.00	1.00	0.200	2.00 m @ 0.27 g/t Au	0.5	
BST1	BSDD0092	28.00	29.00	1.00	0.340			
BST1	BSDD0092	31.00	31.80	0.80	0.130			
BST1	BSDD0092	35.00	36.00	1.00	5.390	1.00 m @ 5.39 g/t Au	5.4	1.00 m @ 5.39 g/t Au
BST1	BSDD0092	38.00	39.00	1.00	0.120			
BST1	BSDD0092	42.00	43.50	1.50	0.100			
BST1	BSDD0092	52.00	53.00	1.00	0.130			
BST1	BSDD0092	57.00	58.00	1.00	0.140			
BST1	BSDD0092	71.00	72.00	1.00	0.120			
BST1	BSDD0092	72.00	73.00	1.00	0.170			
BST1	BSDD0092	73.00	74.00	1.00	0.230	1.00 m @ 0.23 g/t Au	0.2	
BST1	BSDD0092	78.00	79.00	1.00	0.170			
BST1	BSDD0092	79.00	80.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0092	81.00	82.00	1.00	0.180			
BST1	BSDD0092	82.00	83.00	1.00	0.160			
BST1	BSDD0092	86.00	87.00	1.00	0.870	1.00 m @ 0.87 g/t Au	0.9	
BST1	BSDD0092	90.00	91.00	1.00	0.140			
BST1	BSDD0092	93.00	94.00	1.00	0.450	1.00 m @ 0.45 g/t Au	0.5	
BST1	BSDD0092	97.00	98.00	1.00	0.120			
BST1	BSDD0092	100.00	101.50	1.50	0.800	3.00 m @ 0.80 g/t Au	2.4	
BST1	BSDD0092	101.50	102.04	0.54	1.250			0.54 m @ 1.25 g/t Au
BST1	BSDD0092	102.04	103.00	0.96	0.540			
BST1	BSDD0092	108.00	109.00	1.00	0.120			
BST1	BSDD0092	111.00	112.00	1.00	0.240	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0092	119.00	120.00	1.00	2.200	1.00 m @ 2.20 g/t Au	2.2	1.00 m @ 2.20 g/t Au
BST1	BSDD0092	128.00	129.00	1.00	0.110			
BST1	BSDD0093	0.00	0.75	0.75	0.490	0.75 m @ 0.49 g/t Au	0.4	
BST1	BSDD0093	2.67	3.59	0.92	0.740	0.92 m @ 0.74 g/t Au	0.7	
BST1	BSDD0093	5.50	6.31	0.81	0.380	0.81 m @ 0.38 g/t Au	0.3	
BST1	BSDD0093	7.50	9.00	1.50	0.920	6.50 m @ 3.67 g/t Au	23.8	
BST1	BSDD0093	9.00	10.00	1.00	0.240			
BST1	BSDD0093	10.00	11.00	1.00	0.560			
BST1	BSDD0093	11.00	12.00	1.00	0.970			
BST1	BSDD0093	12.00	13.00	1.00	20.120			1.00 m @ 20.12 g/t Au
BST1	BSDD0093	13.00	14.00	1.00	0.580			
BST1	BSDD0093	14.00	15.00	1.00	0.120			
BST1	BSDD0093	18.00	19.00	1.00	0.470	1.00 m @ 0.47 g/t Au	0.5	
BST1	BSDD0093	22.00	23.00	1.00	1.470	2.00 m @ 0.98 g/t Au	2.0	1.00 m @ 1.47 g/t Au
BST1	BSDD0093	23.00	24.00	1.00	0.500			
BST1	BSDD0093	24.00	25.00	1.00	0.140			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0093	27.00	28.00	1.00	0.170			
BST1	BSDD0093	34.00	35.00	1.00	0.130			
BST1	BSDD0093	36.00	37.00	1.00	0.220	2.00 m @ 0.24 g/t Au	0.5	
BST1	BSDD0093	37.00	38.00	1.00	0.270			
BST1	BSDD0093	38.00	39.00	1.00	0.170			
BST1	BSDD0093	40.50	42.00	1.50	0.180			
BST1	BSDD0093	42.00	43.00	1.00	0.410	1.00 m @ 0.41 g/t Au	0.4	
BST1	BSDD0093	44.00	45.00	1.00	0.170			
BST1	BSDD0093	45.00	46.00	1.00	0.120			
BST1	BSDD0093	46.00	47.00	1.00	0.330	4.50 m @ 0.75 g/t Au	3.4	
BST1	BSDD0093	47.00	48.00	1.00	0.390			
BST1	BSDD0093	48.00	49.00	1.00	0.170			
BST1	BSDD0093	49.00	50.50	1.50	1.660			1.50 m @ 1.66 g/t Au
BST1	BSDD0093	54.00	55.00	1.00	0.590	1.00 m @ 0.59 g/t Au	0.6	
BST1	BSDD0093	56.00	57.00	1.00	0.160			
BST1	BSDD0093	58.00	59.00	1.00	0.260	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0093	61.00	62.00	1.00	0.110			
BST1	BSDD0093	63.00	64.00	1.00	0.110			
BST1	BSDD0093	64.00	65.00	1.00	0.110			
BST1	BSDD0093	65.00	66.00	1.00	0.130			
BST1	BSDD0093	70.00	71.00	1.00	0.170			
BST1	BSDD0093	71.00	72.00	1.00	0.110			
BST1	BSDD0093	72.00	73.00	1.00	2.090	6.00 m @ 0.68 g/t Au	4.1	1.00 m @ 2.09 g/t Au
BST1	BSDD0093	73.00	74.00	1.00	0.700			
BST1	BSDD0093	74.00	75.00	1.00	0.170			
BST1	BSDD0093	75.00	76.00	1.00	0.260			
BST1	BSDD0093	76.00	77.00	1.00	0.060			
BST1	BSDD0093	77.00	78.00	1.00	0.810			
BST1	BSDD0093	83.50	85.00	1.50	0.140			
BST1	BSDD0093	85.00	86.00	1.00	0.100			
BST1	BSDD0093	86.00	87.00	1.00	0.330	4.00 m @ 0.93 g/t Au	3.7	
BST1	BSDD0093	87.00	88.00	1.00	0.570			
BST1	BSDD0093	88.00	89.00	1.00	0.300			
BST1	BSDD0093	89.00	90.00	1.00	2.520			1.00 m @ 2.52 g/t Au
BST1	BSDD0093	90.00	91.00	1.00	0.110			
BST1	BSDD0093	91.00	92.00	1.00	0.120			
BST1	BSDD0093	97.00	98.00	1.00	0.450	4.00 m @ 0.40 g/t Au	1.6	
BST1	BSDD0093	98.00	99.00	1.00	0.060			
BST1	BSDD0093	99.00	100.00	1.00	0.180			
BST1	BSDD0093	100.00	101.00	1.00	0.920			
BST1	BSDD0093	103.88	105.00	1.12	1.290	1.12 m @ 1.29 g/t Au	1.4	1.12 m @ 1.29 g/t Au
BST1	BSDD0093	108.00	109.00	1.00	0.130			
BST1	BSDD0094	0.00	1.25	1.25	0.540	4.62 m @ 0.40 g/t Au	1.8	
BST1	BSDD0094	1.25	2.00	0.75	0.510			
BST1	BSDD0094	2.00	3.00	1.00	0.540			
BST1	BSDD0094	3.00	4.00	1.00	0.110			
BST1	BSDD0094	4.00	4.62	0.62	0.200			
BST1	BSDD0094	11.00	12.00	1.00	0.550	1.00 m @ 0.55 g/t Au	0.6	
BST1	BSDD0094	15.00	16.50	1.50	0.250	1.50 m @ 0.25 g/t Au	0.4	
BST1	BSDD0094	17.25	18.00	0.75	0.140			
BST1	BSDD0094	19.00	20.00	1.00	0.100			
BST1	BSDD0094	36.00	36.79	0.79	0.110			
BST1	BSDD0094	51.00	52.50	1.50	1.110	2.50 m @ 1.33 g/t Au	3.3	2.50 m @ 1.33 g/t Au
BST1	BSDD0094	52.50	53.50	1.00	1.650			
BST1	BSDD0094	55.46	56.00	0.54	0.110			
BST1	BSDD0094	67.10	68.00	0.90	0.750	0.90 m @ 0.75 g/t Au	0.7	
BST1	BSDD0094	76.00	77.00	1.00	0.140			
BST1	BSDD0094	78.00	79.00	1.00	0.140			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0094	81.00	82.00	1.00	0.120			
BST1	BSDD0094	97.00	98.39	1.39	0.110			
BST1	BSDD0094	106.00	107.00	1.00	0.100			
BST1	BSDD0095	0.00	1.50	1.50	0.410	2.19 m @ 0.38 g/t Au	0.8	
BST1	BSDD0095	1.50	2.19	0.69	0.330			
BST1	BSDD0095	5.00	6.00	1.00	0.160			
BST1	BSDD0095	27.00	28.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0095	40.00	41.00	1.00	0.870	1.00 m @ 0.87 g/t Au	0.9	
BST1	BSDD0095	61.00	62.00	1.00	0.430	1.00 m @ 0.43 g/t Au	0.4	
BST1	BSDD0095	70.00	71.00	1.00	0.130			
BST1	BSDD0095	80.00	81.00	1.00	0.320	1.00 m @ 0.32 g/t Au	0.3	
BST1	BSDD0095	108.00	109.00	1.00	0.100			
BST1	BSDD0096	0.00	1.03	1.03	0.359	1.03 m @ 0.36 g/t Au	0.4	
BST1	BSDD0096	2.50	3.79	1.29	0.319	1.29 m @ 0.32 g/t Au	0.4	
BST1	BSDD0096	4.50	6.00	1.50	0.140			
BST1	BSDD0096	12.00	13.50	1.50	0.299	1.50 m @ 0.30 g/t Au	0.4	
BST1	BSDD0096	16.50	18.00	1.50	37.381	1.50 m @ 37.38 g/t Au	56.1	1.50 m @ 37.38 g/t Au
BST1	BSDD0096	18.90	19.50	0.60	0.306	1.70 m @ 1.18 g/t Au	2.0	
BST1	BSDD0096	19.50	20.60	1.10	1.649			1.10 m @ 1.65 g/t Au
BST1	BSDD0096	22.50	24.00	1.50	0.123			
BST1	BSDD0096	31.50	32.50	1.00	0.140			
BST1	BSDD0096	34.50	36.00	1.50	0.177			
BST1	BSDD0096	39.00	40.50	1.50	0.102			
BST1	BSDD0096	40.50	42.00	1.50	0.299	1.50 m @ 0.30 g/t Au	0.4	
BST1	BSDD0096	45.00	46.50	1.50	0.117			
BST1	BSDD0096	53.00	54.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0096	56.00	57.00	1.00	0.117			
BST1	BSDD0096	57.00	58.00	1.00	0.586	3.00 m @ 0.68 g/t Au	2.0	
BST1	BSDD0096	58.00	59.00	1.00	1.143			1.00 m @ 1.14 g/t Au
BST1	BSDD0096	59.00	60.00	1.00	0.300			
BST1	BSDD0096	61.00	62.00	1.00	0.177			
BST1	BSDD0096	63.00	64.00	1.00	0.142			
BST1	BSDD0096	64.00	65.00	1.00	0.154			
BST1	BSDD0096	65.00	66.00	1.00	0.333	38.00 m @ 4.20 g/t Au	159.6	
BST1	BSDD0096	66.00	67.47	1.47	5.027			6.00 m @ 2.13 g/t Au
BST1	BSDD0096	67.47	68.00	0.53	1.674			
BST1	BSDD0096	68.00	69.00	1.00	1.474			
BST1	BSDD0096	69.00	70.00	1.00	0.379			
BST1	BSDD0096	70.00	71.00	1.00	0.570			
BST1	BSDD0096	71.00	72.00	1.00	2.060			
BST1	BSDD0096	72.00	73.00	1.00	0.038			
BST1	BSDD0096	73.00	73.89	0.89	1.551			2.00 m @ 1.94 g/t Au
BST1	BSDD0096	73.89	75.00	1.11	2.247			
BST1	BSDD0096	75.00	76.00	1.00	0.538			
BST1	BSDD0096	76.00	77.00	1.00	0.454			
BST1	BSDD0096	77.00	78.00	1.00	0.055			
BST1	BSDD0096	78.00	79.00	1.00	0.124			
BST1	BSDD0096	79.00	80.00	1.00	0.324			
BST1	BSDD0096	80.00	81.00	1.00	1.690			5.00 m @ 4.44 g/t Au
BST1	BSDD0096	81.00	82.00	1.00	0.369			
BST1	BSDD0096	82.00	83.00	1.00	0.101			
BST1	BSDD0096	83.00	84.00	1.00	1.252			
BST1	BSDD0096	84.00	85.00	1.00	18.766			
BST1	BSDD0096	85.00	86.00	1.00	0.026			
BST1	BSDD0096	86.00	87.00	1.00	1.805			1.00 m @ 1.80 g/t Au
BST1	BSDD0096	87.00	88.00	1.00	0.287			
BST1	BSDD0096	88.00	89.00	1.00	0.322			
BST1	BSDD0096	89.00	90.00	1.00	0.105			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0096	90.00	91.00	1.00	4.407			5.00 m @ 4.43 g/t Au
BST1	BSDD0096	91.00	92.00	1.00	0.059			
BST1	BSDD0096	92.00	93.00	1.00	0.618			
BST1	BSDD0096	93.00	94.00	1.00	11.863			
BST1	BSDD0096	94.00	95.00	1.00	5.215			
BST1	BSDD0096	95.00	96.00	1.00	0.195			1.00 m @ 2.16 g/t Au
BST1	BSDD0096	96.00	97.00	1.00	2.162			
BST1	BSDD0096	97.00	98.00	1.00	0.035			3.00 m @ 30.52 g/t Au
BST1	BSDD0096	98.00	99.00	1.00	0.021			
BST1	BSDD0096	99.00	100.00	1.00	27.099			
BST1	BSDD0096	100.00	101.00	1.00	0.367			
BST1	BSDD0096	101.00	102.00	1.00	64.092			
BST1	BSDD0096	102.00	103.00	1.00	0.289			
BST1	BSDD0096	109.00	110.00	1.00	0.120			
BST1	BSDD0096	113.00	114.00	1.00	0.144			
BST1	BSDD0096	114.00	115.00	1.00	0.106			
BST1	BSDD0096	118.00	119.00	1.00	1.130	6.00 m @ 0.30 g/t Au	1.8	1.00 m @ 1.13 g/t Au
BST1	BSDD0096	119.00	120.00	1.00	0.084			
BST1	BSDD0096	120.00	121.00	1.00	0.053			
BST1	BSDD0096	121.00	122.00	1.00	0.231			
BST1	BSDD0096	122.00	123.00	1.00	0.008			
BST1	BSDD0096	123.00	124.00	1.00	0.307			
BST1	BSDD0099	0.00	1.00	1.00	0.202	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0099	11.00	12.00	1.00	1.278	1.00 m @ 1.28 g/t Au	1.3	1.00 m @ 1.28 g/t Au
BST1	BSDD0099	13.02	14.00	0.98	0.769	0.98 m @ 0.77 g/t Au	0.8	
BST1	BSDD0099	14.00	15.00	1.00	0.141			
BST1	BSDD0099	51.00	52.00	1.00	0.419	3.00 m @ 1.20 g/t Au	3.6	
BST1	BSDD0099	52.00	53.00	1.00	0.175			
BST1	BSDD0099	53.00	54.00	1.00	3.011			1.00 m @ 3.01 g/t Au
BST1	BSDD0099	57.00	58.00	1.00	0.363	1.00 m @ 0.36 g/t Au	0.4	
BST1	BSDD0099	76.00	77.00	1.00	0.905	1.00 m @ 0.91 g/t Au	0.9	
BST1	BSDD0099	82.00	83.00	1.00	0.205	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0099	94.00	95.00	1.00	0.217	4.00 m @ 0.33 g/t Au	1.3	
BST1	BSDD0099	95.00	96.00	1.00	0.008			
BST1	BSDD0099	96.00	97.00	1.00	0.791			
BST1	BSDD0099	97.00	98.00	1.00	0.309			
BST1	BSDD0099	101.00	102.00	1.00	0.719	9.00 m @ 0.49 g/t Au	4.4	
BST1	BSDD0099	102.00	103.00	1.00	0.113			
BST1	BSDD0099	103.00	104.00	1.00	0.920			
BST1	BSDD0099	104.00	105.00	1.00	0.008			
BST1	BSDD0099	105.00	106.00	1.00	0.432			
BST1	BSDD0099	106.00	107.00	1.00	0.034			
BST1	BSDD0099	107.00	108.00	1.00	0.249			
BST1	BSDD0099	108.00	109.50	1.50	0.477			
BST1	BSDD0099	109.50	110.00	0.50	2.391			0.50 m @ 2.39 g/t Au
BST1	BSDD0099	113.00	114.00	1.00	0.385	6.00 m @ 0.27 g/t Au	1.6	
BST1	BSDD0099	114.00	115.00	1.00	0.099			
BST1	BSDD0099	115.00	116.00	1.00	0.506			
BST1	BSDD0099	116.00	117.00	1.00	0.135			
BST1	BSDD0099	117.00	118.00	1.00	0.026			
BST1	BSDD0099	118.00	119.00	1.00	0.439			
BST1	BSDD0099	123.00	124.00	1.00	0.441	1.00 m @ 0.44 g/t Au	0.4	
BST1	BSDD0099	129.00	130.00	1.00	0.122	6.00 m @ 1.39 g/t Au	8.3	
BST1	BSDD0099	130.00	131.00	1.00	0.339			
BST1	BSDD0099	131.00	132.00	1.00	0.247			
BST1	BSDD0099	132.00	133.00	1.00	6.740			1.00 m @ 6.74 g/t Au
BST1	BSDD0099	133.00	134.00	1.00	0.496			
BST1	BSDD0099	134.00	135.00	1.00	0.085			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0099	135.00	136.00	1.00	0.433			
BST1	BSDD0099	144.00	145.00	1.00	0.366			
BST1	BSDD0099	145.00	146.00	1.00	0.208	4.00 m @ 0.23 g/t Au	0.9	
BST1	BSDD0099	146.00	147.00	1.00	0.029			
BST1	BSDD0099	147.00	148.00	1.00	0.315			
BST1	BSDD0099	152.00	153.00	1.00	0.597	1.00 m @ 0.60 g/t Au	0.6	
BST1	BSDD0099	160.00	161.00	1.00	2.610	2.00 m @ 1.42 g/t Au	2.8	1.00 m @ 2.61 g/t Au
BST1	BSDD0099	161.00	162.00	1.00	0.233			
BST1	BSDD0099	167.00	168.00	1.00	3.616	1.00 m @ 3.62 g/t Au	3.6	1.00 m @ 3.62 g/t Au
BST1	BSDD0099	177.00	178.00	1.00	3.506	1.00 m @ 3.51 g/t Au	3.5	1.00 m @ 3.51 g/t Au
BST1	BSDD0099	181.00	182.00	1.00	0.831	2.00 m @ 0.62 g/t Au	1.2	
BST1	BSDD0099	182.00	183.00	1.00	0.414			
BST1	BSDD0099	183.00	184.00	1.00	0.103			
BST1	BSDD0099	186.00	187.00	1.00	0.231	5.00 m @ 0.51 g/t Au	2.6	
BST1	BSDD0099	187.00	188.00	1.00	0.136			
BST1	BSDD0099	188.00	189.00	1.00	0.026			
BST1	BSDD0099	189.00	190.00	1.00	1.961			1.00 m @ 1.96 g/t Au
BST1	BSDD0099	190.00	191.00	1.00	0.217			
BST1	BSDD0099	196.00	197.00	1.00	0.236	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0099	212.00	213.00	1.00	0.232	2.00 m @ 0.29 g/t Au	0.6	
BST1	BSDD0099	213.00	214.00	1.00	0.345			
BST1	BSDD0099	217.00	218.00	1.00	0.184			
BST1	BSDD0099	219.00	220.00	1.00	0.116			
BST1	BSDD0099	221.00	222.00	1.00	0.173			
BST1	BSDD0099	240.00	241.00	1.00	0.152			
BST1	BSDD0099	241.00	242.00	1.00	0.907	1.00 m @ 0.91 g/t Au	0.9	
BST1	BSDD0099	267.00	268.00	1.00	0.197			
BST1	BSDD0099	270.00	271.00	1.00	0.519	1.00 m @ 0.52 g/t Au	0.5	
BST1	BSDD0099	284.00	285.00	1.00	0.114			
BST1	BSDD0099	285.00	286.00	1.00	0.376	1.00 m @ 0.38 g/t Au	0.4	
BST1	BSDD0099	298.00	299.00	1.00	0.107			
BST1	BSDD0100	0.00	1.00	1.00	0.140			
BST1	BSDD0100	1.00	1.63	0.63	0.140			
BST1	BSDD0100	5.00	6.00	1.00	0.110			
BST1	BSDD0100	6.00	6.74	0.74	0.140			
BST1	BSDD0100	7.50	9.00	1.50	0.120			
BST1	BSDD0100	10.50	11.60	1.10	0.230	1.10 m @ 0.23 g/t Au	0.3	
BST1	BSDD0100	12.00	13.50	1.50	0.200	1.50 m @ 0.20 g/t Au	0.3	
BST1	BSDD0100	18.70	19.50	0.80	0.210	1.67 m @ 0.28 g/t Au	0.5	
BST1	BSDD0100	19.50	20.37	0.87	0.350			
BST1	BSDD0100	24.00	25.00	1.00	2.790	1.00 m @ 2.79 g/t Au	2.8	1.00 m @ 2.79 g/t Au
BST1	BSDD0100	26.50	27.80	1.30	0.140			
BST1	BSDD0100	34.50	35.52	1.02	2.730	1.02 m @ 2.73 g/t Au	2.8	1.02 m @ 2.73 g/t Au
BST1	BSDD0100	47.07	48.55	1.48	0.200	2.98 m @ 0.66 g/t Au	2.0	
BST1	BSDD0100	48.55	50.05	1.50	1.110			1.50 m @ 1.11 g/t Au
BST1	BSDD0100	51.00	52.00	1.00	0.120			
BST1	BSDD0100	54.87	55.50	0.63	1.700	1.65 m @ 1.06 g/t Au	1.8	0.63 m @ 1.70 g/t Au
BST1	BSDD0100	55.50	56.52	1.02	0.670			
BST1	BSDD0100	63.00	64.00	1.00	0.150			
BST1	BSDD0100	64.00	65.42	1.42	0.930	1.42 m @ 0.93 g/t Au	1.3	
BST1	BSDD0100	66.88	67.85	0.97	0.940	0.97 m @ 0.94 g/t Au	0.9	
BST1	BSDD0100	69.00	70.00	1.00	0.470	21.00 m @ 0.75 g/t Au	15.8	
BST1	BSDD0100	70.00	71.00	1.00	0.070			
BST1	BSDD0100	71.00	72.00	1.00	0.240			
BST1	BSDD0100	72.00	73.00	1.00	0.100			
BST1	BSDD0100	73.00	74.00	1.00	2.630			1.00 m @ 2.63 g/t Au
BST1	BSDD0100	74.00	75.00	1.00	0.510			
BST1	BSDD0100	75.00	76.00	1.00	0.160			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0100	76.00	77.00	1.00	0.080			
BST1	BSDD0100	77.00	78.00	1.00	1.700			1.00 m @ 1.70 g/t Au
BST1	BSDD0100	78.00	79.00	1.00	0.650			
BST1	BSDD0100	79.00	80.00	1.00	0.220			
BST1	BSDD0100	80.00	81.00	1.00	0.050			
BST1	BSDD0100	81.00	82.00	1.00	0.010			
BST1	BSDD0100	82.00	83.00	1.00	0.530			
BST1	BSDD0100	83.00	84.00	1.00	0.050			
BST1	BSDD0100	84.00	85.00	1.00	0.330			
BST1	BSDD0100	85.00	86.00	1.00	3.090			4.00 m @ 1.81 g/t Au
BST1	BSDD0100	86.00	87.50	1.50	0.260			
BST1	BSDD0100	87.50	88.00	0.50	1.260			
BST1	BSDD0100	88.00	89.00	1.00	3.120			
BST1	BSDD0100	89.00	90.00	1.00	0.770			
BST1	BSDD0100	94.00	95.00	1.00	0.310	1.00 m @ 0.31 g/t Au	0.3	
BST1	BSDD0100	95.00	96.00	1.00	0.110			
BST1	BSDD0100	104.00	105.00	1.00	0.300	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0100	112.00	113.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0100	116.00	117.00	1.00	0.180			
BST1	BSDD0100	118.00	119.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0100	119.00	120.00	1.00	0.100			
BST1	BSDD0100	122.00	123.00	1.00	0.100			
BST1	BSDD0100	124.00	125.00	1.00	0.160			
BST1	BSDD0100	125.00	126.00	1.00	0.600	1.00 m @ 0.60 g/t Au	0.6	
BST1	BSDD0100	126.00	127.00	1.00	0.120			
BST1	BSDD0100	128.36	129.50	1.14	1.850	1.14 m @ 1.85 g/t Au	2.1	1.14 m @ 1.85 g/t Au
BST1	BSDD0100	137.40	138.50	1.10	0.190			
BST1	BSDD0100	145.00	146.00	1.00	0.180			
BST1	BSDD0100	149.00	150.00	1.00	0.330	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0100	156.00	157.00	1.00	0.110			
BST1	BSDD0100	166.00	167.00	1.00	0.180			
BST1	BSDD0100	167.00	168.00	1.00	0.100			
BST1	BSDD0100	168.00	169.00	1.00	0.260	3.00 m @ 0.27 g/t Au	0.8	
BST1	BSDD0100	169.00	170.00	1.00	0.160			
BST1	BSDD0100	170.00	171.00	1.00	0.380			
BST1	BSDD0100	181.61	183.00	1.39	0.140			
BST1	BSDD0100	185.00	186.00	1.00	0.100			
BST1	BSDD0100	211.00	212.00	1.00	0.180			
BST1	BSDD0100	217.00	218.00	1.00	0.720	1.00 m @ 0.72 g/t Au	0.7	
BST1	BSDD0101	0.00	1.50	1.50	0.249	1.50 m @ 0.25 g/t Au	0.4	
BST1	BSDD0101	27.00	28.00	1.00	0.157			
BST1	BSDD0101	37.00	38.00	1.00	0.124			
BST1	BSDD0101	38.00	39.00	1.00	0.261	1.00 m @ 0.26 g/t Au	0.3	
BST1	BSDD0101	46.00	47.00	1.00	0.341	2.00 m @ 0.27 g/t Au	0.5	
BST1	BSDD0101	47.00	48.00	1.00	0.208			
BST1	BSDD0101	57.23	58.00	0.77	1.173	3.77 m @ 9.62 g/t Au	36.3	2.77 m @ 12.75 g/t Au
BST1	BSDD0101	58.00	59.50	1.50	0.677			
BST1	BSDD0101	59.50	60.00	0.50	66.817			
BST1	BSDD0101	60.00	61.00	1.00	0.956			
BST1	BSDD0101	76.00	77.00	1.00	0.334	1.00 m @ 0.33 g/t Au	0.3	
BST1	BSDD0101	80.00	81.00	1.00	0.474	8.00 m @ 0.37 g/t Au	2.9	
BST1	BSDD0101	81.00	82.00	1.00	0.195			
BST1	BSDD0101	82.00	83.00	1.00	0.040			
BST1	BSDD0101	83.00	84.00	1.00	0.266			
BST1	BSDD0101	84.00	85.00	1.00	0.185			
BST1	BSDD0101	85.00	86.00	1.00	0.633			
BST1	BSDD0101	86.00	87.00	1.00	0.735			
BST1	BSDD0101	87.00	88.00	1.00	0.402			

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0101	90.00	91.00	1.00	0.101			
BST1	BSDD0101	94.00	95.00	1.00	1.984	2.00 m @ 1.50 g/t Au	3.0	2.00 m @ 1.50 g/t Au
BST1	BSDD0101	95.00	96.00	1.00	1.022			
BST1	BSDD0101	102.00	103.00	1.00	0.150			
BST1	BSDD0101	103.00	104.00	1.00	0.258	4.00 m @ 1.33 g/t Au	5.3	
BST1	BSDD0101	104.00	105.00	1.00	0.041			
BST1	BSDD0101	105.00	106.00	1.00	0.140			
BST1	BSDD0101	106.00	107.00	1.00	4.889			1.00 m @ 4.89 g/t Au
BST1	BSDD0101	108.00	109.00	1.00	0.192			
BST1	BSDD0101	109.00	110.00	1.00	0.109			
BST1	BSDD0101	113.00	114.00	1.00	0.205	2.00 m @ 0.26 g/t Au	0.5	
BST1	BSDD0101	114.00	115.00	1.00	0.312			
BST1	BSDD0101	117.00	118.00	1.00	0.201	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0101	120.00	121.00	1.00	0.245	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0101	122.00	123.00	1.00	0.191			
BST1	BSDD0101	124.00	125.00	1.00	0.387	1.00 m @ 0.39 g/t Au	0.4	
BST1	BSDD0101	125.00	126.00	1.00	0.124	8.00 m @ 0.74 g/t Au	5.9	
BST1	BSDD0101	131.00	132.00	1.00	0.204			
BST1	BSDD0101	132.00	133.00	1.00	0.030			
BST1	BSDD0101	133.00	134.00	1.00	0.345			
BST1	BSDD0101	134.00	135.00	1.00	1.045			1.00 m @ 1.04 g/t Au
BST1	BSDD0101	135.00	136.00	1.00	0.665			
BST1	BSDD0101	136.00	137.00	1.00	0.033			
BST1	BSDD0101	137.00	138.00	1.00	0.094			
BST1	BSDD0101	138.00	139.00	1.00	3.493			1.00 m @ 3.49 g/t Au
BST1	BSDD0101	142.00	143.00	1.00	1.369	1.00 m @ 1.37 g/t Au	1.4	1.00 m @ 1.37 g/t Au
BST1	BSDD0101	152.00	153.00	1.00	0.706	4.00 m @ 0.63 g/t Au	2.5	
BST1	BSDD0101	153.00	154.00	1.00	0.364			
BST1	BSDD0101	154.00	155.00	1.00	1.236			1.00 m @ 1.24 g/t Au
BST1	BSDD0101	155.00	156.00	1.00	0.230			
BST1	BSDD0101	161.00	162.00	1.00	0.305	1.00 m @ 0.30 g/t Au	0.3	
BST1	BSDD0101	162.00	163.00	1.00	0.163			
BST1	BSDD0101	173.00	174.00	1.00	0.326	3.00 m @ 0.27 g/t Au	0.8	
BST1	BSDD0101	174.00	175.00	1.00	0.058			
BST1	BSDD0101	175.00	176.00	1.00	0.428			
BST1	BSDD0101	186.00	187.00	1.00	0.239	1.00 m @ 0.24 g/t Au	0.2	
BST1	BSDD0101	207.00	208.00	1.00	0.485	1.00 m @ 0.48 g/t Au	0.5	
BST1	BSDD0102	0.00	1.00	1.00	0.120			
BST1	BSDD0102	40.00	41.00	1.00	0.140			
BST1	BSDD0102	44.00	45.00	1.00	0.940	1.00 m @ 0.94 g/t Au	0.9	
BST1	BSDD0102	65.50	67.00	1.50	0.120			
BST1	BSDD0102	73.00	74.00	1.00	0.570	1.00 m @ 0.57 g/t Au	0.6	
BST1	BSDD0102	75.00	76.00	1.00	0.170			
BST1	BSDD0102	77.00	78.00	1.00	0.200	1.00 m @ 0.20 g/t Au	0.2	
BST1	BSDD0102	79.00	80.00	1.00	0.100			
BST1	BSDD0102	93.00	94.00	1.00	0.210	1.00 m @ 0.21 g/t Au	0.2	
BST1	BSDD0102	94.00	95.00	1.00	0.150			
BST1	BSDD0102	99.00	100.00	1.00	0.190			
BST1	BSDD0102	102.00	103.00	1.00	1.010	1.00 m @ 1.01 g/t Au	1.0	1.00 m @ 1.01 g/t Au
BST1	BSDD0102	107.00	108.00	1.00	0.350	3.00 m @ 0.38 g/t Au	1.1	
BST1	BSDD0102	108.00	109.00	1.00	0.010			
BST1	BSDD0102	109.00	110.00	1.00	0.790			
BST1	BSDD0102	116.00	117.00	1.00	0.370	5.00 m @ 0.76 g/t Au	3.8	
BST1	BSDD0102	117.00	118.00	1.00	0.020			
BST1	BSDD0102	118.00	119.00	1.00	0.130			
BST1	BSDD0102	119.00	120.00	1.00	0.330			
BST1	BSDD0102	120.00	121.00	1.00	2.930			1.00 m @ 2.93 g/t Au
BST1	BSDD0102	125.00	126.00	1.00	0.400	3.00 m @ 0.59 g/t Au	1.8	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST1	BSDD0102	126.00	127.00	1.00	0.010			
BST1	BSDD0102	127.00	128.00	1.00	1.360			1.00 m @ 1.36 g/t Au
BST1	BSDD0102	131.00	132.00	1.00	0.290			
BST1	BSDD0102	132.00	133.00	1.00	0.220	2.00 m @ 0.26 g/t Au	0.5	
BST1	BSDD0102	133.00	134.00	1.00	0.160			
BST1	BSDD0102	136.00	137.00	1.00	0.390			
BST1	BSDD0102	137.00	138.00	1.00	0.660			
BST1	BSDD0102	138.00	139.00	1.00	0.060			
BST1	BSDD0102	139.00	140.00	1.00	0.090			
BST1	BSDD0102	140.00	141.00	1.00	0.640			
BST1	BSDD0102	141.00	142.00	1.00	0.060			
BST1	BSDD0102	142.00	143.00	1.00	0.310			
BST1	BSDD0102	143.00	144.00	1.00	0.020			
BST1	BSDD0102	144.00	145.00	1.00	0.490			
BST1	BSDD0102	145.00	146.00	1.00	0.100			
BST1	BSDD0102	146.00	147.00	1.00	0.090			
BST1	BSDD0102	147.00	148.00	1.00	0.210			
BST1	BSDD0102	148.00	149.00	1.00	0.030			
BST1	BSDD0102	149.00	150.00	1.00	0.660			
BST1	BSDD0102	156.00	157.00	1.00	0.120			
BST1	BSDD0102	158.00	159.00	1.00	0.340	1.00 m @ 0.34 g/t Au	0.3	
BST1	BSDD0102	177.00	178.00	1.00	0.280	1.00 m @ 0.28 g/t Au	0.3	
BST1	BSDD0102	179.00	180.00	1.00	0.160			
BST1	BSDD0102	184.00	185.50	1.50	0.110			
BST1	BSDD0102	192.00	193.00	1.00	0.120			
BST1	BSDD0102	203.64	205.00	1.36	0.380	1.36 m @ 0.38 g/t Au	0.5	
BST2	BSDD0055	28.00	29.00	1.00	0.119			
BST2	BSDD0055	45.00	46.00	1.00	0.150			
BST2	BSDD0062	1.00	2.01	1.01	0.127			
BST2	BSDD0062	93.00	94.00	1.00	0.263			
BST2	BSDD0062	94.00	95.00	1.00	0.169	3.00 m @ 0.34 g/t Au	1.0	
BST2	BSDD0062	95.00	96.00	1.00	0.581			
BST2	BSDD0063	12.00	13.00	1.00	0.600	1.00 m @ 0.60 g/t Au	0.6	
BST2	BSDD0063	82.00	83.00	1.00	0.110			
BST2	BSDD0066	9.25	10.50	1.25	1.068	1.25 m @ 1.07 g/t Au	1.3	1.25 m @ 1.07 g/t Au
BST2	BSDD0066	15.50	16.90	1.40	0.126			
BST2	BSDD0066	33.00	34.50	1.50	0.146			
BST2	BSDD0066	34.50	36.00	1.50	0.101			
BST2	BSDD0066	39.00	40.50	1.50	4.295	1.50 m @ 4.29 g/t Au	6.4	1.50 m @ 4.29 g/t Au
BST2	BSDD0066	42.00	43.50	1.50	0.198			
BST2	BSDD0066	72.00	73.00	1.00	0.258	1.00 m @ 0.26 g/t Au	0.3	
BST2	BSDD0066	90.00	91.00	1.00	0.571	1.00 m @ 0.57 g/t Au	0.6	
BST2	BSDD0066	95.00	96.00	1.00	0.105			
BST2	BSDD0067	21.00	22.00	1.00	0.101			
BST2	BSDD0067	82.00	83.00	1.00	0.187			
BST2	BSDD0068	14.00	15.00	1.00	0.145			
BST2	BSDD0068	24.00	25.00	1.00	1.262	1.00 m @ 1.26 g/t Au	1.3	1.00 m @ 1.26 g/t Au
BST2	BSDD0068	35.50	37.00	1.50	0.118			
BST2	BSDD0068	38.00	39.00	1.00	0.118			
BST2	BSDD0068	44.00	45.00	1.00	0.383	1.00 m @ 0.38 g/t Au	0.4	
BST2	BSDD0068	46.40	47.00	0.60	0.306	0.60 m @ 0.31 g/t Au	0.2	
BST2	BSDD0068	51.00	52.00	1.00	0.153			
BST2	BSDD0068	53.00	54.00	1.00	0.217	1.00 m @ 0.22 g/t Au	0.2	
BST2	BSDD0068	65.00	66.00	1.00	0.211	1.00 m @ 0.21 g/t Au	0.2	
BST2	BSDD0068	69.00	70.00	1.00	0.423	1.00 m @ 0.42 g/t Au	0.4	
BST2	BSDD0068	73.00	74.00	1.00	0.130			
BST2	BSDD0068	77.00	78.00	1.00	2.135			1.00 m @ 2.13 g/t Au
BST2	BSDD0068	78.00	79.00	1.00	0.017	4.00 m @ 1.00 g/t Au	4.0	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST2	BSDD0068	79.00	80.00	1.00	0.687			
BST2	BSDD0068	80.00	81.00	1.00	1.147			1.00 m @ 1.15 g/t Au
BST2	BSDD0068	81.00	82.00	1.00	0.164			
BST2	BSDD0068	94.00	95.00	1.00	0.639	1.00 m @ 0.64 g/t Au	0.6	
BST2	BSDD0068	98.00	99.00	1.00	0.345	1.00 m @ 0.34 g/t Au	0.3	
BST2	BSDD0068	107.00	108.00	1.00	1.415	1.00 m @ 1.42 g/t Au	1.4	1.00 m @ 1.42 g/t Au
BST2	BSDD0068	108.00	108.90	0.90	0.191			
BST2	BSDD0069	27.00	28.00	1.00	0.116			
BST2	BSDD0069	39.00	40.00	1.00	0.106			
BST2	BSDD0069	43.00	44.00	1.00	0.697	1.00 m @ 0.70 g/t Au	0.7	
BST2	BSDD0069	65.00	66.00	1.00	0.103			
BST2	BSDD0069	93.00	94.00	1.00	0.155			
BST2	BSDD0072	0.00	1.50	1.50	0.459	1.50 m @ 0.46 g/t Au	0.7	
BST2	BSDD0072	7.18	8.00	0.82	0.100			
BST2	BSDD0072	8.00	9.00	1.00	0.635	1.00 m @ 0.64 g/t Au	0.6	
BST2	BSDD0072	30.50	31.50	1.00	0.203	1.00 m @ 0.20 g/t Au	0.2	
BST2	BSDD0072	35.12	36.00	0.88	2.278	0.88 m @ 2.28 g/t Au	2.0	0.88 m @ 2.28 g/t Au
BST2	BSDD0072	42.00	42.88	0.88	0.230	0.88 m @ 0.23 g/t Au	0.2	
BST2	BSDD0072	43.50	45.00	1.50	0.496	1.50 m @ 0.50 g/t Au	0.7	
BST2	BSDD0072	48.00	49.50	1.50	0.103			
BST2	BSDD0072	55.00	56.00	1.00	2.836	1.00 m @ 2.84 g/t Au	2.8	1.00 m @ 2.84 g/t Au
BST2	BSDD0072	56.00	57.00	1.00	0.133			
BST2	BSDD0072	64.00	65.00	1.00	1.793	2.00 m @ 1.00 g/t Au	2.0	1.00 m @ 1.79 g/t Au
BST2	BSDD0072	65.00	66.00	1.00	0.201			
BST2	BSDD0072	68.00	69.00	1.00	0.105			
BST2	BSDD0072	69.00	70.00	1.00	0.946	3.00 m @ 0.48 g/t Au	1.4	
BST2	BSDD0072	70.00	71.00	1.00	0.052			
BST2	BSDD0072	71.00	72.00	1.00	0.437			
BST2	BSDD0072	72.00	73.00	1.00	0.108			
BST2	BSDD0072	104.00	105.00	1.00	0.154			
BST2	BSDD0073	0.00	1.00	1.00	0.132			
BST2	BSDD0073	2.00	3.00	1.00	1.169	1.00 m @ 1.17 g/t Au	1.2	1.00 m @ 1.17 g/t Au
BST2	BSDD0073	77.00	78.00	1.00	0.104			
BST2	BSDD0073	79.00	80.00	1.00	0.116			
BST2	BSDD0073	80.00	81.00	1.00	0.104			
BST2	BSDD0073	92.00	93.00	1.00	0.155			
BST2	BSDD0073	96.00	97.00	1.00	0.510	3.00 m @ 1.39 g/t Au	4.2	
BST2	BSDD0073	97.00	98.00	1.00	0.157			
BST2	BSDD0073	98.00	99.00	1.00	3.489			1.00 m @ 3.49 g/t Au
BST2	BSDD0073	117.00	118.00	1.00	0.465	2.00 m @ 5.10 g/t Au	10.2	
BST2	BSDD0073	118.00	119.00	1.00	9.739			1.00 m @ 9.74 g/t Au
BST2	BSDD0073	122.00	123.00	1.00	0.558	4.00 m @ 0.22 g/t Au	0.9	
BST2	BSDD0073	123.00	124.00	1.00	0.035			
BST2	BSDD0073	124.00	125.00	1.00	0.026			
BST2	BSDD0073	125.00	126.00	1.00	0.257			
BST2	BSDD0073	131.00	132.00	1.00	1.682	3.00 m @ 0.64 g/t Au	1.9	1.00 m @ 1.68 g/t Au
BST2	BSDD0073	132.00	133.00	1.00	0.022			
BST2	BSDD0073	133.00	134.00	1.00	0.221			
BST2	BSDD0073	138.00	139.00	1.00	0.112			
BST2	BSDD0073	145.00	146.00	1.00	0.294	3.00 m @ 0.38 g/t Au	1.1	
BST2	BSDD0073	146.00	147.00	1.00	0.008			
BST2	BSDD0073	147.00	148.00	1.00	0.838			
BST2	BSDD0073	158.00	159.00	1.00	0.222	4.00 m @ 0.48 g/t Au	1.9	
BST2	BSDD0073	159.00	160.00	1.00	0.008			
BST2	BSDD0073	160.00	161.00	1.00	0.008			
BST2	BSDD0073	161.00	162.00	1.00	1.689			1.00 m @ 1.69 g/t Au
BST2	BSDD0073	162.00	163.00	1.00	0.100			
BST2	BSDD0073	169.00	170.00	1.00	0.403	1.00 m @ 0.40 g/t Au	0.4	

Deposit	Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
BST2	BSDD0076	0.50	1.89	1.39	0.544	1.39 m @ 0.54 g/t Au	0.8	
BST2	BSDD0076	41.00	42.00	1.00	0.181			
BST2	BSDD0076	42.00	43.00	1.00	0.390			
BST2	BSDD0076	43.00	44.00	1.00	0.160	3.00 m @ 0.44 g/t Au	1.3	
BST2	BSDD0076	44.00	45.00	1.00	0.770			
BST2	BSDD0076	46.00	47.00	1.00	0.192			
BST2	BSDD0076	50.00	51.00	1.00	1.623	2.00 m @ 1.64 g/t Au	3.3	2.00 m @ 1.64 g/t Au
BST2	BSDD0076	51.00	52.00	1.00	1.647			
BST2	BSDD0076	57.00	58.00	1.00	0.281			
BST2	BSDD0076	58.00	59.00	1.00	0.008			
BST2	BSDD0076	59.00	60.00	1.00	0.492	4.56 m @ 0.47 g/t Au	2.2	
BST2	BSDD0076	60.00	61.00	1.00	0.022			
BST2	BSDD0076	61.00	61.56	0.56	2.429			0.56 m @ 2.43 g/t Au
BST2	BSDD0076	68.00	69.00	1.00	0.874	1.00 m @ 0.87 g/t Au	0.9	
BST2	BSDD0076	94.00	95.00	1.00	0.215	1.00 m @ 0.21 g/t Au	0.2	
BST2	BSDD0076	104.00	105.00	1.00	0.125			
BST2	BSDD0076	110.00	111.00	1.00	0.261	1.00 m @ 0.26 g/t Au	0.3	
BST2	BSDD0076	114.00	115.00	1.00	0.143			
BST2	BSDD0076	118.65	120.00	1.35	0.171			
BST2	BSDD0076	125.00	126.00	1.00	0.165			
BST2	BSDD0076	156.00	157.00	1.00	0.730	1.00 m @ 0.73 g/t Au	0.7	
BST2	BSDD0076	194.00	195.00	1.00	0.110			
BST2	BSDD0077	78.00	79.00	1.00	0.195			
BST2	BSDD0077	79.00	80.00	1.00	1.160	1.00 m @ 1.16 g/t Au	1.2	1.00 m @ 1.16 g/t Au
BST2	BSDD0077	86.25	87.00	0.75	5.131	0.75 m @ 5.13 g/t Au	3.8	0.75 m @ 5.13 g/t Au
BST2	BSDD0077	95.00	96.00	1.00	0.102			
BST2	BSDD0077	109.00	110.00	1.00	0.110			
BST2	BSDD0077	111.00	112.00	1.00	0.373	1.00 m @ 0.37 g/t Au	0.4	
BST2	BSDD0077	139.00	140.00	1.00	0.149			
BST2	BSDD0077	144.00	145.00	1.00	4.787			
BST2	BSDD0077	145.00	146.00	1.00	0.024	3.00 m @ 27.65 g/t Au	82.9	3.00 m @ 27.65 g/t Au
BST2	BSDD0077	146.00	147.00	1.00	78.130			
BST2	BSDD0077	150.00	151.00	1.00	0.145			
BST2	BSDD0077	169.00	170.00	1.00	0.158			
BST2	BSDD0077	193.00	194.00	1.00	0.102			

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 4.38 Moz gold resources coming from two gold projects, the 3.22 Moz Boundiali Gold Project and the 1.16 Moz Napié Gold Project. Aurum has 16 diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Group Mineral Resources and Reserves

The Mineral Resources and Ore Reserves are reported in accordance with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). The Mineral Resources are inclusive of the Ore Reserves. All figures are reported on a dry mass basis at 100% equity interest. Rounding may cause minor computational discrepancies. Ore Reserves are not precise calculations.

Table 3: Group Mineral Resources Statement for contained gold based on drilling as at 30 April 2026 (figures may not add up due to appropriate rounding)

Mineral Resources			Indicated			Inferred			Total Resources		
Project	Type	Cut-off	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)	Tonnes (Mt)	Gold grade (g/t)	Gold (Moz)
Boundiali	Oxide	0.4 g/t Au above 300m depth and 1.5 g/t below 300m depth	3.1	0.9	0.09	2.3	0.8	0.06	5.4	0.9	0.15
	Transition		3.3	0.9	0.10	2.0	0.8	0.05	5.1	0.9	0.15
	Fresh		48.2	1.0	1.51	48.7	0.9	1.41	96.9	0.9	2.92
	Total		54.5	1.0	1.70	52.9	0.9	1.52	107.5	1.0	3.22
Napié	Oxide	0.3 g/t Au above 300m depth and 1.0 g/t below 300m depth	1.0	1.4	0.04	0.9	1.0	0.03	1.9	1.2	0.07
	Transition		0.8	1.2	0.03	1.3	0.9	0.04	2.1	1.0	0.07
	Fresh		7.1	1.2	0.27	19.0	1.2	0.74	26.1	1.2	1.01
	Total		8.9	1.2	0.35	21.2	1.2	0.82	30.0	1.2	1.16
Total			63.4	1.0	2.05	74.1	1.0	2.34	137.5	1.0	4.38

Table 4: Group Ore Reserve Statement as at 30 April 2026 (figures may not add up due to appropriate rounding)

Mining Area	Proved			Probable			Total		
	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz	Quantity Mt	Au g/t	Au koz
BDT1	—	—	—	10.3	1.0	323	10.3	1.0	323
BDT2	—	—	—	17.5	0.6	354	17.5	0.6	354
BMT3	—	—	—	8.8	1.4	383	8.8	1.4	383
BST	—	—	—	5.5	0.8	145	5.5	0.8	145
TOTAL	—	—	—	42.1	0.9	1,210	42.1	0.9	1,210

Boundiali Gold Project (3.22 Moz)

The flagship Boundiali Gold Project is comprised of seven neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 6Moz Koné project located to the south. Atlantic Group's Tongon mine (5.0Moz) is located to the northeast:

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government receives 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government receives 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of licence grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of licence grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation licence, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Application (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its Boundiali Gold Project.
- Application (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its Napié Gold Project.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in an exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in an exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in an exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (1.16Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 1.16Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° on an azimuth designed to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically, the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.
• Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
• Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
• Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	Metallurgical, Geotechnical and structural data has been recorded - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third-party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

•

• Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• Mineral tenement and land tenure status	• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. • The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	• Exploration results are from the Boundiali project area • PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. • There are no impediments to working in the area.
• Exploration done by other parties	• Acknowledgment and appraisal of exploration by other parties.	• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited • The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
• Geology	• Deposit type, geological setting and style of mineralisation.	• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué-Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. • The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is

• Criteria	• JORC Code explanation	• Commentary
		frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
Drill hole information	- A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
Relationship between mineralisation	These relationships are particularly important in the reporting of Exploration Results.	True widths are estimated at approximately 60–85% of reported downhole, based on the interpreted

• <i>Criteria</i>	• <i>JORC Code explanation</i>	• <i>Commentary</i>
• widths and intercept lengths	• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	geometry of the mineralised zones. • The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
• Diagrams	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	• Appropriate diagrams relevant to material results are shown in the body of this announcement.
• Balanced Reporting	• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	• All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. • Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole being reported.
• Other substantive exploration data	• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	• All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
• Further work	• The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	• The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. • Diagrams included in body of report as deemed appropriate by competent person