

SXG ADDS FOURTH RIG AT SUNDAY CREEK, 7.5 KM ALONG STRIKE

21 MARCH 2023

Melbourne, Australia — Southern Cross Gold Ltd ("SXG" or the "Company") (ASX:SXG) is pleased to announce an increase in the number of drill rigs operating with four drill rigs now active at the Sunday Creek site. Three rigs are operating between Golden Dyke and Apollo and the additional fourth rig is drilling at the regional Tonstal – Western Consols trend located 7.5 km to the northeast of the main drill area.

HIGHLIGHTS

- Four drill rigs are now active at the Sunday Creek site;
- Three rigs are operating between the Golden Dyke and Apollo prospects with a fourth additional rig drilling at the regional Tonstal trend located 7.5 km to the northeast of the main drill area.
- Sunday Creek has an additional 11 km mineralised trend that extends beyond the 800 m drill area at Golden Dyke – Apollo, defined by historic workings and soil sampling which up to this point has never been drill tested.
- Tonstal Western Consols, the first regional prospect to be drill tested, forms a 1.5 km long series of historic workings that is reported to host the same style of high-grade dykehosted gold mineralisation as the main drill area. LiDAR analysis shows the same mineralisation style with a broad NE dyke trend containing NW high grade veins sets.
- Twelve holes from the Golden Dyke Apollo trend are currently being geologically processed and analysed, with four holes in drill progress. Results will be released as they are received.

Southern Cross Gold's Managing Director, Michael Hudson says, "The addition of the fourth drill rig at our first regional target, located 7.5 km from our main drill area at Sunday Creek, is a significant milestone. Large systems have large footprints, with both historic workings at Sunday Creek and Fosterville extending over approximately 11 km. We have targeted Tonstal first, as LiDAR analysis shows the same mineralisation style with a broad NE dyke trend containing NW high grade veins sets over a 1.5 km strike (similar in scale and form to the Christina to Apollo area). If the regional drill program at Sunday Creek can successfully demonstrate the same style of mineralisation with gold, this will be a step shift again for the project. Meanwhile, three rigs remain drilling at the main prospect area."

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 19,365 hectares of granted exploration tenements. SXG is also the freehold landholder of 132.64 hectares that forms the key portion in and around the drilled area at the Sunday Creek Project.

In total, a 2,500 m regional drill program is planned over the next 3 months. Drilling will commence at the Tonstal area, then will move to Western Consols and the Leviathan area after that (Figure 3). Like all rigs at Sunday Creek, the fourth drill rig is a rubber track mounted rig that has been specially designed to reduce noise and minimise its environmental impact.

SOUTHERN CROSS GOLD LTD

Level 21, 459 Collins Street, Melbourne Vic 3000 Australia Justin Mouchacca - Company Secretary p: +61 3 8630 3321 e: jm@southerncrossgold.com.au Nicholas Mead - Investor Relations p: +61 415 153 122 e: info@southerncrossgold.com.au

ABN: 70 652 166 795 ASX Code: SXG Issued Capital: 156.2M fully paid shares





Picture 1: Photo of low impact drill rig drilling SDDTS001 at the Tonstal - Western Consols Project

Figures 1-3 show project location and plan views of drill results reported here and Table 1 provides collar data.

Update on Current Drilling

Drilling with three rigs is in progress at Sunday Creek at the Golden Dyke, Rising Sun and Apollo prospects. Twelve holes (SDDSC056-67) are being geologically processed and analysed, with four holes (SDDSC068-70 and SDDTS001) in drill progress (Figure 3). Further results are expected soon, with small delays now rectified in data flow due to laboratory staffing issues and the shift to new SXG logging facilities.

Geological and Scale Comparison to Other Victorian Epizonal Deposits

The Company considers Sunday Creek to have the potential to be a significant exploration discovery in Victoria with nineteen 21 >100 cumulative grade x metres ("AuEq g/t x m") holes already intersected.

Sunday Creek has a 11 km mineralised trend that extends beyond the drill area and is defined by historic workings and soil sampling which have yet to receive any exploration drilling and offers potential future upside.

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralisation is an interbedded turbidite sequence of siltstones, minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open NW trending folds. Mineralisation at Sunday Creek is controlled by veining, stibnite-gold-matrix breccias and brittle faults. The immediate host for mineralisation is a zone of intensely altered white mica-pyritic siltstones, and white mica-pyrite-carbonate altered dyke rocks.

As is typical for epizonal deposits like Fosterville and Costerfield, gold (locally visible) at Sunday Creek is hosted in quartz and carbonate veins, with a later intense stibnite-bearing vein and breccia overprint. A larger arsenic anomaly is associated with the gold mineralisation, mostly represented by arsenian-pyrite but developing to arsenopyrite-bearing zones with a clear spatial relationship to high-grade gold.

Mineralised shoots at Sunday Creek are formed at the intersection of the sub-vertical to shallower dipping 330 degree striking mineralised veins and a steep east-west striking, north dipping structure hosting dioritic dykes and related intrusive breccias. The dimensions of each shoot will be uncovered with further drilling, but typically:



- In the down plunge orientation (80 degrees towards trend of 020 degrees), high grades show a linear continuity to at least 400 m from surface and remain open.
 - Visible gold in other epizonal deposits (for example Fosterville and Costerfield) becomes increasingly significant at depth below approximately 800 m, most likely representing the different temperatures of formation of Au-Sb and Au dominant mineralisation.
- 20 m to 30 m wide in the up-dip/down-dip orientation but can blow out to be wider (i.e. around SDDSC033), and;
- Drilling in the cross section of the shoots implies thicknesses of up to 50 m, with higher grades between 20 m and 40 m but further drilling will be required to establish a more accurate average.

Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek (Figure 1) is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterville, Costerfield, Redcastle and Whroo), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6-12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. <u>Geoscience Australia reported that as at 2019</u>, antimony is a critical metal where China and Russia combined produce approximately 82% of the antimony raw material supply. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXG projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semiconductor and defence sectors. For example, antimony is a critical element in the manufacture of lithium-ion batteries and to the next generation of liquid metal batteries that lead to scalable energy storage for wind and solar power.

For further information please refer to: <u>https://www.southerncrossgold.com.au/antimony</u>.

Gold Equivalent Calculation

SXG considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains 2 million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXG considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its <u>Mandalay Technical Report, 2022</u> dated 25 March 2022. The gold equivalence formula used by Mandalay Resources was calculated using recoveries achieved at the Costerfield Property Brunswick Processing Plant during 2020, using a gold price of US\$1,700 per ounce, an antimony price of US\$8,500 per tonne and 2021 total year metal recoveries of 93% for gold and 95% for antimony, and is as follows: $AuEq = Au (g/t) + 1.58 \times Sb$ (%).

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralisation at Costerfield, SXG considers that a $AuEq = Au (g/t) + 1.58 \times Sb$ (%) is appropriate to use for the initial exploration targeting of gold-antimony mineralisation at Sunday Creek.

- Ends –



This announcement has been approved for release by the Board of Southern Cross Gold Ltd.

Competent Person Statement

Information in this announcement that relates to new exploration results contained in this report is based on information compiled by Mr Michael Hudson, a Fellow of the Australasian Institute of Mining and Metallurgy. He is MD for Southern Cross Gold Ltd. He has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the JORC Code). Michael Hudson has consented to the inclusion in this report of the matters based on this information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 16 March 2022 which was issued with the consent of the Competent Person, Mr Terry C. Lees. The report is included the Company's prospectus dated 17 March 2022 which was released as an announcement to ASX on 12 May 2022 and is available at www2.asx.com.au under code "SXG". The Company confirms that it is not aware of any new information or data that materially affects the information related to exploration results included in the original market announcement. The Company confirms that the form and context of the Competent Persons' findings in relation to the report have not been materially modified from the original market announcement.

Previously reported drill results¹ can be accessed from the follows:

- https://uploads-ssl.webflow.com/6164f987875e87a4dbb1404e/626f5bb404af2a844fec9702_Southern%20Cross%20Prospectus%20-%2017%20March%202022%20Final%20Version.pdf
- <u>https://www.southerncrossgold.com.au/investor/asx-announcements</u>

About Southern Cross Gold Ltd



The Southern Cross Gold corporate branding embodies important characteristics of the new entity. The blue lettering acknowledges the state colour of Victoria, and the gold recognises the Victorian goldfields. The Southern Cross is a constellation also represented on the Australian flag which provides a strong cultural significance to all Australians. The main 7-pointed star represents the unity of the six states and the territories of the Commonwealth of Australia and the

addition of a miner's pickaxe within the body of the star reflects the central place that mineral exploration has in Australia and, of course, to Southern Cross Gold.

For further information, please contact:


Justin Mouchacca, Company Secretary, jm@southerncrossgold.com.au, +61 3 8630 3321

Nicholas Mead, Investor Relations, <u>nm@southerncrossgold.com.au</u>, +61 415 153 122

Figure 1: Location of the Sunday Creek project, along with SXG's other Victoria projects.








SDDSC064, 070 SDDSC068 **Cross Section** SDDSC059 SDDSC050 In plane of 305.8 m @ 2.4 g/t AuEq SDDSC050 SDDSC055 (A-B) Incl 0.3 m @ 54.6 g/t AuEq 29.8 m @ 2.1 g/t AuEq 9.0 m @ 7.3 g/t AuEq 14.5 m @ 4.9 g/t AuEq SDDSC069 B Incl. SDDSC061, 067 20.0 m @ 4.4 g/t AuEq 1.5 m @ 41.5 g/t AuEq 5.8 m @ 11.5 g/t AuEq and 19.2 m @ 1.3 g/t AuEq MDDSC025 4.9 m @ 8.8 g/t AuEq SDDSC057 12.6 m @ 4.7 g/t AuEq 11.7 m @ 18.0 g/t AuEq Incl. 13.2 m @ 5.6 g/t AuEq 1.8 m @ 22.8 g/t AuEq Incl. B .. 02 985 0000 4.7 m @ 3.2 g/t AuEq 0.5 m @ 21.2 g/t AuEq 5.0 m @ 36.1 g/t AuEq **Rising Sun** SDDSC058, 060, 062 SDDSC063 SDDSC054 SDDSC065 SDDSC056 N SDDSC066 Longitudinal Section Along Dyke Apollo SDDSC046 Gladys 21.5 m @ 15.0 g/t AuEq incl. 2.1 m @ 121.6 g/t AuEq Golden Dyke SDDSC049 SDDSC055 SDDSC053 48.9 m @ 3.0 g/t AuEq 18.6 m @ 4.1 g/t AuEq 10.4 m @ 1.5 g/t AuEq incl. 14.0 m @ 1.5 g/t AuEq incl. 2.7 m @ 20.9 g/t AuEq SDDSC033 0.9 m @ 25.0 g/t AuEq incl. 2.3 m @ 27.9 g/t AuEq 119.2m @ 3.9 g/t AuEq 0.4 m @ 59.3 g/t AuEq 0.4 m @ 35.9 g/t AuEq and incl. 2.1 m @ 11.5 g/t AuEq 11.0 m @ 1.0 g/t AuEq 64.0 m @ 3.0 g/t AuEq and 100 m 0.3 m @ 8.3 g/t AuEq 39.0 m @ 6.8 g/t AuEq Mineralised Intercept and 1.0 m @ 5.0 AuEq g/t lower cut 5.1 m @ 2.8 g/t AuEq incl. 3.0 m @ 0.3 AuEq g/t lower cut 0.2 m @ 26.8 g/t AuEq 0.6 m @ 10.4 g/t AuEq Drill hole: Assays pending (red) Host dyke and intrusive breccias (dips steeply north)

Figure 2: Sunday Creek plan view showing selected prior reported drill holes¹ and pending holes.

Figure 3: Sunday Creek regional plan view showing LiDAR, soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas to be tested in a 2,500 m diamond drill program. The first drill area at Tonstal is located 7.5 km along strike from the main drill area t Golden Dyke- Apollo.



Hole_ID	Hole Size	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC056	HQ	194	Apollo	331110.8	5867850.90	303.1	231.2	-35.0
SDDSC057	HQ	414.2	Apollo	331111.65	5867975.1	319.1	184.3	-71.1
SDDSC058	HQ	303	Golden Dyke	330534.6	5867882.1	295.9	188	-69.8
SDDSC059	HQ	641.9	Root Hog	330883	5868075	306.7	214	-75.5
SDDSC060	HQ	263.8	Golden Dyke	330534.6	5867882.1	295.9	167.3	-69.9
SDDSC061	HQ	821.8	Gentle Annie	330754.2	5868022.2	294.3	209.5	-81.7
SDDSC062	HQ	339.3	Golden Dyke	330537.1	5867883.4	295.6	199	-74.2
SDDSC063	HQ	41.1	Apollo	331292.5	5867824.6	316.4	68	-35
SDDSC064	HQ	1013.5	Root Hog	331031.5	5868097.6	325.1	239.6	-69.2
SDDSC065	HQ	40.1	Apollo	331292.5	5867824.6	316.4	92	-39
SDDSC066	HQ	669.9	Apollo	331291.1	5867823.1	316.8	278.9	-57
SDDSC067	HQ	551	Rising Sun	330754.2	5868022.2	294.3	220.2	-70.4
SDDSC068	HQ	In progress plan 900 m	Apollo	331254	5868098.6	353.9	211.3	-77.7
SDDSC069	HQ	In progress plan 360 m	Rising Sun	330875	5868005	307.19	234	-59
SDDSC070	HQ	In progress plan 950 m	Rising Sun	331031.5	5868097.6	325.1	231	-74.5
SDDTS001	NQ	In progress plan 180 m	Tonstal	336788	5870637	525	156	-50

Table 1: Drill collar summary table for recent drillholes in progress.

JORC Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections).

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	 Sampling has been conducted on drill core (half core for >90 % and quarter core for check samples), grab samples (field samples of in-situ bedrock and boulders; including duplicate samples), trench samples (rock chips, including duplicates) and soil samples (including duplicate samples). Locations of field samples were obtained by using a GPS, generally to an accuracy of within 5 metres. Drill hole and trench locations have been confirmed to <1 metre using a differential GPS. Samples locations have also been verified by plotting locations on the high-resolution Lidar maps Drill core is marked for cutting at the Nagambie core shed and sent by commercial transport to an automated diamond saw used by Company staff in Bendigo. Samples are bagged at the core saw and transported to the nearby OnSite Laboratory for assay. At OnSite samples are crushed using a jaw crusher combined with a rotary splitter and a 1 kg split is separated for pulverizing (LM5) and assay. Standard fire assay techniques are used for gold assay on a 30 g charge by experienced staff (used to dealing with high sulphide and stibnite-rich charges). OnSite gold method by fire assay code PE01S. Screen fire assay is used to understand gold grain-size distribution where coarse gold is evident. ICP-OES is used to analyse the aqua regia digested pulp for an additional 12 elements (method BM011) and over-range antimony is measured using flame AAS (method known as B050). Soil samples were sieved in the field and an 80 mesh sample bagged and transported to ALS Global laboratories in Brisbane for super-low level gold analysis on a 50 g samples are generally submitted to OnSite Laboratories for standard fire assay and 12 element ICP-OES as described above.
Drilling techniques	 Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	 HQ diameter diamond drill core, oriented using Boart Longyear TruCore orientation tool with the orientation line marked on the base of the drill core by the driller/offsider. A standard 3 metre core barrel has been found to be most effective in both the hard and soft rocks in the project.

Criteria	JORC Code explanation	Commentary
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Core recoveries were maximised using HQ diamond drill core with careful control over water pressure to maintain soft-rock integrity and prevent loss of fines from soft drill core. Recoveries are determined on a metre-by-metre basis in the core shed using a tape measure against marked up drill core checking against driller's core blocks. Plots of grade versus recovery and RQD (described below) show no trends relating to loss of drill core, or fines.
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	 Geotechnical logging of the drill core takes place on racks in the the company core shed. Core orientations marked at the drill rig are checked for consistency, and base of core orientation lines are marked on core where two or more orientations match within 10 degrees. Core recoveries are measured for each metre RQD measurements (cumulative quantity of core sticks > 10 cm in a metre) are made on a metre by metre basis. Each tray of drill core is photographed (wet and dry) after it is fully marked up for sampling and cutting. The ½ core cutting line is placed approximately 10 degrees above the orientation line so the orientation line is retained in the core tray for future work. Geological logging of drill core includes the following parameters: Rock types, lithology Alteration Structural information (orientations of veins, bedding, fractures using standard alpha-beta measurements from orientation line; or, in the case of un-oriented parts of the core, the alpha angles are measured) Veining (quartz, carbonate, stibnite) Key minerals (visible under hand lens, e.g. gold, stibnite) 100 % of drill core is logged for all components described above into the company MX logging database. Logging is fully quantitative, although the description of lithology and alteration relies on visible observations by trained geologists. Each tray of drill core is photographed (wet and dry) after it is fully marked up for sampling and cutting. Logging is considered to be at an appropriate quantitative standard to use in future studies.
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. 	 Drill core is typically sampled using half of the HD diameter. The drill core orientation line is retained. Quarter core is used when taking sampling duplicates (termed FDUP in the database).

Criteria	JORC Code explanation	Commentary
	 Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	 Sampling representivity is maximised by always taking the same side of the drill core (whenever oriented), and consistently drawing a cut line on the core where orientation is not possible. The field technician draws these lines. Sample sizes are maximised for coarse gold by using half core, and using quarter core and half core splits (laboratory duplicates) allows an estimation of nugget effect. In mineralised rock the company uses approximately 10% of ¼ core duplicates, certified reference materials (suitable OREAS materials), laboratory sample duplicates and instrument repeats. In the soil sampling program duplicates were obtained every 20th sample and the laboratory inserted low-level gold standards regularly into the sample flow.
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	 The fire assay technique for gold used by OnSite is a globally recognised method, and over-range follow-ups including gravimetric finish and screen fire assay are standard. Of significance at the OnSite laboratory is the presence of fire assay personnel who are experienced in dealing with high sulphide charges (especially those with high stibnite contents) – this substantially reduces the risk of in accurate reporting in complex sulphide-gold charges. The ICP-OES technique is a standard analytical technique for assessing elemental concentrations. The digest used (aqua regia) is excellent for the dissolution of sulphides (in this case generally stibnite, pyrite and trace arsenopyrite), but other silicate-hosted elements, in particular vanadium (V), may only be partially dissolved. These silicate-hosted elements are not important in the determination of the quantity of gold, antimony, arsenic or sulphur. A portable XRF has been used in a qualitative manner on drill core to ensure appropriate core samples have been taken (no pXRF data are reported or included in the MX database). Acceptable levels of accuracy and precision have been established using the following methods '<i>4 duplicates</i> – half core is split into quarters and given separate sample numbers (commonly in mineralised core) – low to medium gold grades indicate strong correlation, dropping as the gold and in strongly mineralised rocks to confirm that the crushing and pulping are not affected by gold smearing onto the crusher and LM5 swing mill surfaces. Results are excellent, generally below detection limit and a single sample at 0.03 g/t Au. <i>Certified Reference Materials</i> – OREAS CRMs have been used throughout the project including blanks, low (<1 g/t Au), medium (up to 5 g/t Au) and high-grade gold samples (> 5 g/t Au). Results are automatically checked on

Criteria	JORC Code explanation	Commentary
		 data import into the MX database to fall within 2 standard deviations of the expected value. <i>Laboratory splits</i> – OnSite conducts splits of both coarse crush and pulp duplicates as quality control and reports all data. In particular, high Au samples have the most repeats. <i>Laboratory CRMs</i> – OnSite regularly inserts their own CRM materials into the process flow and reports all data <i>Laboratory precision</i> – duplicate measurements of solutions (both Au from fire assay and other elements from the aqua regia digests) are made regularly by the laboratory and reported. <i>Accuracy and precision</i> have been determined carefully by using the sampling and measurement techniques described above during the sampling (accuracy) and laboratory (accuracy and precision) stages of the analysis. <i>Soil sample</i> company duplicates and laboratory certified reference materials all fall within expected ranges.
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	 The Independent Geologist has visited Sunday Creek drill sites and inspected drill core held at the Nagambie core shed. Visual inspection of drill intersections matches the both the geological descriptions in the database and the expected assay data (for example, gold and stibnite visible in drill core is matched by high Au and Sb results in assays). In addition, on receipt of results Company geologists assess the gold, antimony and arsenic results to verify that the intersections returned expected data. The electronic data storage in the MX database is of a high standard. Primary logging data are entered directly by the geologists and field technicians and the assay data are electronically matched against sample number on return from the laboratory. Certified reference materials, ¼ core field duplicates (FDUP), laboratory splits and duplicates and instrument repeats are all recorded in the database. Exports of data have the option of including all primary data, or a subset with average field duplicates for some reporting. Adjustments to assay data are recorded by MX, and none are present (or required). Twinned drill holes are not available at this stage of the project.
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down- hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. 	 Differential GPS used to locate drill collars, trenches and some workings Standard GPS for some field locations (grab and soils samples), verified against Lidar data.
	Specification of the grid system used.Quality and adequacy of topographic control.	 The grid system used throughout is Geocentric datum of Australia 1994; Map Grid Zone 55 (GDA94_Z55), also referred to as ELSG 28355.

Criteria	JORC Code explanation	Commentary
		 Topographic control is excellent owing to sub 10 cm accuracy from Lidar data.
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 The data spacing is suitable for reporting of exploration results – evidence for this is based on the improving predictability of high grade gold-antimony intersections. At this time the data spacing and distribution are not sufficient for the reporting of Mineral Resource Estimates. This however may change as knowledge of grade controls increase with future drill programs. Sample compositing has not been applied to the reporting of any drill results.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 The true thickness of the mineralised interval reported is interpreted to be approximately 60-70% of the sampled thickness. Drilling is oriented in an optimum direction when considering the combination of host rock orientation and apparent vein control on gold and antimony grade. The steep nature of some of the veins may give increases in apparent thickness of some intersections, but more drilling is required to quantify. A sampling bias is not evident from the data collected to date (drill holes cut across mineralised structures at a moderate angle).
Sample security	The measures taken to ensure sample security.	 Drill core is delivered to the Nagambie core logging shed by either the drill contractor or company field staff. Samples are marked up by company staff at the Nagambie core shed, loaded onto strapped secured pallets and trucked by commercial transport to Bendigo where they are cut by company staff in an automated diamond saw and bagged before submission to the laboratory. There is no evidence in any stage of the process, or in the data for any sample security issues.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	 Continuous monitoring of CRM results, blanks and duplicates is undertaken by geologists and the company data geologist. Dr Nick Cook, Technical Advisor for SXG has the orientation, logging and assay data.