

Rio Negro – Target 37 Sampling Results

18 May 2021

E2 Metals (**E2** or **the Company**) is pleased to provide an update on the first systematic exploration at the **El Rosillo** project located in the western Rio Negro province of Argentina.

Highlights

- Gold assay results have been received for composite rock chip sampling at **Target 37**.
- A total of 630 composite rock chip samples (grab samples representative of intervals 20m long) were collected on 25 lines spaced 40m apart to test broad stockwork zones in granodiorite.
- The work has defined a **large gold mineralised system with dimensions of 950 by 550m** confirming the potential for Intrusion Related Gold (IRG) within the project
- Significant (20m) composite rock chip results include:
 - L012: **80m at 1.2gpt Au**
 - L018: **60m at 5.7gpt Au**
 - L019: **80m at 1.6gpt Au**
 - L020: **100m at 3.0gpt Au**
 - L021: **60m at 2.2gpt Au**
 - L024: **80m at 3.2gpt Au**
 - L025: **40m at 4.2gpt Au**
- Mineralisation is associated with quartz veins and stockworks of quartz veinlets. **Visible gold** was identified in several samples. Mineralisation is **open in all directions**.
- The work forms part of the Company's stated objective to **unlock value** from its significant landholding in the Rio Negro province where it sees potential for **large greenfields discoveries**.

Commenting on the results, Managing Director Todd Williams states "These results, while from initial composite rock samples, represent a quantum leap forward for E2 in Rio Negro as it validates the Company's target models and provides a first indication of the possible scale and tenor of gold mineralisation at El Rosillo and elsewhere in the district. Target 37 is the first of twelve Intrusion Related Gold (IRG) gold prospects identified within E2's tenure and further targets like this are expected".

E2 Metals Limited

ABN: 34 116 865 546
ASX Code: E2M

Issued Capital

150.2M fully paid
ordinary shares

Directors / Secretary

Brad Evans
Chair

Todd Williams
Managing Director

Melanie Leydin
Non-Executive Director

Address

Level 4, 100 Albert Road
South Melbourne VIC 3205
P: +61 3 9692 7222
F: +61 3 9077 9233
E: info@e2metals.com.au



E2 Metals (E2 or the Company) is pleased to report results for the first systematic exploration within the **El Rosillo** project location in the western Rio Negro Province of Argentina (see Figure 1).

Rio Negro Province contains the northern portion of the Somuncura Massif, a large volcanic province that is geologically similar to the Deseado Massif in Santa Cruz, but has been subject to far less modern exploration. The Somuncura Massif is host to Pan American Silver’s Navidad deposit, the largest undeveloped silver deposit in the world with over 700 million ounces of silver resources.

The Company has consolidated four large districts in the western part of the Rio Negro province centered on the **Vista Alegre, Ofelia, Paredes** and **El Rosillo** properties respectively.

El Rosillo is subject to an Option to Purchase agreement with local Argentinean company Valcheta Exploraciones SA. Exploration (Valcheta). Prospecting by Valcheta has defined three prospects (T37, T38 and T39) prospective for Intrusion Related Gold (IRG) deposits which are subject to ongoing exploration by E2.




Figure 1: Western Rio Negro projects including El Rosillo

Target 37 - Composite Rock Chip Sampling

The first work by E2 at **El Rosillo** commenced in April 2021 following an initial reconnaissance sampling program and site visit (see ASX Announcement, 27 April 2021, March 2021 Quarterly Report).

Initial sampling by E2 within **El Rosillo** returned maximum rock chip samples of 3.6gpt Au and 1.8gpt Au from selective vein samples within **Target 37** and **Target 38** respectively. More detailed rock chip sampling was prioritised on the basis that gold mineralisation is associated with broader zones of stockwork quartz veining that had not been sampled by previous explorers and which could constitute future drill targets.

To better test the potential for broad gold mineralisation in the stockwork zones and wall rock, an initial phase of composite rock chip sampling was completed on lines spaced 40m apart, with each sample representing a continuous grab sample incorporating all outcrop and float material on sample centers spaced 20m along each line. Work commenced at **Target 37** located in the south-western project area. About 70% of the sample intervals lacked outcrop, however slopes in the area are low angle so it is thought that the float samples are broadly representative of underlying rock rather than consisting of material transported from high ground.

Gold assay results are shown in Figure 2 and define a **large gold mineralised system** with **measured dimensions of 950m by 550m**.

Significant (20m) composite rock chip intervals include:

- L012: **80m at 1.2gpt Au**
- L018: **60m at 5.7gpt Au**
- L019: **80m at 1.6gpt Au**
- L020: **100m at 3.0gpt Au**
- L021: **60m at 2.2gpt Au**
- L024: **80m at 3.2gpt Au**
- L025: **40m at 4.2gpt Au**

Mineralisation is in quartz veins, host intrusions (dykes and granitoid) and andesite lavas with fine-grained **visible gold** noted in a number of samples (see Figure 3). Importantly, gold mineralisation is shown to continue into the wall rock explaining why the scale of the gold mineralised system is underappreciated from previous selective vein samples.

Mineralisation is **open in all directions** but appears to be **increasing to the east** where host geology disappears under shallow colluvium cover.

Sampling at **Target 38** is ongoing and final results are expected in 4-5 weeks.

Discussion

The composite rock chipping technique is considered effective for approximating the distribution and tenor of gold mineralisation associated with disseminated IRG systems, like that at **El Rosillo**. The results indicated a large gold mineralised system with the best gold mineralisation occurring in dykes and fault intersections.

Discussion cont.

Local high-grades not reported in this announcement (for example 55gpt over 20m on L022) may be influenced by coarse gold within the sample, such as has been noted at other locations within the prospect. There may also be a sampling bias due to better preservation of more silicified rock and vein material in the float material compared to illite altered wall rock, however in areas of outcrop non-mineralized, soft, clay-altered rocks do not extend far from the zones of veins and veinlets so this effect is thought to be minimal. The Company is encouraged that the largest anomalies have grades that are consistent on multiple lines and sample centers. The Company has plans to submit an Environmental Impact Assessment (EIA) report to the provincial authorities to gain the statutory approvals to drill at **EI Rosillo** in the second half of the year.

Project Geology

A robust geological model for the project area is pending and subject to further field review. The oldest unit in the project area is Permian granodiorite which has been intruded by dykes. The granodiorite is overlain by tuffs lavas, clastic sediments and limestones thought to be correlative with the lower Jurassic aged Comallo volcanic-sedimentary Complex (see Figure 4). Both the granodiorite and the overlying sequence have been cut by younger flow banded dykes of varying compositions, including mafic to intermediate dykes with a trachytic texture and rhyolite porphyry.

Mineralisation in **Target 37** is related to veins and veinlets (see Figure 5) hosted mainly in the flow banded dykes, andesite lavas and granodiorite. Vein textures are commonly massive saccharoidal to coarsely crystalline quartz or occasionally with cockade textures. Moderate silicification is associated with green illite and/or smectite (confirmed by spectral work) which has pervasively altered the mafic to intermediate dykes, andesite lavas and granodiorites in the vicinity of the mineralization.

The principal vein and dyke orientation is west-northwest, which is parallel to the Comallo fault, a major fault mapped about 600m to the south-west of the project area. Strike-slip movement on this fault is thought to have opened pull-apart basins which were depo-centres for the Comallo volcanic-sedimentary Complex. Mineralization is effectively located on the hanging wall of the Comallo Fault so it is inferred to be related to a later phase of dip-slip movement and is probably concentrated in intersection zones with structures of other orientations. Potential extensions of the **Target 37** mineralization are concealed by Tertiary aged sediments (sandstones and conglomerates with vein clasts) or younger fluvial and colluvial deposits. Thickness of these cover sequences is thought to reach maximums of only a few tens of metres.

Valcheta Exploraciones Option Agreement

On 11 February 2021 the Company signed an Option to Purchase Agreement with local Argentinean company Valcheta Exploraciones SA for the EI Rosillo mineral title.

Under the terms of the Option Agreement, and subject to the results of the current sampling program, the Company can acquire a 100% interest in the title for the following consideration:

- A payment of U\$150,000 paid in equal portions in cash and ordinary E2 shares
- A 1% Net Smelter Royalty (NSR), of which 0.75% is capped at US\$1,000,000



Figure 4: Volcanic tuffs of the Comallo Volcanic sequence



Figure 5: Stockwork veinlets

For enquiries please contact:

Todd Williams

Managing Director

M: + 61 4 2222 5211

This announcement is authorised for release to the market by the Board of Directors of E2 Metals Limited.

Competent Person's Statement

Information in this report that relates to Exploration results and targets is based on, and fairly reflects, information compiled by E2 Metals Limited and Colin Brodie, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr. Brodie is a Senior Technical Advisor and consultant to E2 Metals Limited. Mr. Brodie has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity, which he is undertaking to qualify as a Competent Person as defined by the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Brodie consents to the inclusion of the data in the form and context in which it appears

Forward Looking Statement

Certain statements in this announcement constitute "forward-looking statements" or "forward looking information" within the meaning of applicable securities laws. Such statements involve known and unknown risks, uncertainties and other factors, which may cause actual results, performance or achievements of the Company, or industry results, to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements or information. Such statements can be identified by the use of words such as "may", "would", "could", "will", "intend", "expect", "believe", "plan", "anticipate", "estimate", "scheduled", "forecast", "predict" and other similar terminology, or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved. These statements reflect the Company's current expectations regarding future events, performance and results, and speak only as of the date of this announcement.

All such forward-looking information and statements are based on certain assumptions and analyses made by E2M's management in light of their experience and perception of historical trends, current conditions and expected future developments, as well as other factors management believe are appropriate in the circumstances. These statements, however, are subject to a variety of risks and uncertainties and other factors that could cause actual events or results to differ materially from those projected in the forward looking information or statements including, but not limited to, unexpected changes in laws, rules or regulations, or their enforcement by applicable authorities; the failure of parties to contracts to perform as agreed; changes in commodity prices; unexpected failure or inadequacy of infrastructure, or delays in the development of infrastructure, and the failure of exploration programs or other studies to deliver anticipated results or results that would justify and support continued studies, development or operations.

Readers are cautioned not to place undue reliance on forward-looking information or statements. Although the forward-looking statements contained in this announcement are based upon what management of the Company believes are reasonable assumptions, the Company cannot assure investors that actual results will be consistent with these forward-looking statements. These forward-looking statements are made as of the date of this announcement and are expressly qualified in their entirety by this cautionary statement. Subject to applicable securities laws, the Company does not assume any obligation to update or revise the forward-looking statements contained herein to reflect events or circumstances occurring after the date of this announcement.

Table 1: Composite rock sample locations and gold assays
(coordinates WGS84 Lat/Long)

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48133 | Rock sample | -41.1537 | -70.1664 | 963.5 | 0.1 |
| 37 | 48057 | Rock sample | -41.1484 | -70.1622 | 945 | -0.01 |
| 37 | 48054 | Rock sample | -41.1483 | -70.1621 | 945.5 | -0.01 |
| 37 | 48014 | Rock sample | -41.1491 | -70.1622 | 946.5 | 0.15 |
| 37 | 48055 | Rock sample | -41.1486 | -70.1624 | 952.1 | 0.04 |
| 37 | 48030 | Rock sample | -41.1515 | -70.1639 | 968.5 | 0.07 |
| 37 | 48058 | Rock sample | -41.1485 | -70.1617 | 944.3 | 0.17 |
| 37 | 48060 | Rock sample | -41.1481 | -70.1619 | 942.5 | 0.08 |
| 37 | 48042 | Rock sample | -41.1537 | -70.1654 | 981.2 | -0.01 |
| 37 | 48052 | Rock sample | -41.148 | -70.1619 | 941.3 | 0.12 |
| 37 | 48008 | Rock sample | -41.1484 | -70.1616 | 945.1 | 0.02 |
| 37 | 48056 | Rock sample | -41.1488 | -70.1625 | 951.8 | 0.19 |
| 37 | 48059 | Rock sample | -41.1483 | -70.1618 | 937.5 | 0.07 |
| 37 | 48053 | Rock sample | -41.1481 | -70.162 | 944.9 | 0.02 |
| 37 | 48037 | Rock sample | -41.1529 | -70.1648 | 982.8 | 0.06 |
| 37 | 48061 | Rock sample | -41.1479 | -70.1619 | 938.5 | 0.06 |
| 37 | 48062 | Rock sample | -41.1476 | -70.1623 | 930.8 | 0.1 |
| 37 | 48035 | Rock sample | -41.1525 | -70.1645 | 979 | 1.77 |
| 37 | 48004 | Rock sample | -41.1479 | -70.1612 | 936 | -0.01 |
| 37 | 48020 | Rock sample | -41.1498 | -70.1627 | 955 | 1.43 |
| 37 | 48011 | Rock sample | -41.1486 | -70.1618 | 952 | -0.01 |
| 37 | 48013 | Rock sample | -41.149 | -70.1621 | 949 | 0.12 |
| 37 | 48026 | Rock sample | -41.1509 | -70.1634 | 968 | -0.01 |
| 37 | 48029 | Rock sample | -41.1514 | -70.1638 | 978 | 0.03 |
| 37 | 48016 | Rock sample | -41.1495 | -70.1624 | 953 | 0.42 |
| 37 | 48036 | Rock sample | -41.1527 | -70.1646 | 980 | -0.01 |
| 37 | 48041 | Rock sample | -41.1535 | -70.1653 | 983 | -0.01 |
| 37 | 48043 | Rock sample | -41.1539 | -70.1655 | 979 | 0.02 |
| 37 | 48027 | Rock sample | -41.1511 | -70.1635 | 971 | -0.01 |
| 37 | 48040 | Rock sample | -41.1534 | -70.1651 | 988 | -0.01 |
| 37 | 48044 | Rock sample | -41.154 | -70.1656 | 977 | 0.2 |
| 37 | 48049 | Rock sample | -41.1478 | -70.1614 | 936 | 0.02 |
| 37 | 48045 | Rock sample | -41.1542 | -70.1658 | 972 | 0.33 |
| 37 | 48038 | Rock sample | -41.153 | -70.1649 | 982 | -0.01 |
| 37 | 48023 | Rock sample | -41.1504 | -70.1631 | 956 | 0.23 |
| 37 | 48024 | Rock sample | -41.1506 | -70.1632 | 961 | -0.01 |
| 37 | 48018 | Rock sample | -41.1495 | -70.1622 | 947 | 0.3 |
| 37 | 48017 | Rock sample | -41.1495 | -70.1623 | 951 | 0.83 |
| 37 | 48009 | Rock sample | -41.1485 | -70.1617 | 949 | 0.07 |
| 37 | 48032 | Rock sample | -41.152 | -70.1642 | 979 | 1.22 |
| 37 | 48021 | Rock sample | -41.15 | -70.1628 | 955 | -0.01 |
| 37 | 48022 | Rock sample | -41.1502 | -70.163 | 952 | -0.01 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48031 | Rock sample | -41.1518 | -70.164 | 977 | 0.19 |
| 37 | 48046 | Rock sample | -41.1539 | -70.1656 | 979 | 0.85 |
| 37 | 48002 | Rock sample | -41.1476 | -70.1611 | 934 | 0.09 |
| 37 | 48051 | Rock sample | -41.148 | -70.1616 | 941 | 0.06 |
| 37 | 48015 | Rock sample | -41.1493 | -70.1623 | 948 | 0.43 |
| 37 | 48007 | Rock sample | -41.1482 | -70.1615 | 943 | 0.03 |
| 37 | 48047 | Rock sample | -41.1474 | -70.1615 | 928 | 0.02 |
| 37 | 48028 | Rock sample | -41.1512 | -70.1637 | 979 | 0.44 |
| 37 | 48003 | Rock sample | -41.1478 | -70.1612 | 939 | 0.04 |
| 37 | 48039 | Rock sample | -41.1532 | -70.165 | 982 | -0.01 |
| 37 | 48048 | Rock sample | -41.1476 | -70.1616 | 933 | 0.02 |
| 37 | 48010 | Rock sample | -41.1486 | -70.1617 | 951 | 0.02 |
| 37 | 48050 | Rock sample | -41.1478 | -70.1617 | 933 | 0.02 |
| 37 | 48006 | Rock sample | -41.148 | -70.1614 | 939 | 0.03 |
| 37 | 48034 | Rock sample | -41.1523 | -70.1644 | 978 | 1.7 |
| 37 | 48001 | Rock sample | -41.1392 | -70.149 | 1036 | 0.03 |
| 37 | 48005 | Rock sample | -41.1479 | -70.1613 | 939 | -0.01 |
| 37 | 48033 | Rock sample | -41.1521 | -70.1643 | 978 | 1.64 |
| 37 | 48012 | Rock sample | -41.1488 | -70.1619 | 953 | 0.05 |
| 37 | 48019 | Rock sample | -41.1497 | -70.1626 | 955 | 0.85 |
| 37 | 48025 | Rock sample | -41.1508 | -70.1633 | 962 | -0.01 |
| 37 | 48607 | Rock sample | -41.1548 | -70.1629 | 960.8 | 0.03 |
| 37 | 48608 | Rock sample | -41.1546 | -70.1628 | 961 | 0.56 |
| 37 | 48609 | Rock sample | -41.1545 | -70.1627 | 959.5 | 2.07 |
| 37 | 48610 | Rock sample | -41.1543 | -70.1626 | 959.2 | 0.44 |
| 37 | 48611 | Rock sample | -41.1541 | -70.1625 | 957.7 | 0.06 |
| 37 | 48612 | Rock sample | -41.154 | -70.1624 | 959.8 | -0.01 |
| 37 | 48613 | Rock sample | -41.1538 | -70.1623 | 960.2 | 6.49 |
| 37 | 48614 | Rock sample | -41.1537 | -70.1622 | 959.4 | 0.01 |
| 37 | 48615 | Rock sample | -41.1535 | -70.1621 | 957.5 | -0.01 |
| 37 | 48616 | Rock sample | -41.1534 | -70.1619 | 949.6 | 0.02 |
| 37 | 48617 | Rock sample | -41.1532 | -70.1618 | 950.3 | -0.01 |
| 37 | 48618 | Rock sample | -41.153 | -70.1617 | 949.8 | -0.01 |
| 37 | 48619 | Rock sample | -41.1529 | -70.1616 | 943.1 | 0.02 |
| 37 | 48620 | Rock sample | -41.1527 | -70.1615 | 941.2 | 0.19 |
| 37 | 48621 | Rock sample | -41.1526 | -70.1614 | 939.2 | 3.25 |
| 37 | 48622 | Rock sample | -41.1524 | -70.1613 | 940.5 | 5.18 |
| 37 | 48623 | Rock sample | -41.1522 | -70.1611 | 940.2 | 0.08 |
| 37 | 48624 | Rock sample | -41.1521 | -70.161 | 937.2 | 0.06 |
| 37 | 48648 | Rock sample | -41.1548 | -70.1615 | 936.7 | 0.05 |
| 37 | 48649 | Rock sample | -41.1547 | -70.1614 | 938.8 | 0.03 |
| 37 | 48650 | Rock sample | -41.1545 | -70.1613 | 936.1 | 0.37 |
| 37 | 48651 | Rock sample | -41.1543 | -70.1611 | 945.9 | 0.14 |
| 37 | 48652 | Rock sample | -41.1535 | -70.1605 | 934.6 | 0.96 |
| 37 | 48576 | Rock sample | -41.1512 | -70.1615 | 944.4 | 0.54 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48577 | Rock sample | -41.151 | -70.1613 | 944.2 | 0.27 |
| 37 | 48578 | Rock sample | -41.1509 | -70.1612 | 942.7 | 0.02 |
| 37 | 48579 | Rock sample | -41.1507 | -70.1611 | 940.7 | 0.16 |
| 37 | 48580 | Rock sample | -41.1506 | -70.161 | 940.1 | 0.19 |
| 37 | 48581 | Rock sample | -41.1519 | -70.1614 | 943 | 4.45 |
| 37 | 48582 | Rock sample | -41.152 | -70.1615 | 947 | 4.25 |
| 37 | 48583 | Rock sample | -41.1522 | -70.1616 | 950.2 | 2.25 |
| 37 | 48584 | Rock sample | -41.1524 | -70.1618 | 948.4 | 2.08 |
| 37 | 48585 | Rock sample | -41.1525 | -70.1619 | 951 | 0.02 |
| 37 | 48586 | Rock sample | -41.1527 | -70.162 | 951.1 | 0.76 |
| 37 | 48587 | Rock sample | -41.1528 | -70.1621 | 951 | 1.7 |
| 37 | 48588 | Rock sample | -41.153 | -70.1622 | 962.2 | 5.31 |
| 37 | 48589 | Rock sample | -41.1531 | -70.1623 | 961.1 | 0.01 |
| 37 | 48590 | Rock sample | -41.1533 | -70.1625 | 963.9 | 0.01 |
| 37 | 48591 | Rock sample | -41.1535 | -70.1626 | 969.1 | 0.19 |
| 37 | 48592 | Rock sample | -41.1536 | -70.1627 | 972.3 | -0.01 |
| 37 | 48593 | Rock sample | -41.1538 | -70.1628 | 970.9 | 3.9 |
| 37 | 10736 | Rock sample | -41.1551 | -70.1649 | 971.2 | -0.01 |
| 37 | 48594 | Rock sample | -41.1539 | -70.1629 | 975.9 | 0.28 |
| 37 | 48595 | Rock sample | -41.1541 | -70.163 | 973.8 | 0.25 |
| 37 | 48596 | Rock sample | -41.1543 | -70.1631 | 976.3 | 0.56 |
| 37 | 48597 | Rock sample | -41.1544 | -70.1633 | 975.3 | 0.24 |
| 37 | 48598 | Rock sample | -41.1546 | -70.1634 | 979.1 | 0.04 |
| 37 | 48599 | Rock sample | -41.1547 | -70.1635 | 974.1 | 0.02 |
| 37 | 48600 | Rock sample | -41.1549 | -70.1636 | 971.7 | 0.05 |
| 37 | 48601 | Rock sample | -41.155 | -70.1637 | 967.1 | -0.01 |
| 37 | 48602 | Rock sample | -41.1552 | -70.1638 | 964.5 | 0.1 |
| 37 | 48603 | Rock sample | -41.1553 | -70.1639 | 961.9 | 0.36 |
| 37 | 48604 | Rock sample | -41.1552 | -70.1633 | 963.9 | 0.25 |
| 37 | 48605 | Rock sample | -41.1551 | -70.1632 | 967.7 | 1.28 |
| 37 | 48606 | Rock sample | -41.1549 | -70.163 | 964.6 | 0.28 |
| 37 | 48544 | Rock sample | -41.1543 | -70.1642 | 993.3 | 0.65 |
| 37 | 48545 | Rock sample | -41.1544 | -70.1643 | 989.2 | 0.5 |
| 37 | 48546 | Rock sample | -41.1546 | -70.1644 | 985.8 | 0.23 |
| 37 | 48547 | Rock sample | -41.1547 | -70.1645 | 977.9 | -0.01 |
| 37 | 48548 | Rock sample | -41.1549 | -70.1647 | 973.4 | -0.01 |
| 37 | 48549 | Rock sample | -41.1551 | -70.1648 | 971.7 | -0.01 |
| 37 | 48550 | Rock sample | -41.1551 | -70.1643 | 980.6 | 0.12 |
| 37 | 48551 | Rock sample | -41.155 | -70.1642 | 961.8 | 0.19 |
| 37 | 48552 | Rock sample | -41.1548 | -70.164 | 976.3 | -0.01 |
| 37 | 48553 | Rock sample | -41.1546 | -70.1639 | 982.3 | 0.16 |
| 37 | 48554 | Rock sample | -41.1545 | -70.1638 | 982.7 | 0.61 |
| 37 | 48555 | Rock sample | -41.1543 | -70.1637 | 987.3 | 0.28 |
| 37 | 48556 | Rock sample | -41.1542 | -70.1636 | 984.3 | 0.39 |
| 37 | 48557 | Rock sample | -41.154 | -70.1635 | 985.9 | 0.01 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48558 | Rock sample | -41.1539 | -70.1634 | 982.5 | 0.05 |
| 37 | 48559 | Rock sample | -41.1537 | -70.1633 | 974.5 | 0.28 |
| 37 | 48561 | Rock sample | -41.1535 | -70.1631 | 976.4 | 0.19 |
| 37 | 48562 | Rock sample | -41.1533 | -70.163 | 975.5 | -0.01 |
| 37 | 48563 | Rock sample | -41.1532 | -70.1629 | 965.4 | 0.1 |
| 37 | 48564 | Rock sample | -41.1531 | -70.1628 | 963.1 | 0.07 |
| 37 | 48565 | Rock sample | -41.1529 | -70.1627 | 962.4 | 0.72 |
| 37 | 48566 | Rock sample | -41.1528 | -70.1626 | 957.6 | 0.25 |
| 37 | 48567 | Rock sample | -41.1526 | -70.1625 | 957.8 | -0.01 |
| 37 | 48568 | Rock sample | -41.1525 | -70.1623 | 960 | -0.01 |
| 37 | 48569 | Rock sample | -41.1523 | -70.1622 | 961.7 | 0.03 |
| 37 | 48570 | Rock sample | -41.1521 | -70.1621 | 964.6 | 3.06 |
| 37 | 48571 | Rock sample | -41.152 | -70.162 | 963.6 | -0.01 |
| 37 | 48572 | Rock sample | -41.1518 | -70.1619 | 957.6 | -0.01 |
| 37 | 48573 | Rock sample | -41.1516 | -70.1618 | 953.8 | 0.01 |
| 37 | 48574 | Rock sample | -41.1515 | -70.1617 | 934.7 | 0.38 |
| 37 | 48575 | Rock sample | -41.1513 | -70.1615 | 943.9 | 0.11 |
| 37 | 48512 | Rock sample | -41.1534 | -70.1641 | 979.6 | -0.01 |
| 37 | 48513 | Rock sample | -41.1536 | -70.1642 | 987 | 0.08 |
| 37 | 48514 | Rock sample | -41.1538 | -70.1643 | 985.9 | -0.01 |
| 37 | 48515 | Rock sample | -41.1539 | -70.1645 | 990 | -0.01 |
| 37 | 48516 | Rock sample | -41.1541 | -70.1646 | 990.7 | 0.08 |
| 37 | 48517 | Rock sample | -41.1542 | -70.1646 | 994.2 | 0.06 |
| 37 | 48518 | Rock sample | -41.1544 | -70.1648 | 985.2 | 0.04 |
| 37 | 48519 | Rock sample | -41.1545 | -70.1648 | 982.3 | 0.17 |
| 37 | 48520 | Rock sample | -41.1505 | -70.1615 | 948.4 | 55.02 |
| 37 | 48521 | Rock sample | -41.1507 | -70.1616 | 949.3 | 0.6 |
| 37 | 48522 | Rock sample | -41.1508 | -70.1617 | 950.7 | -0.01 |
| 37 | 48523 | Rock sample | -41.151 | -70.1618 | 954.2 | 0.05 |
| 37 | 48524 | Rock sample | -41.1511 | -70.1619 | 955.5 | 1.05 |
| 37 | 48525 | Rock sample | -41.1513 | -70.1621 | 956.5 | 1.07 |
| 37 | 48526 | Rock sample | -41.1515 | -70.1622 | 954.8 | 0.09 |
| 37 | 48527 | Rock sample | -41.1516 | -70.1623 | 955.8 | 1.43 |
| 37 | 48528 | Rock sample | -41.1518 | -70.1624 | 957.9 | -0.01 |
| 37 | 48529 | Rock sample | -41.1519 | -70.1625 | 966.3 | -0.01 |
| 37 | 48530 | Rock sample | -41.1521 | -70.1626 | 970.1 | 0.72 |
| 37 | 48531 | Rock sample | -41.1522 | -70.1627 | 971.5 | -0.01 |
| 37 | 48532 | Rock sample | -41.1524 | -70.1629 | 963.2 | 0.03 |
| 37 | 48533 | Rock sample | -41.1525 | -70.163 | 970.9 | 0.87 |
| 37 | 48534 | Rock sample | -41.1527 | -70.1631 | 970.3 | 0.06 |
| 37 | 48535 | Rock sample | -41.1529 | -70.1632 | 968.9 | -0.01 |
| 37 | 48536 | Rock sample | -41.153 | -70.1633 | 966.3 | 1.57 |
| 37 | 48537 | Rock sample | -41.1532 | -70.1634 | 966.3 | 0.02 |
| 37 | 48538 | Rock sample | -41.1533 | -70.1636 | 970.4 | 0.93 |
| 37 | 48539 | Rock sample | -41.1535 | -70.1637 | 971.4 | 0.31 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48540 | Rock sample | -41.1537 | -70.1638 | 975.4 | 3.01 |
| 37 | 48541 | Rock sample | -41.1538 | -70.1639 | 979.8 | 1.53 |
| 37 | 48542 | Rock sample | -41.154 | -70.164 | 987.1 | -0.01 |
| 37 | 48543 | Rock sample | -41.1541 | -70.1641 | 989.8 | -0.01 |
| 37 | 48224 | Rock sample | -41.1516 | -70.1665 | 967.1 | -0.01 |
| 37 | 48225 | Rock sample | -41.1515 | -70.1664 | 968.8 | 0.01 |
| 37 | 48226 | Rock sample | -41.1513 | -70.1662 | 960.8 | -0.01 |
| 37 | 48227 | Rock sample | -41.1511 | -70.1661 | 962.9 | 0.25 |
| 37 | 48228 | Rock sample | -41.1509 | -70.1659 | 983.2 | 0.26 |
| 37 | 48229 | Rock sample | -41.1508 | -70.1659 | 963.8 | 0.02 |
| 37 | 48230 | Rock sample | -41.1507 | -70.1657 | 960.7 | -0.01 |
| 37 | 48231 | Rock sample | -41.1505 | -70.1656 | 958 | -0.01 |
| 37 | 48232 | Rock sample | -41.1504 | -70.1655 | 958.6 | -0.01 |
| 37 | 48233 | Rock sample | -41.1502 | -70.1654 | 955.4 | -0.01 |
| 37 | 48234 | Rock sample | -41.15 | -70.1653 | 955 | -0.01 |
| 37 | 48235 | Rock sample | -41.1499 | -70.1652 | 953.3 | -0.01 |
| 37 | 48236 | Rock sample | -41.1497 | -70.1651 | 944.3 | -0.01 |
| 37 | 48237 | Rock sample | -41.1496 | -70.165 | 939.3 | 0.08 |
| 37 | 48238 | Rock sample | -41.1494 | -70.1649 | 940.9 | 0.42 |
| 37 | 48239 | Rock sample | -41.1492 | -70.1648 | 954.7 | 0.14 |
| 37 | 48240 | Rock sample | -41.1491 | -70.1647 | 972.6 | -0.01 |
| 37 | 48241 | Rock sample | -41.1489 | -70.1645 | 968.3 | -0.01 |
| 37 | 48242 | Rock sample | -41.1488 | -70.1644 | 953.4 | -0.01 |
| 37 | 48243 | Rock sample | -41.1486 | -70.1643 | 941.2 | 0.01 |
| 37 | 48244 | Rock sample | -41.1485 | -70.1642 | 945.1 | -0.01 |
| 37 | 48245 | Rock sample | -41.1483 | -70.1641 | 946.7 | -0.01 |
| 37 | 48246 | Rock sample | -41.1482 | -70.1639 | 940.8 | 0.01 |
| 37 | 48247 | Rock sample | -41.148 | -70.1638 | 935.5 | 0.1 |
| 37 | 48248 | Rock sample | -41.1479 | -70.1637 | 935.3 | 0.05 |
| 37 | 48249 | Rock sample | -41.1477 | -70.1636 | 934.9 | 0.03 |
| 37 | 48250 | Rock sample | -41.1475 | -70.1635 | 932.6 | 0.05 |
| 37 | 48251 | Rock sample | -41.1473 | -70.1639 | 923.4 | 0.02 |
| 37 | 48252 | Rock sample | -41.1474 | -70.164 | 925 | 0.02 |
| 37 | 48253 | Rock sample | -41.1476 | -70.1641 | 940.2 | 0.2 |
| 37 | 48254 | Rock sample | -41.1478 | -70.1642 | 929.3 | 0.43 |
| 37 | 48255 | Rock sample | -41.1479 | -70.1643 | 930.2 | 0.25 |
| 37 | 48192 | Rock sample | -41.1501 | -70.1648 | 950.7 | 0.03 |
| 37 | 48193 | Rock sample | -41.1503 | -70.1649 | 954.2 | 0.06 |
| 37 | 48194 | Rock sample | -41.1504 | -70.1651 | 958.2 | 0.2 |
| 37 | 48195 | Rock sample | -41.1506 | -70.1652 | 959.4 | -0.01 |
| 37 | 48196 | Rock sample | -41.1507 | -70.1653 | 958.9 | 0.51 |
| 37 | 48197 | Rock sample | -41.1509 | -70.1654 | 960.6 | 0.03 |
| 37 | 48198 | Rock sample | -41.1511 | -70.1655 | 960.3 | -0.01 |
| 37 | 48199 | Rock sample | -41.1512 | -70.1656 | 962.3 | 0.4 |
| 37 | 48200 | Rock sample | -41.1514 | -70.1657 | 962.9 | 0.54 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48201 | Rock sample | -41.1515 | -70.1658 | 964.1 | -0.01 |
| 37 | 48202 | Rock sample | -41.1517 | -70.166 | 972.5 | -0.01 |
| 37 | 48203 | Rock sample | -41.1519 | -70.1661 | 971.5 | -0.01 |
| 37 | 48204 | Rock sample | -41.152 | -70.1662 | 971.5 | -0.01 |
| 37 | 48205 | Rock sample | -41.1522 | -70.1663 | 975 | 0.03 |
| 37 | 48206 | Rock sample | -41.1523 | -70.1664 | 975.8 | 0.46 |
| 37 | 48207 | Rock sample | -41.1525 | -70.1666 | 972 | 0.07 |
| 37 | 48208 | Rock sample | -41.1526 | -70.1667 | 973.5 | 0.01 |
| 37 | 48209 | Rock sample | -41.1528 | -70.1668 | 971.2 | -0.01 |
| 37 | 48210 | Rock sample | -41.1529 | -70.1669 | 965.4 | -0.01 |
| 37 | 48211 | Rock sample | -41.1531 | -70.167 | 962.5 | -0.01 |
| 37 | 48212 | Rock sample | -41.1533 | -70.1671 | 960 | -0.01 |
| 37 | 48213 | Rock sample | -41.1534 | -70.1672 | 958.3 | -0.01 |
| 37 | 48214 | Rock sample | -41.1532 | -70.1676 | 955.3 | -0.01 |
| 37 | 48215 | Rock sample | -41.153 | -70.1675 | 946.1 | 0.06 |
| 37 | 48216 | Rock sample | -41.1529 | -70.1674 | 938.3 | 0.04 |
| 37 | 48217 | Rock sample | -41.1527 | -70.1673 | 963.5 | 0.68 |
| 37 | 48218 | Rock sample | -41.1525 | -70.1671 | 963.3 | -0.01 |
| 37 | 48219 | Rock sample | -41.1524 | -70.167 | 958 | 0.1 |
| 37 | 48220 | Rock sample | -41.1522 | -70.1669 | 963.8 | 0.06 |
| 37 | 48221 | Rock sample | -41.1521 | -70.1668 | 964.2 | 0.03 |
| 37 | 48222 | Rock sample | -41.1519 | -70.1667 | 966 | 0.07 |
| 37 | 48223 | Rock sample | -41.1518 | -70.1666 | 967.1 | -0.01 |
| 37 | 48160 | Rock sample | -41.1495 | -70.1639 | 954.3 | 0.28 |
| 37 | 48161 | Rock sample | -41.1494 | -70.1638 | 961.1 | 0.09 |
| 37 | 48162 | Rock sample | -41.1492 | -70.1637 | 956.2 | 0.46 |
| 37 | 48163 | Rock sample | -41.1491 | -70.1636 | 956.2 | 0.4 |
| 37 | 48164 | Rock sample | -41.1489 | -70.1635 | 956.5 | 0.4 |
| 37 | 48165 | Rock sample | -41.1488 | -70.1633 | 951.8 | 0.02 |
| 37 | 48166 | Rock sample | -41.1486 | -70.1632 | 941 | 0.38 |
| 37 | 48167 | Rock sample | -41.1484 | -70.1631 | 945.6 | 0.17 |
| 37 | 48168 | Rock sample | -41.1483 | -70.163 | 945.7 | 0.14 |
| 37 | 48169 | Rock sample | -41.1481 | -70.1629 | 944.1 | -0.01 |
| 37 | 48170 | Rock sample | -41.148 | -70.1627 | 941.7 | 0.23 |
| 37 | 48171 | Rock sample | -41.1478 | -70.1626 | 934.9 | 0.39 |
| 37 | 48172 | Rock sample | -41.1477 | -70.1625 | 934 | 0.32 |
| 37 | 48173 | Rock sample | -41.1475 | -70.1624 | 927.3 | 0.04 |
| 37 | 48174 | Rock sample | -41.1473 | -70.1623 | 928 | 0.03 |
| 37 | 48175 | Rock sample | -41.1474 | -70.1629 | 925.9 | 0.08 |
| 37 | 48176 | Rock sample | -41.1476 | -70.163 | 927.2 | -0.01 |
| 37 | 48177 | Rock sample | -41.1477 | -70.1631 | 929.4 | -0.01 |
| 37 | 48178 | Rock sample | -41.1479 | -70.1633 | 937.7 | 0.06 |
| 37 | 48179 | Rock sample | -41.1481 | -70.1634 | 937.3 | 0.02 |
| 37 | 48180 | Rock sample | -41.1482 | -70.1635 | 939.2 | 0.01 |
| 37 | 48181 | Rock sample | -41.1484 | -70.1636 | 947.8 | 0.28 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48182 | Rock sample | -41.1485 | -70.1637 | 950.8 | 0.32 |
| 37 | 48183 | Rock sample | -41.1487 | -70.1638 | 952.7 | -0.01 |
| 37 | 48184 | Rock sample | -41.1489 | -70.1639 | 956.8 | -0.01 |
| 37 | 48185 | Rock sample | -41.149 | -70.1641 | 955.1 | 0.02 |
| 37 | 48186 | Rock sample | -41.1492 | -70.1642 | 956.4 | 0.1 |
| 37 | 48187 | Rock sample | -41.1493 | -70.1643 | 957.8 | 0.07 |
| 37 | 48188 | Rock sample | -41.1495 | -70.1644 | 960.1 | 0.04 |
| 37 | 48189 | Rock sample | -41.1496 | -70.1645 | 950.4 | -0.01 |
| 37 | 48190 | Rock sample | -41.1498 | -70.1646 | 949.1 | -0.01 |
| 37 | 48191 | Rock sample | -41.15 | -70.1647 | 946.4 | 0.85 |
| 37 | 48128 | Rock sample | -41.1529 | -70.1659 | 974.9 | 0.06 |
| 37 | 48129 | Rock sample | -41.1531 | -70.166 | 975.2 | -0.01 |
| 37 | 48130 | Rock sample | -41.1533 | -70.1661 | 974.2 | -0.01 |
| 37 | 48131 | Rock sample | -41.1534 | -70.1662 | 976.3 | -0.01 |
| 37 | 48132 | Rock sample | -41.1535 | -70.1663 | 975.5 | -0.01 |
| 37 | 48134 | Rock sample | -41.1539 | -70.1666 | 960.1 | 0.02 |
| 37 | 48135 | Rock sample | -41.1535 | -70.1668 | 964.6 | 0.03 |
| 37 | 48136 | Rock sample | -41.1534 | -70.1666 | 970.5 | 0.07 |
| 37 | 48137 | Rock sample | -41.1532 | -70.1665 | 969.8 | -0.01 |
| 37 | 48138 | Rock sample | -41.1531 | -70.1664 | 969.1 | 0.61 |
| 37 | 48139 | Rock sample | -41.1529 | -70.1663 | 968.5 | -0.01 |
| 37 | 48140 | Rock sample | -41.1528 | -70.1662 | 971.9 | 0.01 |
| 37 | 48141 | Rock sample | -41.1526 | -70.1661 | 973.3 | -0.01 |
| 37 | 48142 | Rock sample | -41.1524 | -70.166 | 976.1 | 0.71 |
| 37 | 48143 | Rock sample | -41.1523 | -70.1659 | 978.1 | 0.59 |
| 37 | 48144 | Rock sample | -41.1521 | -70.1657 | 980.2 | 0.41 |
| 37 | 48145 | Rock sample | -41.1519 | -70.1656 | 978.6 | 0.26 |
| 37 | 48146 | Rock sample | -41.1518 | -70.1655 | 977.3 | -0.01 |
| 37 | 48147 | Rock sample | -41.1516 | -70.1654 | 973.2 | -0.01 |
| 37 | 48148 | Rock sample | -41.1515 | -70.1653 | 973.4 | 1.6 |
| 37 | 48149 | Rock sample | -41.1513 | -70.1651 | 971 | 0.19 |
| 37 | 48150 | Rock sample | -41.1512 | -70.165 | 969.2 | 0.03 |
| 37 | 48151 | Rock sample | -41.151 | -70.1649 | 967.4 | -0.01 |
| 37 | 48152 | Rock sample | -41.1508 | -70.1648 | 966.8 | 0.11 |
| 37 | 48153 | Rock sample | -41.1507 | -70.1647 | 958.7 | 0.1 |
| 37 | 48154 | Rock sample | -41.1505 | -70.1646 | 958.4 | 0.21 |
| 37 | 48155 | Rock sample | -41.1504 | -70.1645 | 957.9 | 0.17 |
| 37 | 48156 | Rock sample | -41.1502 | -70.1644 | 955.8 | 0.39 |
| 37 | 48157 | Rock sample | -41.15 | -70.1643 | 953.7 | 0.12 |
| 37 | 48158 | Rock sample | -41.1499 | -70.1642 | 953.5 | 0.18 |
| 37 | 48159 | Rock sample | -41.1497 | -70.164 | 956.7 | 0.27 |
| 37 | 48096 | Rock sample | -41.1477 | -70.1622 | 945.9 | 0.02 |
| 37 | 48097 | Rock sample | -41.1479 | -70.1623 | 941.5 | -0.01 |
| 37 | 48098 | Rock sample | -41.148 | -70.1624 | 937.2 | 0.3 |
| 37 | 48099 | Rock sample | -41.1482 | -70.1625 | 941 | 0.01 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48100 | Rock sample | -41.1484 | -70.1626 | 942.6 | -0.01 |
| 37 | 48101 | Rock sample | -41.1486 | -70.1628 | 948.5 | -0.01 |
| 37 | 48102 | Rock sample | -41.1487 | -70.1628 | 955.5 | -0.01 |
| 37 | 48103 | Rock sample | -41.1489 | -70.163 | 956.4 | 0.35 |
| 37 | 48104 | Rock sample | -41.149 | -70.1631 | 956.5 | 0.2 |
| 37 | 48105 | Rock sample | -41.1492 | -70.1632 | 956 | -0.01 |
| 37 | 48106 | Rock sample | -41.1493 | -70.1633 | 959.7 | 5.21 |
| 37 | 48107 | Rock sample | -41.1495 | -70.1634 | 963.9 | 0.33 |
| 37 | 48108 | Rock sample | -41.1497 | -70.1635 | 959.7 | 0.05 |
| 37 | 48109 | Rock sample | -41.1498 | -70.1636 | 956.5 | 0.36 |
| 37 | 48110 | Rock sample | -41.15 | -70.1637 | 956.2 | 0.52 |
| 37 | 48111 | Rock sample | -41.1502 | -70.1639 | 955.4 | -0.01 |
| 37 | 48112 | Rock sample | -41.1503 | -70.164 | 955.3 | 0.75 |
| 37 | 48113 | Rock sample | -41.1505 | -70.1641 | 956.4 | 0.04 |
| 37 | 48114 | Rock sample | -41.1506 | -70.1642 | 956.6 | -0.01 |
| 37 | 48115 | Rock sample | -41.1508 | -70.1643 | 958.8 | 0.17 |
| 37 | 48116 | Rock sample | -41.151 | -70.1644 | 959.3 | 0.04 |
| 37 | 48117 | Rock sample | -41.1511 | -70.1645 | 959.1 | 0.17 |
| 37 | 48118 | Rock sample | -41.1513 | -70.1647 | 958.8 | 0.01 |
| 37 | 48119 | Rock sample | -41.1514 | -70.1647 | 958.3 | 0.04 |
| 37 | 48120 | Rock sample | -41.1516 | -70.1649 | 962.6 | 1.27 |
| 37 | 48121 | Rock sample | -41.1518 | -70.165 | 971.8 | -0.01 |
| 37 | 48122 | Rock sample | -41.152 | -70.1652 | 973.7 | 0.03 |
| 37 | 48123 | Rock sample | -41.1521 | -70.1653 | 976 | 0.08 |
| 37 | 48124 | Rock sample | -41.1523 | -70.1654 | 974.9 | 0.53 |
| 37 | 48125 | Rock sample | -41.1525 | -70.1655 | 975.9 | -0.01 |
| 37 | 48126 | Rock sample | -41.1526 | -70.1656 | 976.7 | 0.54 |
| 37 | 48127 | Rock sample | -41.1528 | -70.1657 | 975.8 | -0.01 |
| 37 | 48064 | Rock sample | -41.1491 | -70.1627 | 954 | 0.37 |
| 37 | 48065 | Rock sample | -41.1493 | -70.1629 | 956 | 3.77 |
| 37 | 48066 | Rock sample | -41.1495 | -70.163 | 956 | 2.27 |
| 37 | 48067 | Rock sample | -41.1497 | -70.1631 | 957 | 11.14 |
| 37 | 48068 | Rock sample | -41.1499 | -70.1632 | 958 | 0.92 |
| 37 | 48069 | Rock sample | -41.1501 | -70.1634 | 959 | 0.12 |
| 37 | 48070 | Rock sample | -41.1502 | -70.1635 | 959 | 0.09 |
| 37 | 48071 | Rock sample | -41.1504 | -70.1636 | 959 | 0.38 |
| 37 | 48072 | Rock sample | -41.1506 | -70.1637 | 963 | 0.03 |
| 37 | 48073 | Rock sample | -41.1507 | -70.1638 | 968 | -0.01 |
| 37 | 48074 | Rock sample | -41.1509 | -70.1639 | 970 | -0.01 |
| 37 | 48075 | Rock sample | -41.1511 | -70.1641 | 974 | -0.01 |
| 37 | 48076 | Rock sample | -41.1513 | -70.1642 | 977 | 0.33 |
| 37 | 48077 | Rock sample | -41.1514 | -70.1643 | 976 | 0.19 |
| 37 | 48078 | Rock sample | -41.1516 | -70.1644 | 977 | 0.01 |
| 37 | 48079 | Rock sample | -41.1518 | -70.1646 | 976 | 0.5 |
| 37 | 48080 | Rock sample | -41.152 | -70.1647 | 977 | 0.94 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48081 | Rock sample | -41.1522 | -70.1648 | 978.4 | 2.69 |
| 37 | 48082 | Rock sample | -41.1523 | -70.1649 | 981.1 | 0.67 |
| 37 | 48083 | Rock sample | -41.1525 | -70.165 | 980.3 | 0.6 |
| 37 | 48084 | Rock sample | -41.1527 | -70.1651 | 979 | -0.01 |
| 37 | 48085 | Rock sample | -41.1528 | -70.1653 | 979 | 0.85 |
| 37 | 48086 | Rock sample | -41.153 | -70.1654 | 979.7 | -0.01 |
| 37 | 48087 | Rock sample | -41.1532 | -70.1655 | 986.3 | 5.56 |
| 37 | 48088 | Rock sample | -41.1534 | -70.1657 | 978.2 | 0.06 |
| 37 | 48089 | Rock sample | -41.1535 | -70.1658 | 979 | -0.01 |
| 37 | 48090 | Rock sample | -41.1537 | -70.1659 | 970.9 | -0.01 |
| 37 | 48091 | Rock sample | -41.1539 | -70.166 | 971 | 0.21 |
| 37 | 48092 | Rock sample | -41.154 | -70.1661 | 966.3 | 0.33 |
| 37 | 48093 | Rock sample | -41.1472 | -70.1619 | 932.5 | 0.03 |
| 37 | 48094 | Rock sample | -41.1475 | -70.162 | 933 | 0.12 |
| 37 | 48095 | Rock sample | -41.1476 | -70.1621 | 933.2 | 0.01 |
| 37 | 48063 | Rock sample | -41.149 | -70.1626 | 958 | 0.18 |
| 37 | 48480 | Rock sample | -41.1526 | -70.1641 | 983.1 | 2.76 |
| 37 | 48481 | Rock sample | -41.1528 | -70.1642 | 982.6 | 0.72 |
| 37 | 48482 | Rock sample | -41.153 | -70.1643 | 983.6 | 2.51 |
| 37 | 48483 | Rock sample | -41.1531 | -70.1644 | 987.3 | 6.98 |
| 37 | 48484 | Rock sample | -41.1533 | -70.1645 | 986.3 | -0.01 |
| 37 | 48485 | Rock sample | -41.1534 | -70.1646 | 986.1 | 0.01 |
| 37 | 48486 | Rock sample | -41.1536 | -70.1647 | 984.6 | 0.05 |
| 37 | 48487 | Rock sample | -41.1537 | -70.1649 | 984.6 | -0.01 |
| 37 | 48488 | Rock sample | -41.1539 | -70.165 | 985.8 | 1.12 |
| 37 | 48489 | Rock sample | -41.1541 | -70.1651 | 987.7 | 0.37 |
| 37 | 48490 | Rock sample | -41.1542 | -70.1652 | 984.8 | -0.01 |
| 37 | 48491 | Rock sample | -41.1544 | -70.1653 | 977.5 | 0.08 |
| 37 | 48492 | Rock sample | -41.1545 | -70.1654 | 970.3 | 0.03 |
| 37 | 48493 | Rock sample | -41.1505 | -70.1619 | 947.2 | 3.62 |
| 37 | 48494 | Rock sample | -41.1506 | -70.162 | 947.7 | 0.93 |
| 37 | 48495 | Rock sample | -41.1508 | -70.1622 | 947.8 | 0.28 |
| 37 | 48496 | Rock sample | -41.1509 | -70.1623 | 955.3 | 0.25 |
| 37 | 48497 | Rock sample | -41.151 | -70.1624 | 954.5 | 0.09 |
| 37 | 48498 | Rock sample | -41.1513 | -70.1625 | 963 | 0.34 |
| 37 | 48499 | Rock sample | -41.1514 | -70.1626 | 962.2 | -0.01 |
| 37 | 48500 | Rock sample | -41.1516 | -70.1627 | 962.9 | -0.01 |
| 37 | 48501 | Rock sample | -41.1517 | -70.1628 | 965.7 | 0.02 |
| 37 | 48502 | Rock sample | -41.1518 | -70.163 | 963.5 | 0.15 |
| 37 | 48503 | Rock sample | -41.152 | -70.163 | 950.9 | 0.01 |
| 37 | 48504 | Rock sample | -41.1521 | -70.1632 | 959.9 | 0.07 |
| 37 | 48505 | Rock sample | -41.1523 | -70.1633 | 977.2 | 0.32 |
| 37 | 48506 | Rock sample | -41.1525 | -70.1634 | 977.6 | -0.01 |
| 37 | 48507 | Rock sample | -41.1526 | -70.1635 | 978.3 | 0.84 |
| 37 | 48508 | Rock sample | -41.1528 | -70.1637 | 977.6 | 4.25 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48509 | Rock sample | -41.153 | -70.1638 | 978.1 | 0.63 |
| 37 | 48510 | Rock sample | -41.1531 | -70.1639 | 978.9 | 1.76 |
| 37 | 48511 | Rock sample | -41.1533 | -70.164 | 978.6 | 0.01 |
| 37 | 48448 | Rock sample | -41.1495 | -70.1717 | 941.1 | 0.02 |
| 37 | 48449 | Rock sample | -41.1493 | -70.1716 | 938.8 | -0.01 |
| 37 | 48450 | Rock sample | -41.1492 | -70.1715 | 936.4 | 0.03 |
| 37 | 48451 | Rock sample | -41.149 | -70.1713 | 936.4 | 1.17 |
| 37 | 48452 | Rock sample | -41.1489 | -70.1713 | 929.5 | -0.01 |
| 37 | 48453 | Rock sample | -41.1487 | -70.1711 | 925.9 | 0.05 |
| 37 | 48454 | Rock sample | -41.1485 | -70.171 | 925.6 | 0.92 |
| 37 | 48455 | Rock sample | -41.1484 | -70.1709 | 918.8 | 0.88 |
| 37 | 48456 | Rock sample | -41.1482 | -70.1708 | 916.1 | -0.01 |
| 37 | 48457 | Rock sample | -41.1481 | -70.1707 | 912.8 | -0.01 |
| 37 | 48458 | Rock sample | -41.1484 | -70.1715 | 930.1 | -0.01 |
| 37 | 48459 | Rock sample | -41.1486 | -70.1716 | 925.5 | 0.08 |
| 37 | 48460 | Rock sample | -41.1487 | -70.1717 | 927.2 | -0.01 |
| 37 | 48461 | Rock sample | -41.1489 | -70.1718 | 932.8 | 0.02 |
| 37 | 48462 | Rock sample | -41.1464 | -70.1661 | 914.1 | 30.07 |
| 37 | 48463 | Rock sample | -41.1463 | -70.1655 | 914.3 | 0.62 |
| 37 | 48464 | Rock sample | -41.1462 | -70.1647 | 918.4 | 0.09 |
| 37 | 48465 | Rock sample | -41.1462 | -70.1643 | 918.3 | 0.09 |
| 37 | 48466 | Rock sample | -41.1504 | -70.1625 | 945.8 | 4.63 |
| 37 | 48467 | Rock sample | -41.1506 | -70.1626 | 946.2 | 0.2 |
| 37 | 48468 | Rock sample | -41.1508 | -70.1627 | 954.4 | 0.15 |
| 37 | 48469 | Rock sample | -41.1509 | -70.1628 | 959 | 0.02 |
| 37 | 48470 | Rock sample | -41.1511 | -70.1629 | 963.7 | -0.01 |
| 37 | 48471 | Rock sample | -41.1512 | -70.163 | 964.9 | 0.02 |
| 37 | 48472 | Rock sample | -41.1514 | -70.1631 | 987.3 | 0.01 |
| 37 | 48473 | Rock sample | -41.1516 | -70.1632 | 984.5 | 0.16 |
| 37 | 48474 | Rock sample | -41.1517 | -70.1633 | 971.4 | 1.49 |
| 37 | 48475 | Rock sample | -41.1519 | -70.1635 | 974.2 | 0.6 |
| 37 | 48476 | Rock sample | -41.152 | -70.1636 | 977.5 | 0.91 |
| 37 | 48477 | Rock sample | -41.1522 | -70.1637 | 980.9 | 0.74 |
| 37 | 48478 | Rock sample | -41.1523 | -70.1638 | 982.7 | 0.79 |
| 37 | 48479 | Rock sample | -41.1525 | -70.1639 | 983.1 | 2.58 |
| 37 | 48416 | Rock sample | -41.1507 | -70.1709 | 924.5 | 0.01 |
| 37 | 48417 | Rock sample | -41.1509 | -70.1711 | 936 | -0.01 |
| 37 | 48418 | Rock sample | -41.151 | -70.1712 | 932.1 | -0.01 |
| 37 | 48419 | Rock sample | -41.1507 | -70.1715 | 921 | 0.01 |
| 37 | 48420 | Rock sample | -41.1506 | -70.1714 | 903.2 | 0.02 |
| 37 | 48421 | Rock sample | -41.1504 | -70.1712 | 931.5 | 0.01 |
| 37 | 48422 | Rock sample | -41.1502 | -70.1711 | 937.2 | 0.04 |
| 37 | 48423 | Rock sample | -41.1501 | -70.171 | 938.2 | -0.01 |
| 37 | 48424 | Rock sample | -41.1499 | -70.1709 | 938.4 | 0.23 |
| 37 | 48425 | Rock sample | -41.1498 | -70.1708 | 943.4 | 4.7 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48426 | Rock sample | -41.1496 | -70.1707 | 936.6 | -0.01 |
| 37 | 48427 | Rock sample | -41.1495 | -70.1706 | 929.5 | 0.02 |
| 37 | 48428 | Rock sample | -41.1493 | -70.1704 | 926.7 | 0.02 |
| 37 | 48429 | Rock sample | -41.1492 | -70.1703 | 928 | 0.06 |
| 37 | 48430 | Rock sample | -41.149 | -70.1702 | 927.6 | 0.08 |
| 37 | 48431 | Rock sample | -41.1488 | -70.1701 | 923.7 | 0.14 |
| 37 | 48432 | Rock sample | -41.1483 | -70.1702 | 911.2 | -0.01 |
| 37 | 48433 | Rock sample | -41.1484 | -70.1703 | 916.6 | -0.01 |
| 37 | 48434 | Rock sample | -41.1485 | -70.1704 | 918.5 | 0.07 |
| 37 | 48435 | Rock sample | -41.1487 | -70.1706 | 927.7 | 0.22 |
| 37 | 48436 | Rock sample | -41.1489 | -70.1707 | 928.5 | 0.46 |
| 37 | 48437 | Rock sample | -41.149 | -70.1709 | 934.5 | 0.91 |
| 37 | 48438 | Rock sample | -41.1492 | -70.171 | 934.6 | 1.32 |
| 37 | 48439 | Rock sample | -41.1493 | -70.1711 | 933.9 | 0.06 |
| 37 | 48440 | Rock sample | -41.1495 | -70.1712 | 939.5 | -0.01 |
| 37 | 48441 | Rock sample | -41.1497 | -70.1713 | 940.6 | 0.08 |
| 37 | 48442 | Rock sample | -41.1498 | -70.1714 | 939.9 | 0.07 |
| 37 | 48443 | Rock sample | -41.15 | -70.1715 | 934.6 | -0.01 |
| 37 | 48444 | Rock sample | -41.1501 | -70.1716 | 929.6 | -0.01 |
| 37 | 48445 | Rock sample | -41.1503 | -70.1717 | 926.9 | 0.13 |
| 37 | 48446 | Rock sample | -41.1498 | -70.1719 | 931.8 | 0.06 |
| 37 | 48447 | Rock sample | -41.1496 | -70.1718 | 935.1 | -0.01 |
| 37 | 48384 | Rock sample | -41.1494 | -70.1683 | 930.1 | -0.01 |
| 37 | 48385 | Rock sample | -41.1495 | -70.1689 | 941.4 | 0.31 |
| 37 | 48386 | Rock sample | -41.1496 | -70.169 | 933.5 | 0.03 |
| 37 | 48387 | Rock sample | -41.1498 | -70.1692 | 931.6 | -0.01 |
| 37 | 48388 | Rock sample | -41.1499 | -70.1693 | 931.8 | -0.01 |
| 37 | 48389 | Rock sample | -41.1501 | -70.1694 | 938.6 | -0.01 |
| 37 | 48390 | Rock sample | -41.1502 | -70.1695 | 944.5 | -0.01 |
| 37 | 48391 | Rock sample | -41.1504 | -70.1696 | 946 | 0.2 |
| 37 | 48392 | Rock sample | -41.1506 | -70.1697 | 947.8 | -0.01 |
| 37 | 48393 | Rock sample | -41.1511 | -70.1707 | 936.5 | -0.01 |
| 37 | 48394 | Rock sample | -41.151 | -70.1706 | 938.2 | 0.02 |
| 37 | 48395 | Rock sample | -41.1508 | -70.1705 | 940.8 | -0.01 |
| 37 | 48396 | Rock sample | -41.1503 | -70.1701 | 944.3 | 0.02 |
| 37 | 48397 | Rock sample | -41.1502 | -70.17 | 947.5 | -0.01 |
| 37 | 48398 | Rock sample | -41.15 | -70.1699 | 940.5 | -0.01 |
| 37 | 48399 | Rock sample | -41.1498 | -70.1697 | 943.8 | -0.01 |
| 37 | 48400 | Rock sample | -41.1497 | -70.1696 | 941.1 | 0.03 |
| 37 | 48401 | Rock sample | -41.1496 | -70.1696 | 931.3 | -0.01 |
| 37 | 48402 | Rock sample | -41.1494 | -70.1694 | 928.8 | -0.01 |
| 37 | 48403 | Rock sample | -41.148 | -70.1684 | 913.7 | 0.32 |
| 37 | 48404 | Rock sample | -41.1481 | -70.1679 | 914.6 | 0.37 |
| 37 | 48405 | Rock sample | -41.149 | -70.1697 | 918.9 | -0.01 |
| 37 | 48406 | Rock sample | -41.1492 | -70.1698 | 921 | 0.02 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48407 | Rock sample | -41.1493 | -70.1699 | 924.5 | 1.08 |
| 37 | 48408 | Rock sample | -41.1495 | -70.17 | 933.2 | -0.01 |
| 37 | 48409 | Rock sample | -41.1496 | -70.1702 | 935.4 | 0.02 |
| 37 | 48410 | Rock sample | -41.1498 | -70.1703 | 944.4 | -0.01 |
| 37 | 48411 | Rock sample | -41.15 | -70.1704 | 944.8 | 0.39 |
| 37 | 48412 | Rock sample | -41.1501 | -70.1705 | 944.3 | -0.01 |
| 37 | 48413 | Rock sample | -41.1503 | -70.1706 | 947.1 | 0.02 |
| 37 | 48414 | Rock sample | -41.1504 | -70.1708 | 944.4 | -0.01 |
| 37 | 48415 | Rock sample | -41.1505 | -70.1709 | 935.8 | 0.03 |
| 37 | 48352 | Rock sample | -41.1493 | -70.167 | 922.9 | 0.03 |
| 37 | 48353 | Rock sample | -41.1491 | -70.1669 | 925.1 | 0.01 |
| 37 | 48354 | Rock sample | -41.1488 | -70.1667 | 925.1 | 0.31 |
| 37 | 48355 | Rock sample | -41.1486 | -70.1666 | 926.8 | 0.15 |
| 37 | 48356 | Rock sample | -41.1485 | -70.1665 | 925.5 | -0.01 |
| 37 | 48357 | Rock sample | -41.1483 | -70.1664 | 920.1 | 0.07 |
| 37 | 48358 | Rock sample | -41.1481 | -70.1662 | 918.1 | -0.01 |
| 37 | 48359 | Rock sample | -41.148 | -70.1661 | 918 | -0.01 |
| 37 | 48360 | Rock sample | -41.1478 | -70.166 | 918.1 | 0.87 |
| 37 | 48361 | Rock sample | -41.1477 | -70.1659 | 906.2 | 0.08 |
| 37 | 48362 | Rock sample | -41.1475 | -70.1658 | 935.1 | 0.03 |
| 37 | 48363 | Rock sample | -41.1491 | -70.1675 | 923.5 | -0.01 |
| 37 | 48364 | Rock sample | -41.1493 | -70.1676 | 921.2 | 0.26 |
| 37 | 48365 | Rock sample | -41.1494 | -70.1677 | 918.8 | 1.36 |
| 37 | 48366 | Rock sample | -41.1496 | -70.1678 | 928.7 | 0.38 |
| 37 | 48367 | Rock sample | -41.1497 | -70.168 | 930.1 | 0.08 |
| 37 | 48368 | Rock sample | -41.1499 | -70.1681 | 931.3 | 0.55 |
| 37 | 48369 | Rock sample | -41.15 | -70.1682 | 933.4 | 0.04 |
| 37 | 48370 | Rock sample | -41.1502 | -70.1683 | 941 | 0.74 |
| 37 | 48371 | Rock sample | -41.1503 | -70.1684 | 946.8 | -0.01 |
| 37 | 48372 | Rock sample | -41.1505 | -70.1686 | 951.1 | 0.25 |
| 37 | 48373 | Rock sample | -41.1507 | -70.1686 | 952.5 | 0.1 |
| 37 | 48374 | Rock sample | -41.1508 | -70.1687 | 954 | 0.07 |
| 37 | 48375 | Rock sample | -41.151 | -70.1689 | 961.3 | 0.07 |
| 37 | 48376 | Rock sample | -41.1506 | -70.1692 | 952.4 | 0.04 |
| 37 | 48377 | Rock sample | -41.1505 | -70.1691 | 950.5 | 0.02 |
| 37 | 48378 | Rock sample | -41.1503 | -70.169 | 950.2 | 0.04 |
| 37 | 48379 | Rock sample | -41.1502 | -70.1689 | 943.3 | 0.08 |
| 37 | 48380 | Rock sample | -41.15 | -70.1688 | 938 | 0.08 |
| 37 | 48381 | Rock sample | -41.1498 | -70.1687 | 934.9 | 0.07 |
| 37 | 48382 | Rock sample | -41.1497 | -70.1685 | 934.1 | 1.3 |
| 37 | 48383 | Rock sample | -41.1495 | -70.1684 | 929.3 | -0.01 |
| 37 | 48320 | Rock sample | -41.1481 | -70.1656 | 929.4 | -0.01 |
| 37 | 48321 | Rock sample | -41.1482 | -70.1657 | 933.7 | -0.01 |
| 37 | 48322 | Rock sample | -41.1484 | -70.1658 | 932.7 | -0.01 |
| 37 | 48323 | Rock sample | -41.1485 | -70.1659 | 930.3 | 0.1 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48324 | Rock sample | -41.1487 | -70.166 | 929.6 | -0.01 |
| 37 | 48325 | Rock sample | -41.1489 | -70.1662 | 936.2 | 0.39 |
| 37 | 48326 | Rock sample | -41.149 | -70.1663 | 932.7 | 0.39 |
| 37 | 48327 | Rock sample | -41.1492 | -70.1664 | 929.8 | 0.1 |
| 37 | 48328 | Rock sample | -41.1496 | -70.1667 | 929.5 | 0.04 |
| 37 | 48329 | Rock sample | -41.1498 | -70.1668 | 927.3 | 0.08 |
| 37 | 48330 | Rock sample | -41.1499 | -70.1669 | 933.8 | 0.2 |
| 37 | 48331 | Rock sample | -41.1501 | -70.1671 | 954 | 1.16 |
| 37 | 48332 | Rock sample | -41.1503 | -70.1672 | 951.6 | 0.41 |
| 37 | 48333 | Rock sample | -41.1504 | -70.1673 | 949.2 | 0.39 |
| 37 | 48334 | Rock sample | -41.1505 | -70.1674 | 948.9 | 0.86 |
| 37 | 48335 | Rock sample | -41.1507 | -70.1675 | 948.9 | 0.92 |
| 37 | 48336 | Rock sample | -41.1509 | -70.1676 | 952.4 | 0.11 |
| 37 | 48337 | Rock sample | -41.151 | -70.1677 | 955 | 0.18 |
| 37 | 48338 | Rock sample | -41.1512 | -70.1678 | 949.3 | 0.55 |
| 37 | 48339 | Rock sample | -41.1513 | -70.168 | 941.5 | 0.55 |
| 37 | 48340 | Rock sample | -41.1512 | -70.1685 | 950.5 | 0.01 |
| 37 | 48341 | Rock sample | -41.1509 | -70.1683 | 956.9 | 1.23 |
| 37 | 48342 | Rock sample | -41.1508 | -70.1682 | 960.9 | -0.01 |
| 37 | 48343 | Rock sample | -41.1506 | -70.1681 | 949.1 | 0.27 |
| 37 | 48344 | Rock sample | -41.1505 | -70.1679 | 956.7 | -0.01 |
| 37 | 48345 | Rock sample | -41.1503 | -70.1678 | 946.2 | -0.01 |
| 37 | 48346 | Rock sample | -41.1502 | -70.1677 | 945.9 | 0.88 |
| 37 | 48347 | Rock sample | -41.15 | -70.1675 | 929.3 | 2.46 |
| 37 | 48348 | Rock sample | -41.1499 | -70.1675 | 935.3 | 0.43 |
| 37 | 48349 | Rock sample | -41.1497 | -70.1674 | 923.4 | 0.56 |
| 37 | 48350 | Rock sample | -41.1496 | -70.1673 | 926.3 | 0.02 |
| 37 | 48351 | Rock sample | -41.1494 | -70.1671 | 921.2 | 1.07 |
| 37 | 48288 | Rock sample | -41.1515 | -70.1675 | 950.6 | 0.17 |
| 37 | 48289 | Rock sample | -41.1513 | -70.1674 | 955.5 | 0.41 |
| 37 | 48290 | Rock sample | -41.1511 | -70.1673 | 953.2 | -0.01 |
| 37 | 48291 | Rock sample | -41.151 | -70.1672 | 954.1 | 0.25 |
| 37 | 48292 | Rock sample | -41.1508 | -70.167 | 952.8 | 0.66 |
| 37 | 48293 | Rock sample | -41.1507 | -70.1669 | 951.5 | 0.87 |
| 37 | 48294 | Rock sample | -41.1506 | -70.1668 | 951.8 | 0.68 |
| 37 | 48295 | Rock sample | -41.1504 | -70.1667 | 938.6 | 0.15 |
| 37 | 48296 | Rock sample | -41.1502 | -70.1666 | 933.7 | 0.31 |
| 37 | 48297 | Rock sample | -41.15 | -70.1665 | 935.7 | -0.01 |
| 37 | 48298 | Rock sample | -41.1499 | -70.1663 | 933.2 | 0.03 |
| 37 | 48299 | Rock sample | -41.1498 | -70.1662 | 933.9 | 0.01 |
| 37 | 48300 | Rock sample | -41.1496 | -70.1661 | 933.6 | 0.03 |
| 37 | 48301 | Rock sample | -41.1495 | -70.166 | 929.9 | 0.97 |
| 37 | 48302 | Rock sample | -41.1493 | -70.1659 | 928.3 | -0.01 |
| 37 | 48303 | Rock sample | -41.1491 | -70.1658 | 941.9 | -0.01 |
| 37 | 48304 | Rock sample | -41.149 | -70.1656 | 941.3 | 0.02 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48305 | Rock sample | -41.1488 | -70.1655 | 933.8 | -0.01 |
| 37 | 48306 | Rock sample | -41.1486 | -70.1654 | 931.5 | -0.01 |
| 37 | 48307 | Rock sample | -41.1485 | -70.1653 | 934.2 | -0.01 |
| 37 | 48308 | Rock sample | -41.1483 | -70.1652 | 941.7 | -0.01 |
| 37 | 48309 | Rock sample | -41.1482 | -70.1651 | 931.4 | 0.09 |
| 37 | 48310 | Rock sample | -41.148 | -70.165 | 924.9 | 2.56 |
| 37 | 48311 | Rock sample | -41.1479 | -70.1649 | 931.4 | 0.34 |
| 37 | 48312 | Rock sample | -41.1477 | -70.1648 | 932.4 | -0.01 |
| 37 | 48313 | Rock sample | -41.1476 | -70.1647 | 923.8 | 0.05 |
| 37 | 48314 | Rock sample | -41.1474 | -70.1645 | 923.3 | 0.33 |
| 37 | 48315 | Rock sample | -41.1472 | -70.1645 | 916 | -0.01 |
| 37 | 48316 | Rock sample | -41.1474 | -70.1651 | 931.9 | 0.02 |
| 37 | 48317 | Rock sample | -41.1476 | -70.1653 | 928.1 | -0.01 |
| 37 | 48318 | Rock sample | -41.1478 | -70.1654 | 932.1 | 0.08 |
| 37 | 48319 | Rock sample | -41.148 | -70.1655 | 927.7 | -0.01 |
| 37 | 48256 | Rock sample | -41.1481 | -70.1645 | 930.1 | -0.01 |
| 37 | 48257 | Rock sample | -41.1483 | -70.1646 | 929.3 | -0.01 |
| 37 | 48258 | Rock sample | -41.1484 | -70.1647 | 929.9 | -0.01 |
| 37 | 48259 | Rock sample | -41.1486 | -70.1648 | 940 | -0.01 |
| 37 | 48260 | Rock sample | -41.1487 | -70.165 | 943.5 | -0.01 |
| 37 | 48261 | Rock sample | -41.1488 | -70.165 | 947.5 | -0.01 |
| 37 | 48262 | Rock sample | -41.149 | -70.1652 | 947.8 | 0.01 |
| 37 | 48263 | Rock sample | -41.1491 | -70.1652 | 972.7 | -0.01 |
| 37 | 48264 | Rock sample | -41.1492 | -70.1653 | 953 | 0.01 |
| 37 | 48265 | Rock sample | -41.1494 | -70.1655 | 945.5 | 0.18 |
| 37 | 48266 | Rock sample | -41.1496 | -70.1656 | 942.6 | 0.01 |
| 37 | 48267 | Rock sample | -41.1498 | -70.1657 | 940.7 | -0.01 |
| 37 | 48268 | Rock sample | -41.1499 | -70.1658 | 940.3 | 0.01 |
| 37 | 48269 | Rock sample | -41.1501 | -70.1659 | 952 | 0.05 |
| 37 | 48270 | Rock sample | -41.1502 | -70.166 | 946.7 | 0.03 |
| 37 | 48271 | Rock sample | -41.1504 | -70.1661 | 953.8 | 0.02 |
| 37 | 48272 | Rock sample | -41.1506 | -70.1663 | 953.2 | 0.11 |
| 37 | 48273 | Rock sample | -41.1507 | -70.1664 | 963.6 | 0.11 |
| 37 | 48274 | Rock sample | -41.1509 | -70.1665 | 953.6 | 0.1 |
| 37 | 48275 | Rock sample | -41.151 | -70.1666 | 965.7 | 0.06 |
| 37 | 48276 | Rock sample | -41.1512 | -70.1667 | 965.4 | -0.01 |
| 37 | 48277 | Rock sample | -41.1513 | -70.1668 | 962.2 | 0.35 |
| 37 | 48278 | Rock sample | -41.1515 | -70.167 | 967.2 | 0.15 |
| 37 | 48279 | Rock sample | -41.1517 | -70.1671 | 961.4 | 0.11 |
| 37 | 48280 | Rock sample | -41.1518 | -70.1672 | 967.4 | 2.07 |
| 37 | 48281 | Rock sample | -41.152 | -70.1673 | 969.4 | 1.12 |
| 37 | 48282 | Rock sample | -41.1521 | -70.1674 | 960 | 2.62 |
| 37 | 48283 | Rock sample | -41.1523 | -70.1675 | 959.8 | 1.87 |
| 37 | 48284 | Rock sample | -41.1525 | -70.1676 | 959.9 | 0.91 |
| 37 | 48285 | Rock sample | -41.1519 | -70.1678 | 955.6 | 4.71 |

| Target | Sample ID | Sample Type | Latitude | Longitude | RL (m) | Au (gpt) |
|--------|-----------|-------------|----------|-----------|--------|----------|
| 37 | 48286 | Rock sample | -41.1518 | -70.1677 | 956.7 | 0.62 |
| 37 | 48287 | Rock sample | -41.1516 | -70.1676 | 953.2 | 0.12 |

JORC Code Reporting Criteria

Section 1 Sampling Techniques and Data

| Criteria | JORC Code Explanation | Commentary |
|------------------------------|---|---|
| Sampling Techniques | <ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialized industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Sampling was undertaken on a grid pattern on lines perpendicular to the main trends of quartz veins and veinlets identified during reconnaissance mapping Lines on the grid were spaced 40m apart and samples taken as composites over intervals of 20m. Composite sampling over these 20m intervals was done by taking a small representative sample of whatever rock or float material that was encountered every metre with a rope marked with knots at 1m intervals to control this spacing. When there was insufficient material representative of bed-rock at the 1m intervals the geologist walked over the 20m interval collecting float fragments of what was visually estimated to be a representative sample. A small sample was taken from the central part of each sample interval for spectral analysis by an Orepress instrument. Sample locations are determined by a handheld GPS |
| Drilling Techniques | <ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). | <ul style="list-style-type: none"> No drill results are referenced in this announcement |
| Drill Sample Recovery | <ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. | <ul style="list-style-type: none"> No drill results are referenced in this announcement |

| Criteria | JORC Code Explanation | Commentary |
|--|---|---|
| | <ul style="list-style-type: none"> Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | |
| <ul style="list-style-type: none"> Logging | <ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. | <p>El Rosillo composite rock sampling</p> <p>Systematic geological logging was undertaken using a hand lens to closely examine the sampled material</p> <p>Data collected includes:</p> <ul style="list-style-type: none"> Lithology Relationship between lithologies. Alteration extent, nature and intensity. Oxidation extent, mineralogy and intensity. Quartz vein types, occurrence, width, textures and any relevant observation. Structure types, width and measurements of dip and dip direction. Crucial zones of interest were reviewed later. Total width of outcrop within the 20m intervals Estimated total width of veins/veinlets in outcrop Estimated total width of veins/veinlets in the float material |
| | <ul style="list-style-type: none"> Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. | <p>El Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Both qualitative and quantitative data is collected, though quantitative data is based on visual estimates, as described above. |
| | <ul style="list-style-type: none"> The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> 100% of all composite rock chip sample intervals are logged |
| <p>Sub-Sampling Techniques and Sample Preparation</p> | <p>If core, whether cut or sawn and whether quarter, half or all core taken.</p> | <ul style="list-style-type: none"> No drill results are referenced in this announcement |
| | <ul style="list-style-type: none"> If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. | <p>El Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Samples were collected in plastic bags of approx. 4 kg weight, properly labelled with the sample number. |

| Criteria | JORC Code Explanation | Commentary |
|---|--|---|
| | <ul style="list-style-type: none"> For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representativity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> In the Alex Stewart preparation laboratory facilities samples were dried and crushed until more than 80% is finer than 10 mesh size, then a 600g split is pulverized until 95% is finer than 106 microns. Sample sizes are considered appropriate. Field blank samples were inserted every * samples to ensure that the results do not reflect any contamination during the laboratory preparation or analysis process. |
| Quality of Assay Data and Laboratory Tests | <ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Standard assay procedures performed by a reputable assay lab (Alex Stewart) were undertaken. Gold assays are by a 50g fire assay with an atomic absorption finish. Silver was read by gravimetry on micro-balance. No geophysical tools were used in the determination of the assay results. All assay results were generated by an independent third-party laboratory as described above. Field blank samples were inserted into the sequence |
| Verification of sampling and assaying | <ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> The raw assay data forming significant intercepts are examined and discussed by at least two company personnel. Sample data has been collected in digital form in the field, directly as MapInfo tables with careful verification by several staff, particularly of the sample numbers and sample intervals. |

| Criteria | JORC Code Explanation | Commentary |
|--|--|--|
| | | <ul style="list-style-type: none"> Assay data is provided by Alex Stewart in three formats, csv spreadsheets, Excel spreadsheets and signed pdf files. The csv files are used to merge the data into MapInfo files. |
| Location of Data Points | <ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> X, Y and Z coordinates were recorded during the gridding phase in the UTM projection for zone 19 South with the WGS84 datum. The beginning of each sample interval was measured using the GPS contained within the instrument used for data recording (Samsung Galaxy S6 tablet???) accurate to ± 5m. Topographic control to date has used GPS data, which is adequate considering the small relief (<50m) in the area and early stage of this exploration. |
| Data Spacing and Distribution | <ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Lines of composite samples were orientated to cross the interpreted mineralized veins and veinlets at a high angle in a horizontal sense. Rock chip samples are 20m composites of all representative outcrop and float material on the sample line. |
| Orientation of Data in Relation to Geological Structure | <ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralized structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Lines of composite samples were orientated to cross the interpreted mineralized veins and veinlets at a high angle in a horizontal sense. |
| Sample Security | <ul style="list-style-type: none"> The measures taken to ensure sample security. | <p>EI Rosillo composite rock sampling</p> <ul style="list-style-type: none"> Chain of custody was managed by E2Metals. Samples were placed into taped polyethylene bags with sample numbers that provided no specific information on the location of the samples. Samples were transported from site to Neuquén by a hired contractor from where they were transported to Mendoza by a cargo |

| Criteria | JORC Code Explanation | Commentary |
|--------------------------|---|---|
| | | service to Mendoza where preparation and final analysis was undertaken by Alex Stewart. |
| Audits or Reviews | <ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. | <ul style="list-style-type: none"> No audit or review of the sampling regime at Rosillo has been undertaken. |

Section 2 Reporting of Exploration

| Criteria | JORC Code Explanation | Commentary |
|--|--|--|
| Mineral Tenement and Land Tenure Status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. | <p>El Rosillo comprises one title (42048/17) totaling 9713Ha. The title is held by private Argentinean company Valcheta Exploraciones SA. The title is subject to an Option to Purchase Agreement whereby E2 can acquire 100% of the title for U\$150k in E2 shares and cash.</p> <ul style="list-style-type: none"> |
| Exploration Done by Other Parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <p>Reconnaissance exploration by Valcheta</p> <ul style="list-style-type: none"> Valcheta has completed a limited phase of selective rock chip sampling at the El Rosillo project. This work led to the identification of Intrusion Related Gold-type mineralisation at Targets 37 and 38. |
| Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | <p>Rio Negro Geology and Deposit Model</p> <ul style="list-style-type: none"> Rosillo is located towards the western margin of the Somun Cura Massif geological province that stretches across southern Argentina into the Chilean southern Andes. Important precious metal deposits have been |

| Criteria | JORC Code Explanation | Commentary |
|---------------------------------|--|--|
| | | <p>discovered in the province during the past 20 years. Gold and silver mineralisation is associated with Low Sulphidation (LS) Epithermal veins in northwesterly structures that were active at the time of mineralisation.</p> |
| Drill Hole Information | <ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> • Easting and northing of the drill hole collar • Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar • Dip and azimuth of the hole • Down hole length and interception depth • Hole length <p>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</p> | <ul style="list-style-type: none"> • No drill results are referenced in this announcement |
| Data Aggregation Methods | <ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. | <ul style="list-style-type: none"> • No weighting averaging techniques, maximum and/or minimum grade truncations have been applied when reporting drill hole results. |

| Criteria | JORC Code Explanation | Commentary |
|--|---|--|
| Relationship Between Mineralisation Widths and intercept lengths. | <ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg “down hole length, true width not known”). | Drilling and possible trenching is planned to determine true widths of gold mineralisation at Target 37 |
| Diagrams | <ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | Yes. |
| Balanced Reporting | <ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | Yes |
| Other Substantive Exploration Data | <ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | There is no “other” exploration data to report |
| Further Work | <ul style="list-style-type: none"> • The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | Scout Reverse Circulation (RC) drilling is planned subject to the receipt of statutory environmental and drill permits |