

NEW THICK, SHALLOW GOLD ZONES DISCOVERED AT SIDE WELL SOUTH

HIGHLIGHTS

- First-pass reconnaissance air-core (AC) drilling has intersected multiple zones of shallow gold mineralisation at Side Well South - a new discovery prospect located on the +18km “Ironbark Corridor” and outside the current global Side Well Resource Base
- Highlights include:
 - 34m @ 1.25g/t Au from 17m, including 8m @ 3.16g/t Au from 26m in 25SWAC003
 - 41m @ 0.57g/t Au from 57m, including 7m @ 1.11g/t Au from 57m in 25SWAC004
- These intersections are potential extensions to high-grade lodes within the historic Golden Bracelet mine workings further south
- High grade intersections are contained within multiple broad zones up to 40m wide of 0.2g/t to 0.5g/t Au mineralisation
- Assays pending for 62 AC holes at Side Well South and 22 AC holes northwest of Saltbush
- RC drilling is continuing on priority targets at Mulga Bill North and maiden RC drill planning underway for Side Well South

Great Boulder Resources (“**Great Boulder**” or the “**Company**”) (ASX: **GBR**) is pleased to provide an update on exploration at the Side Well South Prospect located within the Company’s flagship Side Well Gold Project (“**Side Well**”) near Meekatharra in Western Australia which hosts a Mineral Resource Estimate (“**MRE**”) of 668,000oz @ 2.8 g/t Au.

Great Boulder’s Managing Director, Andrew Paterson commented:

“Results from the first nine AC holes drilled this year at Side Well South have identified a new shallow, high-grade gold lode, 200m north of the historic Golden Bracelet mine and 140m west of the high-grade discovery we announced in January.”

“This area is extremely prospective, highlighted by the number of historic mine workings and the surface anomalism we’ve identified using auger geochemistry. Any new discoveries of shallow gold at Side Well are exciting because they have potential to add resource ounces quickly, giving us more options to optimise a mine development.”

“We are still waiting on assays for another 62 holes in this program. Follow-up drilling will be scheduled in conjunction with the RC program currently underway at Mulga Bill North.”

71 AC holes were drilled at Side Well South in January and February, continuing the first-pass reconnaissance program begun in late 2024. Drilling is testing two large, high-tenor geochemical anomalies in an area with several historic mine workings and a history of small-scale prospecting activity.

In January, the Company announced a discovery intersection of 23m @ 0.94g/t Au from 89m, including 3m @ 4.16g/t Au in 24SWAC337 which appears to be a new gold lode northeast of Golden Bracelet. The new results in holes 25SWAC003 and 25SWAC004 are approximately 140m west of this intersection and may represent a northern extension of the high-grade gold lodes mined within the Golden Bracelet workings (Figure 1). The new line of drilling has intersected anomalous gold (>0.1g/t Au) over a 500m width, with 3 defined west-dipping mineralised zones.




FIGURE 1: RECENT RESULTS FROM FIRST-PASS AC DRILLING AT SIDE WELL SOUTH

Highlights from these 9 AC holes include:

- 5m @ 0.80g/t Au from 63m in 23SWAC001 (up-dip from the high-grade intersection in 24SWAC337)
- **34m @ 1.25g/t Au from 17m**, including **8m @ 3.16g/t Au** from 26m in 25SWAC003
- **41m @ 0.57g/t Au from 57m**, including **7m @ 1.11g/t Au** from 57m in 25SWAC004
- 2m @ 0.15g/t Au from 52m to EOH in 25SWAC005
- 2m @ 0.64g/t Au from 34m and 1m @ 0.88g/t Au from 54m in 25SWAC007.

Side Well South represents the southern portion of the 18km-long hydrothermal system collectively known as the Ironbark Corridor. The Company has also strategically expanded the prospective tenure a further 4km to the south, known as the Tal Val area, where mapping and auger sampling is being completed to generate additional targets for AC drill testing (Figure 3).

Both new lodes identified at Side Well South are similar to the Ironbark deposit, with gold mineralisation hosted within mafic lenses surrounded by ultramafics. This geological setting, often referred to as “Ironbark-style mineralisation”, is the template GBR has been using to explore for new near-surface, high-grade gold endowments at Side Well. There are several other similar targets in the Side Well South area and Tal Val areas that are yet to be drilled.




FIGURE 2: CROSS-SECTION THROUGH SIDE WELL SOUTH SHOWING THE INITIAL DISCOVERY ON THE EASTERN SIDE AND TWO ADDITIONAL MINERALISED ZONES TO THE WEST

Air-core drilling is a fast and cost-effective way to test for gold mineralisation between surface and the top of fresh rock. GBR also uses end-of-hole (EOH) multi-element geochemical analyses to map rock types and alteration, all of which assists in targeting follow-up RC drilling programs. Because AC drilling tests the weathering profile between surface and fresh rock it is effectively an advanced

geochemical technique; even results such as 2m @ 0.15g/t at the end of hole in 25SWAC005 can be significant.




FIGURE 3: SIDE WELL SOUTH AND TAL VAL ARE NEWER AREAS AT THE SOUTHERN END OF THE SIDE WELL GOLD PROJECT. INDIVIDUAL PROSPECT NAMES WILL BE GIVEN TO NEW DISCOVERIES SHORTLY.

Next Steps

A heritage survey is scheduled for Side Well South during March. This survey is expected to provide clearance for follow-up drilling around and below high-grade AC intersections.

The remaining assay results from the balance of the AC program are expected to be received over the coming weeks. Initial results from RC drilling at Mulga Bill North are expected in the second half of March.

This announcement has been approved by the Great Boulder Board.

For further information contact:

Andrew Paterson

Managing Director

Great Boulder Resources Limited

admin@greatboulder.com.au

www.greatboulder.com.au

 [Follow GBR on LinkedIn](#)

Media

Lucas Robinson

Corporate Storytime

+61 408 228 889

lucas@corporatestorytime.com

 [Follow GBR on Twitter](#)

COMPETENT PERSON'S STATEMENT

Exploration information in this Announcement is based upon work undertaken by Mr Andrew Paterson who is a Member of the Australasian Institute of Geoscientists (AIG). Mr Paterson has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a 'Competent Person' as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' (JORC Code). Mr Paterson is an employee of Great Boulder Resources and consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information that relates to Mineral Resources was first reported by the Company in its announcement to the ASX on 16 November 2023. The Company is not aware of any new information or data that materially affects the information included in this announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.




FIGURE 4: GBR'S MEEKATHARRA PROJECTS

TABLE 1: SIDE WELL MINERAL RESOURCE SUMMARY, NOVEMBER 2023

Deposit	Type	Cut-off	Indicated			Inferred			Total		
			Tonnes (kt)	Au (g/t)	Ounces	Tonnes (kt)	Au (g/t)	Ounces	Tonnes (kt)	Au (g/t)	Ounces
Mulga Bill	Open Pit	0.5	1,667	3.1	169,000	2,982	1.9	183,000	4,649	2.4	352,000
	U/ground	1.0	733	3.5	83,000	1,130	3.6	132,000	1,863	3.6	216,000
	Subtotal		2,399	3.3	252,000	4,112	2.4	316,000	6,511	2.7	568,000
Ironbark	Open Pit	0.5	753	3.7	88,000	186	1.9	11,000	938	3.3	100,000
	U/ground	1.0	0	0.0	0	0	0.0	0	0	0.0	0
	Subtotal		753	3.7	88,000	186	1.9	11,000	938	3.3	100,000
Total			3,152	3.4	340,000	4,298	2.4	327,000	7,450	2.8	668,000

Subtotals are rounded for reporting purposes. Rounding errors may occur.

TABLE 2: SIGNIFICANT INTERSECTIONS

Prospect	Hole ID	From	To	Width	Grade	Comments
Side Well South	25SWAC001	40	48	8	0.19	4m composites
		63	68	5	0.80	
		84	85	1	0.91	
		91	93	2	0.72	
	25SWAC002	16	20	4	0.18	4m composite
	25SWAC003	12	16	4	0.17	4m composite
		17	18	1	0.67	
		17	51	34	1.25	
Including		26	34	8	3.16	
		41	42	1	4.16	
	49	51	2	3.50		
	25SWAC004	48	56	8	0.18	4m composites
		57	98	41	0.57	To EOH
	Including	57	64	7	1.11	
		69	71	2	0.90	
		79	87	8	0.80	
	25SWAC005	52	54	2	0.15	2m comp to EOH
	25SWAC006	0	59	59		No significant intersection
	25SWAC007	24	28	4	0.34	4m composite
		34	36	2	0.64	
		47	48	1	0.50	
		54	55	1	0.88	
		84	88	4	0.26	
	25SWAC008	0	80	80		No significant intersection
	25SWAC009	0	82	82		No significant intersection

Significant intersections are reported at a 0.1g/t Au cut-off for 4m composite samples and a 0.5g/t Au cut-off for 1m samples

TABLE 3: COLLAR DETAILS

Hole ID	Prospect	Easting	Northing	RL	Dip	Azi (Mag)	Total Depth
25SWAC001	Side Well South	660600	7049400	511	-60	90	116
25SWAC002	Side Well South	660525	7049400	511	-60	90	70
25SWAC003	Side Well South	660475	7049400	511	-60	90	100
25SWAC004	Side Well South	660425	7049400	511	-60	90	98
25SWAC005	Side Well South	660375	7049400	511	-60	90	54
25SWAC006	Side Well South	660325	7049400	511	-60	90	59
25SWAC007	Side Well South	660275	7049400	511	-60	90	102
25SWAC008	Side Well South	660225	7049400	511	-60	90	80
25SWAC009	Side Well South	660175	7049400	511	-60	90	82
25SWAC010	Side Well South	660605	7049200	511	-60	90	93
25SWAC011	Side Well South	660555	7049200	511	-60	90	94
25SWAC012	Side Well South	660631	7049000	511	-60	90	58


25SWAC013	Side Well South	660581	7049000	511	-60	90	64
25SWAC014	Side Well South	660841	7048800	511	-60	90	49
25SWAC015	Side Well South	660791	7048800	511	-60	90	62
25SWAC016	Side Well South	660741	7048800	511	-60	90	67
25SWAC017	Side Well South	660691	7048800	511	-60	90	64
25SWAC018	Side Well South	660641	7048800	511	-60	90	44
25SWAC019	Side Well South	660591	7048800	511	-60	90	64
25SWAC020	Side Well South	660541	7048800	511	-60	90	69
25SWAC021	Side Well South	660491	7048800	511	-60	90	78
25SWAC022	Side Well South	660750	7048600	511	-60	90	99
25SWAC023	Side Well South	660500	7048600	511	-60	90	60
25SWAC024	Side Well South	660450	7048600	511	-60	90	44
25SWAC025	Side Well South	660441	7048800	511	-60	90	72
25SWAC026	Side Well South	660550	7048600	511	-60	90	57
25SWAC027	Side Well South	660700	7048600	511	-60	90	49
25SWAC028	Side Well South	660650	7048600	511	-60	90	59
25SWAC029	Side Well South	660600	7048600	511	-60	90	59
25SWAC030	Side Well South	660711	7048400	511	-60	90	42
25SWAC031	Side Well South	660661	7048400	511	-60	90	54
25SWAC032	Side Well South	660611	7048400	511	-60	90	64
25SWAC033	Side Well South	660556	7048400	511	-60	90	54
25SWAC034	Side Well South	660534	7048415	511	-60	270	94
25SWAC035	Side Well South	660640	7048200	511	-60	90	49
25SWAC036	Side Well South	660590	7048200	511	-60	90	57
25SWAC037	Side Well South	660540	7048200	511	-60	90	87
25SWAC038	Side Well South	660490	7048200	511	-60	90	104
25SWAC039	Side Well South	660628	7048000	511	-60	90	98
25SWAC040	Side Well South	660578	7048000	511	-60	90	69
25SWAC041	Side Well South	660528	7048000	511	-60	90	49
25SWAC042	Side Well South	660211	7048800	511	-60	90	64
25SWAC043	Side Well South	660261	7048800	511	-60	90	75
25SWAC044	Side Well South	660274	7049000	511	-60	90	64
25SWAC045	Side Well South	660224	7049000	511	-60	90	84
25SWAC046	Side Well South	660174	7049000	511	-60	90	75
25SWAC047	Side Well South	660244	7049200	511	-60	90	114
25SWAC048	Side Well South	660194	7049200	511	-60	90	126
25SWAC049	Side Well South	660144	7049200	511	-60	90	89
25SWAC050	Side Well South	660094	7049200	511	-60	90	106
25SWAC051	Side Well South	660316	7046200	511	-60	90	101
25SWAC052	Side Well South	660266	7046200	511	-60	90	94
25SWAC053	Side Well South	660216	7046200	511	-60	90	92
25SWAC054	Side Well South	660805	7046600	511	-60	90	34

25SWAC055	Side Well South	660755	7046600	511	-60	90	66
25SWAC056	Side Well South	660705	7046600	511	-60	90	85
25SWAC057	Side Well South	660655	7046600	511	-60	90	79
25SWAC058	Side Well South	660605	7046600	511	-60	90	58
25SWAC059	Side Well South	660555	7046600	511	-60	90	47
25SWAC060	Side Well South	660505	7046600	511	-60	90	48
25SWAC061	Side Well South	660454	7046600	511	-60	90	62
25SWAC062	Side Well South	660404	7046600	511	-60	90	87
25SWAC063	Side Well South	660354	7046600	511	-60	90	110
25SWAC064	Side Well South	660304	7046600	511	-60	90	94
25SWAC065	Side Well South	660262	7046600	511	-60	90	104
25SWAC066	Side Well South	660212	7046600	511	-60	90	113
25SWAC067	Side Well South	659915	7049800	511	-60	90	101
25SWAC068	Side Well South	659865	7049800	511	-60	90	104
25SWAC069	Side Well South	659815	7049800	511	-60	90	104
25SWAC070	Side Well South	659765	7049800	511	-60	90	84
25SWAC071	Side Well South	659715	7049800	511	-60	90	100
25SWAC072	Saltbush NW	659740	7055297	535	-60	90	64
25SWAC073	Saltbush NW	659690	7055298	535	-60	90	64
25SWAC074	Saltbush NW	659641	7055300	523	-60	90	110
25SWAC075	Saltbush NW	659589	7055297	526	-60	90	129
25SWAC076	Saltbush NW	659539	7055300	518	-60	90	91
25SWAC077	Saltbush NW	659810	7055100	527	-60	90	59
25SWAC078	Saltbush NW	659758	7055100	526	-60	90	55
25SWAC079	Saltbush NW	659708	7055101	529	-60	90	71
25SWAC080	Saltbush NW	659660	7055098	528	-60	90	103
25SWAC081	Saltbush NW	659609	7055099	534	-60	90	94
25SWAC082	Saltbush NW	659792	7054301	529	-60	90	108
25SWAC083	Saltbush NW	659750	7054301	530	-60	90	77
25SWAC084	Saltbush NW	659712	7054302	526	-60	90	92
25SWAC085	Saltbush NW	659671	7054302	527	-60	90	89
25SWAC086	Saltbush NW	660182	7053222	516	-60	90	45
25SWAC087	Saltbush NW	660160	7053222	518	-60	90	49
25SWAC088	Saltbush NW	660201	7053184	518	-60	90	39
25SWAC089	Saltbush NW	660182	7053182	517	-60	90	44
25SWAC090	Saltbush NW	660159	7053183	515	-60	90	49
25SWAC091	Saltbush NW	660253	7053135	520	-60	90	39
25SWAC092	Saltbush NW	660234	7053135	518	-60	90	43
25SWAC093	Saltbush NW	660212	7053141	517	-60	90	43

Collar coordinates are in GDA94 Zone 50 projection.

ABOUT GREAT BOULDER RESOURCES

Great Boulder is a mineral exploration company with a portfolio of highly prospective gold and base metals assets in Western Australia ranging from greenfields through to advanced exploration. The Company’s core focus is the Side Well Gold Project at Meekatharra in the Murchison gold field, where exploration has defined a Mineral Resource of 7.45Mt @ 2.8g/t Au for 668,000oz Au (340koz @ 3.4g/t Au Indicated, 327koz @ 2.4g/t Au Inferred). The Company is also progressing early-stage exploration at Wellington Base Metal Project located in an emerging MVT province. With a portfolio of highly prospective assets plus the backing of a strong technical team, the Company is well positioned for future success.



CAPITAL STRUCTURE

759M

SHARES ON ISSUE
ASX:GBR

~\$5.3M

CASH
As at 31/12/24

\$1.0M

LISTED INVESTMENT
Cosmo Metals (ASX:CMO)

\$90k

DAILY LIQUIDITY
Average 30-day value traded

\$45.7M

MARKET CAP
At \$0.06/sh

Nil

DEBT
As at 31/12/2024

64.5M

UNLISTED OPTIONS

~37%

TOP 20 OWNERSHIP



Exploring WA Gold & Base Metal assets, located in proximity to operating mines & infrastructure



Developing a significant high grade, large scale gold system at Side Well



Technically focused exploration team with a strong track record of discovery



Undertaking smart, innovative & systematic exploration



Ongoing drilling at multiple projects providing consistent, material newsflow

Appendix 1 - JORC Code, 2012 Edition Table 1 (GBR Drilling, Side Well Project)

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	Commentary
Sampling techniques	<p>At the Side Well Project GBR has collected data from auger sampling and from AC, RC and Diamond drilling techniques. This section encompasses all four methods.</p> <p>RC samples were collected into calico bags over 1m intervals using a cyclone splitter. The residual bulk samples are placed in lines of piles on the ground. 2 cone splits are taken off the rig splitter for RC drilling. Visually prospective zones were sampled over 1m intervals and sent for analysis while the rest of the hole was composited over 4m intervals by taking a scoop sample from each 1m bag.</p> <p>Core samples are selected visually based on observations of alteration and mineralisation and sampled to contacts or metre intervals as appropriate. Once samples are marked the core is cut in half longitudinally with one half taken for assay and the other half returned to the core tray.</p> <p>AC samples were placed in piles on the ground with 4m composite samples taken using a scoop.</p> <p>Auger samples are recovered from the auger at blade refusal depth. Auger drilling is an open-hole technique.</p>
Drilling techniques	<p>Industry standard drilling methods and equipment were utilised.</p> <p>Auger drilling was completed using a petrol-powered hand-held auger.</p>
Drill sample recovery	<p>Sample recovery data is noted in geological comments as part of the logging process. Sample condition has been logged for every geological interval as part of the logging process. Water was encountered during drilling resulting in minor wet and moist samples with the majority being dry.</p> <p>No quantitative twinned drilling analysis has been undertaken.</p>
Logging	<p>Geological logging of drilling followed established company procedures. Qualitative logging of samples includes lithology, mineralogy, alteration, veining and weathering. Abundant geological comments supplement logged intervals.</p>
Sub-sampling techniques and sample preparation	<p>1m cyclone splits and 4m speared composite samples were taken in the field. Samples were prepared and analysed at ALS Laboratories Perth for the RC drilling and Intertek Laboratories for the AC drilling. Samples were pulverized so that each samples had a nominal 85% passing 75 microns. Au analysis was undertaken using Au-AA26 involving a 50g lead collection fire assay and Atomic Adsorption Spectrometry (AAS) finish. For AC drilling, Au analysis was undertaken at Intertek using a 50g lead collection fire assay with ICP-OES finish (FA50/OE).</p> <p>Multi-element analysis was completed at both ALS and Intertek Laboratories. Digestion was completed using both 4 Acid and Aqua-regia and analysed by ICP-AES and ICP-MS (Intertek code 4A/MS48, ALS codes ME-MS61, ME-ICP41-ABC).</p>
Quality of assay data and laboratory tests	<p>All samples were assayed by industry standard techniques. Fire assay for gold; four-acid digest and aqua regia for multi-element analysis.</p>
Verification of sampling and assaying	<p>The standard GBR protocol was followed for insertion of standards and blanks with a blank and standard inserted per 25 for RC drilling and 40 samples for AC drilling. Field Duplicates as second cone splits are inserted within known ore zones to assess repeatability. Analysis of ME was typically done on master pulps after standard gold analysis with a company multi-element standard inserted every 50 samples. No QAQC problems were identified in the results. No twinned drilling has been undertaken.</p>
Location of data points	<p>Sample locations and mapping observations were located and recorded electronically using a handheld GPS. Coordinates were recorded in GDA94 grid in Zone 50, which is the GDA94 zone for the Meekatharra area.</p> <p>Drill holes were positioned using the same technique. Hole collars were initially picked up after drilling using a handheld GPS. RC and Diamond hole collars were subsequently surveyed with a DGPS for greater accuracy.</p> <p>This accuracy is sufficient for the intended purpose of the data.</p>

Data spacing and distribution	<p>The spacing and location of the majority of drilling in the projects is, by the nature of early exploration, variable.</p> <p>The spacing and location of data is currently only being considered for exploration purposes.</p>
Orientation of data in relation to geological structure	<p>Drilling is dominantly perpendicular to regional geological trends where interpreted and practical. Wherever possible, cross sections are shown to give a visual indication of the relationship between intersection width and lode thickness.</p> <p>The spacing and location of the data is currently only being considered for exploration purposes.</p>
Sample security	<p>GBR personnel are responsible for delivery of samples from the drill site to the Toll Ipec dispatch center in Meekatharra. Samples are transported by Toll Ipec from Meekatharra to the laboratories in Perth.</p>
Audits or reviews	<p>Data review and interpretation by independent consultants on a regular basis. Group technical meetings are usually held monthly with input from independent expert consultants in the fields of geochemistry, petrology, structural geology and geophysics.</p>

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	Commentary
Mineral tenement and land tenure status	<p>Side Well tenement E51/1905 is a 48-block exploration license covering an area of 131.8km² immediately east and northeast of Meekatharra in the Murchison province. The tenement is a 75:25 joint venture between Great Boulder and Zebina Minerals Pty Ltd.</p> <p>Aircore drilling was completed on P51/3178 and P51/2978 located directly south of E51/1905. These tenements are held in a 80:20 joint venture between Great Boulder and Wanbanna Pty Ltd.</p>
Exploration done by other parties	<p>Tenement E51/1905, P51/3178 and P51/2978 have protracted exploration histories but are relatively unexplored compared to other regions surrounding Meekatharra.</p>
Geology	<p>The Side Well tenement group covers a portion of the Meekatharra-Wydege Greenstone Belt north of Meekatharra, WA. The north-northeasterly-trending Archaean Meekatharra-Wydege Greenstone Belt, comprises a succession of metamorphosed mafic to ultramafic and felsic and sedimentary rocks belonging to the Luke Creek and Mount Farmer Groups.</p> <p>Over the northern extensions of the belt, sediments belonging to the Proterozoic Yerrida Basin unconformably overlie Archaean granite-greenstone terrain. Structurally, the belt takes the form of a syncline known as the Polelle syncline. Younger Archaean granitoids have intrusive contacts with the greenstone succession and have intersected several zones particularly in the Side Well area.</p> <p>Within the Side Well tenement group, a largely concealed portion of the north-north-easterly trending Greenstone Belt is defined, on the basis of drilling and airborne magnetic data, to underlie the area. The greenstone succession is interpreted to be tightly folded into a south plunging syncline and is cut by easterly trending Proterozoic dolerite dykes.</p> <p>There is little to no rock exposure at the Side Well prospect. This area is covered by alluvium and lacustrine clays, commonly up to 60 metres thick. Subcrop exposures of laterite, mafic and ultramafic rocks are present along the eastern side of the project, however exposure of outcrop is still relatively poor.</p>
Drill hole Information	<p>A list of the drill hole coordinates, orientations and intersections reported in this announcement are provided as an appended table in the relevant announcements for each drilling program.</p>
Data aggregation methods	<p>Results were reported using cut-off levels relevant to the sample type. For composited samples significant intercepts were reported for grades greater than 0.1g/t Au with a maximum dilution of 4m. For single metre splits, significant intercepts were reported for grades greater than 0.5g/t Au with a maximum dilution of 3m.</p> <p>A weighted average calculation may be used to allow for bottom of hole composites that were less than the standard 4m and when intervals contain composited samples plus 1m split samples.</p> <p>No metal equivalents are used.</p>

<i>Relationship between mineralisation widths and intercept lengths</i>	The majority of drilling was conducted using appropriate perpendicular orientations for interpreted mineralisation. Stratigraphy appears to be steeply dipping to the west however mineralisation may have a different orientation. Cross sections are shown wherever possible to illustrate relationships between drilling and interpreted mineralisation.
<i>Diagrams</i>	Refer to figures in announcement.
<i>Balanced reporting</i>	It is not practical to report all historical exploration results from the Side Well project. Selected historical intercepts have previously been re-reported by GBR to highlight the prospectivity of the region, however the vast majority of work on the project has been completed by GBR and reported in ASX announcements since 14 July 2020.
<i>Other substantive exploration data</i>	Subsequent to Doray Minerals Limited exiting the project in 2015, private companies have held the ground with no significant work being undertaken. Wanbanna Pty Ltd has done limited work consisting mainly of AC drilling around the Burke's Reward and Golden Bracelet prospect's further south.
<i>Further work</i>	Further work is discussed in the document.