## Peak Hill Gold Project, WA

# Extremely high-grade assays pave way for substantial increase in 481,000oz Au resource

### HIGHLIGHTS

- **Latest drilling at Peak Hill has returned another round of stellar high-grade gold intersections at Golden Treasure, Durack and Enigma**
- **Highlights from Golden Treasure include:**
  - **8m @ 39.9g/t Au from 58m in GJRC094**
  - **4m @ 39.3g/t Au from 30m in GJRC054**
  - **16m @ 6.36g/t Au from 48m in GJRC091**
  - **4m @ 23.9g/t Au from 112m in GJRC099**
  - **11m @ 5.26g/t Au from 33m in GJRC079**
  - **6m @ 9.04g/t Au from 93m in GJRC089**
  - **7m @ 7.45g/t Au from 163m in GJRC098**
- **Highlights from Durack include:**
  - **11m @ 6.36g/t Au from surface in GDRC071**
  - **10m @ 6.40g/t Au from 116m in GDRCD024**
  - **7.6m @ 6.42g/t Au from 69.8m in GDDD001**
- **Highlights from Enigma include:**
  - **7m @ 6.34g/t Au from 36m in GERC062**
  - **3m @ 6.44g/t Au from 51m in GERC074**
- **Results from Golden Treasure, including the highest-grade intersection to date, indicate continuity between Jubilee and Golden Treasure. This will allow Jubilee and Golden Treasure to be modelled as a single resource**
- **Peak Hill has a clear, low-capex pathway to production and cashflow under an ore purchase agreement with its largest shareholder Westgold**

---

Great Boulder Resources (ASX: **GBR**) is pleased to announce exceptional assays which will feed into a Resource update at its Peak Hill gold project, 120km north of Meekatharra in the Murchison region of Western Australia.

**Great Boulder Managing Director, Andrew Paterson**, said: *"These are sensational drilling results which again show why Peak Hill is set to create immense value for our shareholders.*

*"The intersection of 8m @ 39.9g/t Au is the best drilling result from the whole project, and I'm sure we'll see more numbers like that from Golden Treasure as we continue defining high-grade shoots.*

*"The results point to significant growth in the 481,000oz resource – which is an amazing result at this early stage.*

*"The more gold we find, the more value we stand to unlock from our ore purchase agreement with Westgold. This arrangement gives us a rapid, low-capital path to production and cashflow".*





**Figure 1: Recent highlights from the Jubilee – Golden Treasure area**

Recent drilling at **Golden Treasure** tested the area between Jubilee and Golden Treasure to see if gold mineralisation is continuous between the two deposits. This was confirmed with high-grade results including a spectacular intersection of **8m @ 39.9g/t Au** from 58m situated up-dip from an historic Westgold result of **19m @ 13.3g/t Au** (*GBR ASX announcement 4/5/2026*). Other intersections such as **16m @ 6.36g/t Au** from 48m and **6m @ 9.04g/t Au** from 93m indicate structural connection to the Jubilee resource area, which will allow Golden Treasure and Jubilee to be modelled and estimated as one resource.

8m @ 39.9g/t Au is the best intersection, on a grams-metres basis, ever drilled at Golden Treasure.

As there has never been a resource estimate on the high-grade Golden Treasure area this indicates extensional upside to the current 481,000oz Peak Hill resource inventory.





**Figure 2: Oblique section through Golden Treasure**

At **Durack** RC drilling has begun testing areas along strike and to the southwest of the central resource area discussed in previous announcements (Figure 3).

Drilling approximately 400m southwest of Durack included a spectacular intersection of **11m @ 6.36g/t Au from surface**. This sits on the southwestern edge of previous drilling and on the margin of the Durack resource. High-grade, shallow mineralisation is important for future mining as it represents early cashflow and high-grade tonnes in a simple, low-capex truck and shovel mining operation.

Drilling approximately 1.5km northwest along strike from the main Durack area has also intersected high-grade gold in an area which had been identified by historic RC drilling. Highlights include **4m @ 4.76g/t Au** from 30m and **8m @ 2.44g/t Au from surface**. These results continue to highlight the fact that the Durack area, which spans a strike length of over 1.5km, remains very under-explored and still has excellent potential for additional shallow high-grade lodes to be discovered within the current resource area.





**Figure 3: At Durack, high-grade mineralisation has been drilled over ~1.5km**





**Figure 4: A projected long section through Durack showing high-grade plunges, with untested potential for additional discoveries between the two clusters of drilling**

At **Enigma** a small number of holes were drilled to improve definition in the northwestern and southeastern ends of the deposit. Highlights include **7m @ 6.34g/t Au** from 36m in GERC062 and **3m @ 6.44g/t Au** from 51m in GERC074. The Enigma deposit is approximately 800m long and remains open along strike, particularly to the southwest where historical drilling has identified gold over an additional 2km of strike.





**Figure 5: Recent highlights from Enigma, with the Harmony pit visible to the west**

## Next Steps

Drilling is continuing. Having completed a diamond hole at Mt Pleasant in October to confirm vein orientations, Mt Pleasant will be the next area for intensive RC drilling.





**Figure 6: Priority targets within the Peak Hill Gold Project**

**This announcement has been approved by the Great Boulder Board.**

## For further information contact:

**Andrew Paterson**
Managing Director
Great Boulder Resources Limited
admin@greatboulder.com.au

**MEDIA**
**Paul Armstrong**
Read Corporate
+61 (0)8 9388 1474
paul@readcorporate.com.au

www.greatboulder.com.au

Follow GBR on LinkedIn

Follow GBR on X

**Table 1: Peak Hill Resources (ASX 4 May 2026)**

| Peak Hill Mineral Resources | | | | | |
|---|---|---|---|---|---|
| **Deposit** | **Classification** | **Tonnes** | **Grade** | **Ounces** | **Cut-off parameters** |
| **Harmony** | Indicated | 939,000 | 1.8 | 55,000 | Reported at 0.8g/t Au above a pit shell |
| | Inferred | 66,000 | 3.5 | 7,000 | |
| | Subtotal | 1,005,000 | 1.9 | 62,000 | |
| **Enigma** | Indicated | 444,000 | 1.8 | 26,000 | Reported at 0.7g/t Au above a pit shell |
| | Inferred | 260,000 | 1.8 | 15,000 | |
| | Subtotal | 704,000 | 1.8 | 41,000 | |
| **Jubilee** | Indicated | 99,000 | 1.9 | 6,000 | Reported at 1.0g/t Au above a pit shell |
| | Inferred | 371,000 | 2.4 | 29,000 | |
| | Subtotal | 470,000 | 2.3 | 35,000 | |
| **Durack** | Indicated | 2,309,000 | 1.2 | 89,000 | Reported at 0.8g/t Au to 150m from surface |
| | Inferred | 580,000 | 1.2 | 23,000 | |
| | Subtotal | 2,889,000 | 1.2 | 112,000 | |
| **Fiveways** | Indicated | 3,756,000 | 1.6 | 199,000 | Reported at 0.8g/t Au above 435RL; 2.0g/t Au below 435RL |
| | Inferred | 561,000 | 1.7 | 31,000 | |
| | Subtotal | 4,317,000 | 1.7 | 230,000 | |
| **Total** | **Indicated** | **7,547,000** | **1.5** | **376,000** | |
| | **Inferred** | **1,838,000** | **1.8** | **105,000** | |
| | **Subtotal** | **9,385,000** | **1.6** | **481,000** | |

**Forward-looking statements:** This announcement contains forward-looking statements which may be predictive in nature and incorporate an element of uncertainty or risk, such as 'intends', 'may', 'could', 'believes', 'estimates', 'targets' or 'expects'. These statements are based on an evaluation of current economic and operating conditions, as well as assumptions regarding future events. These events are, as at the date of this presentation, expected to take place, but there cannot be any guarantee that such will occur as anticipated, or at all, given that many of the events are outside GBR's control. The stated events may differ materially from results ultimately achieved. Accordingly, neither GBR nor any of its directors, employees, contractors or advisors make any warranty or assurance that the results, performance or achievements expressed or implied by the forward-looking statements contained in this presentation will actually occur. Further, other than as required by law, GBR may not update or revise any forward-looking statement if events subsequently occur or information subsequently becomes available that affects the original forward-looking statement.





**Figure 7: Peak Hill is 100km from Side Well, 50km from the Fortnum mill and 120km from Bluebird**

## ASX Announcement

| | |
|---|---|
| ASX Code: GBR | |
| Share price: | 6.0c |
| Market Cap: | $118 Million |
| Shares on Issue: | 1,972,959,604 |
| Options on Issue: | 52,232,191 |

## Board & Management

**Chris Tuckwell**, Non-Executive Chairman
**Andrew Paterson**, Managing Director
**Melanie Leighton**, Non-Executive Director
**Greg Hall**, Non-Executive Director
**Karen O'Neill**, Non-Executive Director
**Melanie Ross**, Company Secretary

## Company Highlights

- 1.5Moz near-term gold producer
- 2 Major gold projects in WA
- Ore Purchase Agreement for Peak Hill with largest shareholder Westgold Resources (ASX:WGX)
- Significant news flow with drilling ongoing
- Major resource upgrade pending
- Heavyweight strategic backing
  - **Westgold Resources**
  - **Franklin Templeton**
  - **L1 Capital**
  - **Tribeca**

## Competent Person's Statement

The information in this announcement that relates to Exploration Targets and Exploration Results at the Peak Hill Gold Project and the Company's Side Well Gold Project is based on and fairly represents information and supporting documentation prepared and work undertaken by Mr Andrew Paterson who is a Member of the Australasian Institute of Geoscientists (AIG). Mr Paterson has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a 'Competent Person' as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' (JORC Code). Mr Paterson is an employee of the Company and consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

The information in this announcement that relates to Mineral Resources at the Company's Side Well Gold Project was previously reported by the Company in its announcement to the ASX on 18 December 2025 '1 million ounce high-grade gold resource at Side Well', a copy of which is available on the Company's website at https://www.greatboulder.com.au. The Company is not aware of any new information or data that materially affects the information included in this announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not material changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this announcement that relates to Mineral Resources at the Peak Hill Gold Project is based on and fairly represents information and supporting documentation prepared and work undertaken by Mr Andrew Paterson. Mr Andrew Paterson is a Member of the Australasian Institute of Geoscientists (AIG). Mr Paterson has sufficient experience that is relevant to the style of mineralisation and type of deposit reported and qualifies as a 'Competent Person' as defined in the JORC Code. Mr Paterson is an employee of the Company and consents to the inclusion in this announcement of the matters based on this information in the form and context in which it appears.

**Table 2: Significant Intersections**

| Prospect | Hole ID | From | To | Width (m) | Grade (g/t Au) |
|---|---|---|---|---|---|
| **Durack** | GDDD001 | 57 | 60 | 3 | 0.86 |
| | | 63 | 64 | 1 | 2.45 |
| | | 69.8 | 77.4 | **7.6** | **6.42** |
| | GDDD002 | 48 | 52 | **4** | **3.48** |
| | | 64 | 67 | **3** | **5.52** |
| | | 69.3 | 78.7 | **9.4** | **1.40** |
| | GDDD003 | 32 | 37 | **5** | **4.56** |
| | | 61 | 62.4 | 1.4 | 2.23 |
| | | 92 | 94 | 2 | 1.07 |
| | GDDD004 | 46.5 | 52 | 5.5 | 1.04 |
| | | 101.5 | 102.8 | 1.3 | 2.67 |
| | | 120.5 | 127.4 | 6.9 | 0.79 |
| | | 128 | 131 | 3 | 0.81 |
| | | 133.8 | 136.4 | **2.6** | **6.03** |
| | GDRC046 | 75 | 78 | 3 | 1.29 |
| | GDRC048 | 18 | 26 | 8 | 1.04 |
| | | 66 | 72 | **6** | **2.21** |
| | | 78 | 82 | 4 | 0.76 |
| | GDRC049 | 19 | 23 | 4 | 0.88 |
| | GDRC050A | 39 | 49 | 10 | 0.80 |
| | GDRC051A | 35 | 46 | **11** | **1.65** |
| | | 92 | 106 | **14** | **1.47** |
| | GDRC052 | 149 | 151 | 2 | 1.33 |
| | | 156 | 167 | **11** | **1.95** |
| | GDRC053 | 0 | 8 | **8** | **2.44** |
| | | 20 | 28 | 8 | 0.72 |
| | GDRC054 | 23 | 26 | 3 | 0.69 |
| | | 30 | 34 | **4** | **4.76** |
| | | 38 | 42 | 4 | 0.89 |
| | GDRC055 | 137 | 143 | 6 | 0.88 |
| | GDRC056 | 93 | 96 | 3 | 2.77 |
| | GDRC057 | 153 | 155 | **2** | **7.68** |
| | GDRC060 | 23 | 33 | **10** | **1.14** |
| | | 36 | 41 | 5 | 0.66 |
| | GDRC063 | 179 | 180 | 1 | 2.80 |
| | GDRC065 | 36 | 37 | 1 | 4.21 |
| | GDRC066 | 55 | 56 | 1 | 4.03 |
| | GDRC067 | 103 | 104 | 1 | 7.97 |
| | GDRC068 | 60 | 63 | **3** | **3.89** |
| | GDRC069 | 119 | 125 | **6** | **2.02** |
| | GDRC071 | 0 | 11 | **11** | **6.36** |
| | GDRC073 | 23 | 25 | 2 | 1.17 |
| | | 28 | 36 | 8 | 0.58 |
| | GDRC075 | 54 | 56 | 2 | 1.09 |
| **Enigma** | GERC061 | 37 | 42 | 5 | 0.70 |
| | GERC062 | 16 | 18 | 2 | 1.04 |
| | | 36 | 43 | **7** | **6.34** |
| | | 50 | 52 | 2 | 3.01 |

| Prospect | Hole ID | From | To | Width (m) | Grade (g/t Au) |
|---|---|---|---|---|---|
| | | 56 | 58 | 2 | 1.05 |
| | GERC063 | 31 | 33 | 2 | 1.92 |
| | GERC064 | 60 | 63 | 3 | 1.50 |
| | GERC068 | 61 | 68 | 7 | 1.23 |
| | GERC070 | 65 | 69 | 4 | 0.98 |
| | GERC073 | 29 | 34 | 5 | 1.66 |
| | | 49 | 50 | 1 | 2.31 |
| | GERC074 | 22 | 24 | 2 | 1.09 |
| | | 35 | 40 | 5 | 1.18 |
| | | 44 | 48 | 4 | 0.80 |
| | | 51 | 54 | **3** | **6.44** |
| | | 94 | 96 | 2 | 3.65 |
| | | 114 | 116 | 2 | 1.17 |
| | GERC075 | 29 | 30 | 1 | 4.05 |
| | | 84 | 86 | 2 | 1.90 |
| | GERC078 | 55 | 61 | 6 | 0.63 |
| | | 65 | 68 | 3 | 1.94 |
| | | 74 | 78 | 4 | 0.66 |
| | | 124 | 125 | **1** | **24.60** |
| | GERC079 | 48 | 51 | 3 | 1.78 |
| **Five Ways** | GFRC020 | 126 | 129 | **3** | **5.29** |
| **Jubilee/Golden Treasure** | GJRC046 | 19 | 20 | **1** | **19.85** |
| | | 202 | 204 | 2 | 1.29 |
| | GJRC049 | 20 | 28 | **8** | **2.79** |
| | GJRC050 | 16 | 19 | 3 | 1.46 |
| | | 66 | 68 | 2 | 2.31 |
| | GJRC051 | 28 | 32 | **4** | **4.94** |
| | | 43 | 45 | 2 | 1.30 |
| | GJRC052 | 16 | 19 | 3 | 0.97 |
| | | 23 | 27 | 4 | 1.55 |
| | | 56 | 57 | 1 | 2.51 |
| | GJRC054 | 8 | 10 | 2 | 1.94 |
| | | 30 | 34 | **4** | **39.32** |
| | GJRC055 | 53 | 54 | 1 | 4.36 |
| | | 125 | 129 | 4 | 1.02 |
| | GJRC056 | 126 | 130 | 4 | 1.31 |
| | | 136 | 137 | **1** | **13.90** |
| | | 178 | 180 | 2 | 2.15 |
| | GJRC057 | 0 | 4 | 4 | 0.62 |
| | | 26 | 27 | 1 | 2.40 |
| | GJRC058 | 60 | 62 | **2** | **5.58** |
| | | 92 | 99 | **7** | **5.13** |
| | | 124 | 128 | 4 | 0.82 |
| | | 145 | 146 | 1 | 3.77 |
| | GJRC059 | 76 | 80 | 4 | 1.64 |
| | | 96 | 97 | 1 | 7.09 |
| | | 120 | 121 | **1** | **12.45** |
| | | 148 | 152 | 4 | 0.59 |
| | GJRC060 | 133 | 135 | 2 | 3.00 |

| Prospect | Hole ID | From | To | Width (m) | Grade (g/t Au) |
|---|---|---|---|---|---|
| | | 173 | 178 | 5 | 1.16 |
| | GJRC061 | 17 | 18 | 1 | 2.10 |
| | | 56 | 60 | 4 | 0.85 |
| | GJRC063 | 64 | 68 | 4 | 0.88 |
| | | 96 | 104 | 8 | 0.65 |
| | | 114 | 116 | 2 | 1.49 |
| | | 132 | 136 | 4 | 0.90 |
| | | 147 | 149 | 2 | 4.54 |
| | | 154 | 166 | **12** | **2.40** |
| | | 185 | 189 | 4 | 1.47 |
| | | 195 | 196 | 1 | 2.27 |
| | | 220 | 222 | 2 | 1.57 |
| | GJRC064 | 24 | 28 | **4** | **2.93** |
| | | 100 | 104 | 4 | 1.28 |
| | GJRC065 | 0 | 4 | 4 | 0.74 |
| | | 126 | 128 | **2** | **9.86** |
| | | 156 | 157 | 1 | 3.04 |
| | | 196 | 200 | 4 | 1.56 |
| | GJRC066 | 20 | 24 | 4 | 0.97 |
| | GJRC067 | 9 | 11 | 2 | 1.04 |
| | | 25 | 29 | 4 | 1.04 |
| | GJRC068 | 40 | 41 | **1** | **35.60** |
| | | 61 | 63 | 2 | 3.13 |
| | GJRC070 | 10 | 14 | 4 | 0.69 |
| | | 21 | 22 | 1 | 2.16 |
| | | 52 | 64 | **12** | **2.17** |
| | | 68 | 72 | 4 | 0.53 |
| | GJRC071 | 89 | 92 | 3 | 3.06 |
| | GJRC072 | 27 | 30 | 3 | 1.99 |
| | | 33 | 37 | 4 | 1.88 |
| | | 60 | 64 | 4 | 0.59 |
| | | 104 | 107 | 3 | 0.85 |
| | GJRC073 | 156 | 158 | 2 | 2.10 |
| | GJRC074 | 4 | 8 | 4 | 0.79 |
| | | 68 | 74 | **6** | **2.01** |
| | | 84 | 96 | **12** | **1.03** |
| | | 112 | 114 | **2** | **8.22** |
| | GJRC075 | 95 | 98 | 3 | 0.72 |
| | GJRC077 | 14 | 19 | 5 | 1.97 |
| | | 76 | 81 | 5 | 1.80 |
| | | 94 | 100 | 6 | 1.37 |
| | GJRC078 | 0 | 8 | 8 | 0.98 |
| | | 48 | 52 | 4 | 1.17 |
| | GJRC079 | 4 | 8 | 4 | 1.09 |
| | | 33 | 44 | **11** | **5.26** |
| | GJRC080 | 64 | 72 | **8** | **1.79** |
| | GJRC081 | 40 | 48 | **8** | **4.68** |
| | | 52 | 56 | 4 | 1.07 |
| | | 71 | 78 | **7** | **3.73** |

| Prospect | Hole ID | From | To | Width (m) | Grade (g/t Au) |
|---|---|---|---|---|---|
| | | 97 | 99 | 2 | 1.29 |
| | GJRC082 | 101 | 104 | **3** | **6.23** |
| | GJRC085 | 78 | 79 | 1 | 2.73 |
| | | 89 | 93 | **4** | **11.64** |
| | GJRC086 | 52 | 56 | 4 | 1.15 |
| | | 66 | 67 | 1 | 2.97 |
| | | 105 | 110 | 5 | 1.20 |
| | | 116 | 121 | 5 | 1.32 |
| | | 132 | 134 | 2 | 2.30 |
| | GJRC087 | 111 | 114 | 3 | 2.76 |
| | GJRC088 | 24 | 28 | 4 | 0.62 |
| | | 138 | 143 | 5 | 0.77 |
| | | 150 | 152 | 2 | 3.91 |
| | GJRC089 | 8 | 12 | 4 | 0.72 |
| | | 42 | 46 | **4** | **3.15** |
| | | 93 | 99 | **6** | **9.04** |
| | | 120 | 121 | 1 | 6.66 |
| | GJRC090 | 27 | 28 | 1 | 3.92 |
| | | 86 | 88 | 2 | 4.28 |
| | GJRC091 | 14 | 19 | 5 | 1.40 |
| | | 48 | 64 | **16** | **6.36** |
| | GJRC092 | 155 | 158 | **3** | **4.14** |
| | GJRC093 | 0 | 4 | 4 | 0.64 |
| | | 37 | 41 | 4 | 0.89 |
| | | 100 | 104 | 4 | 1.69 |
| | GJRC094 | 34 | 39 | **5** | **2.78** |
| | | 58 | 66 | **8** | **39.88** |
| | | 80 | 84 | 4 | 0.62 |
| | | 114 | 115 | 1 | 2.44 |
| | | 180 | 184 | **4** | **2.93** |
| | GJRC095 | 38 | 39 | 1 | 3.53 |
| | | 95 | 100 | **5** | **3.23** |
| | | 129 | 135 | **6** | **1.92** |
| | GJRC096 | 12 | 16 | 4 | 1.09 |
| | | 62 | 66 | 4 | 0.81 |
| | | 90 | 92 | **2** | **5.59** |
| | | 98 | 103 | **5** | **3.16** |
| | | 131 | 133 | 2 | 2.23 |
| | GJRC097 | 54 | 62 | 8 | 1.00 |
| | | 167 | 168 | 1 | 3.33 |
| | GJRC098 | 36 | 40 | **4** | **3.55** |
| | | 62 | 69 | 7 | 0.67 |
| | | 82 | 86 | 4 | 0.51 |
| | | 114 | 118 | **4** | **2.57** |
| | | 123 | 127 | 4 | 1.88 |
| | | 130 | 131 | 1 | 3.37 |
| | | 136 | 140 | 4 | 1.41 |
| | | 145 | 151 | **6** | **2.02** |
| | | 163 | 170 | **7** | **7.45** |

| Prospect | Hole ID | From | To | Width (m) | Grade (g/t Au) |
|---|---|---|---|---|---|
| | GJRC099 | 74 | 78 | 4 | 1.18 |
| | | 82 | 86 | 4 | 1.64 |
| | | 112 | 116 | **4** | **23.90** |
| | | 159 | 160 | 1 | 2.58 |
| | GJRC100 | 164 | 168 | 4 | 0.53 |
| | | 192 | 196 | 4 | 0.50 |
| | GJRC101 | 26 | 30 | 4 | 0.61 |
| | | 62 | 66 | 4 | 1.59 |
| | | 141 | 142 | **1** | **23.00** |
| | | 159 | 160 | 1 | 2.42 |
| | | 173 | 176 | **3** | **9.09** |
| | GJRC102 | 133 | 134 | 1 | 9.25 |
| | | 150 | 151 | 1 | 4.15 |
| | | 165 | 167 | 2 | 2.00 |
| | GJRC107 | 0 | 5 | 5 | 2.41 |
| | | 29 | 34 | 5 | 3.49 |
| | | 43 | 46 | 3 | 3.89 |
| | | 131 | 134 | 3 | 1.26 |
| | | 155 | 158 | 3 | 0.93 |
| | GTDD001 | 1 | 4 | 3 | 0.92 |
| | | 26 | 28.4 | 2.4 | 2.39 |
| | | 143 | 144 | 1 | 7.40 |
| | | 163 | 164.2 | **1.2** | **11.35** |

*0.5g/t cut off grade. Maximum 2m consecutive internal waste. Only intersections with GxM ≥ 2 are included in this reporting table.*

**Table 3: Collar details (GDA94_50)**

| Hole ID | Prospect | Easting | Northing | RL | Dip | Azimuth | Depth |
|---|---|---|---|---|---|---|---|
| GDDD001 | **Durack** | 671573 | 7150361 | 542 | -60.63 | 219.07 | 225 |
| GDDD002 | | 671532 | 7150499 | 542 | -60.88 | 220.07 | 230 |
| GDDD003 | | 671506 | 7150471 | 543 | -60.82 | 220.47 | 122 |
| GDDD004 | | 671179 | 7150375 | 542 | -60.30 | 220.47 | 216 |
| GDRC046 | | 670656 | 7150940 | 549 | -59.82 | 224.86 | 162 |
| GDRC047 | | 670680 | 7150969 | 549 | -60.54 | 222.53 | 162 |
| GDRC048 | | 670705 | 7150998 | 549 | -59.67 | 217.83 | 162 |
| GDRC049 | | 670509 | 7151012 | 552 | -59.22 | 219.87 | 162 |
| GDRC050A | | 670532 | 7151042 | 552 | -59.54 | 221.49 | 150 |
| GDRC051 | | 670560 | 7151072 | 550 | -60.00 | 220.00 | 12 |
| GDRC051A | | 670559 | 7151072 | 551 | -59.19 | 218.30 | 138 |
| GDRC052 | | 670585 | 7151103 | 549 | -60.41 | 219.26 | 168 |
| GDRC053 | | 670565 | 7151016 | 550 | -60.30 | 221.54 | 132 |
| GDRC054 | | 670592 | 7151047 | 549 | -59.96 | 220.09 | 132 |
| GDRC055 | | 670618 | 7151077 | 548 | -60.39 | 219.85 | 156 |
| GDRC056 | | 670574 | 7150959 | 549 | -59.85 | 221.74 | 138 |
| GDRC057 | | 670593 | 7150988 | 549 | -59.65 | 219.61 | 156 |
| GDRC058 | | 670602 | 7150936 | 549 | -59.83 | 220.84 | 162 |
| GDRC059 | | 670626 | 7150968 | 549 | -61.20 | 221.82 | 186 |
| GDRC060 | | 670652 | 7150997 | 549 | -60.27 | 220.25 | 204 |
| GDRC061 | | 670619 | 7151021 | 549 | -59.71 | 220.62 | 180 |
| GDRC062 | | 670646 | 7151054 | 548 | -59.34 | 221.11 | 180 |
| GDRC063 | | 671096 | 7150370 | 543 | -60.00 | 222.27 | 204 |
| GDRC064 | | 671125 | 7150399 | 542 | -60.00 | 220.00 | 6 |
| GDRC065 | | 671149 | 7150427 | 543 | -60.29 | 219.36 | 216 |
| GDRC066 | | 671077 | 7150282 | 542 | -60.18 | 221.64 | 120 |
| GDRC067 | | 671101 | 7150309 | 542 | -60.01 | 221.68 | 120 |
| GDRC068 | | 671126 | 7150343 | 542 | -59.83 | 222.81 | 162 |
| GDRC069 | | 671151 | 7150373 | 542 | -60.58 | 222.71 | 162 |
| GDRC071 | | 671107 | 7150256 | 542 | -59.91 | 222.26 | 126 |
| GDRC073 | | 671156 | 7150317 | 542 | -60.83 | 221.08 | 162 |
| GDRC074 | | 671183 | 7150347 | 542 | -60.31 | 221.12 | 174 |
| GDRC075 | | 671207 | 7150379 | 542 | -61.30 | 220.56 | 204 |
| GERC001 | **Enigma** | 664972 | 7161457 | 560 | -59.76 | 59.80 | 162 |
| GERC002 | | 664991 | 7161423 | 560 | -59.76 | 61.84 | 162 |
| GERC051 | | 664578 | 7161738 | 559 | -60.86 | 60.09 | 120 |
| GERC053 | | 664509 | 7161701 | 559 | -60.28 | 58.08 | 102 |
| GERC061 | | 664418 | 7161695 | 559 | -60.13 | 57.88 | 108 |
| GERC062 | | 664383 | 7161674 | 558 | -60.99 | 58.86 | 102 |
| GERC063 | | 664349 | 7161653 | 558 | -60.46 | 59.64 | 102 |
| GERC064 | | 664469 | 7161769 | 559 | -60.14 | 60.39 | 102 |
| GERC065 | | 664433 | 7161749 | 559 | -60.21 | 59.51 | 108 |
| GERC066 | | 664398 | 7161729 | 559 | -60.54 | 59.15 | 102 |
| GERC067 | | 664363 | 7161709 | 559 | -60.67 | 61.00 | 90 |
| GERC068 | | 664327 | 7161687 | 558 | -60.73 | 58.69 | 90 |
| GERC070 | | 664337 | 7161745 | 559 | -61.14 | 61.27 | 84 |
| GERC071 | | 664306 | 7161722 | 559 | -60.86 | 61.16 | 90 |
| GERC072 | | 664274 | 7161702 | 558 | -61.13 | 59.07 | 90 |

| Hole ID | Prospect | Easting | Northing | RL | Dip | Azimuth | Depth |
|---|---|---|---|---|---|---|---|
| GERC073 | Enigma | 665017 | 7161346 | 558 | -60.78 | 61.81 | 174 |
| GERC074 | | 664989 | 7161378 | 559 | -60.32 | 60.50 | 162 |
| GERC075 | | 664967 | 7161410 | 559 | -60.27 | 61.30 | 162 |
| GERC076 | | 664944 | 7161444 | 559 | -59.62 | 59.38 | 162 |
| GERC077 | | 664923 | 7161476 | 559 | -60.21 | 57.54 | 162 |
| GERC078 | | 664879 | 7161456 | 559 | -59.96 | 58.88 | 162 |
| GERC079 | | 664840 | 7161524 | 560 | -60.22 | 62.72 | 162 |
| GFRC001 | **Five Ways** | 672399 | 7163850 | 583 | -60.47 | 89.82 | 242 |
| GFRC002 | | 672439 | 7163848 | 583 | -60.21 | 90.87 | 230 |
| GFRC003 | | 672482 | 7163850 | 583 | -60.14 | 91.35 | 158 |
| GFRC009 | | 672550 | 7163809 | 584 | -60.12 | 90.42 | 166 |
| GFRC011 | | 672478 | 7163810 | 584 | -60.25 | 89.61 | 190 |
| GFRC015 | | 672516 | 7163892 | 583 | -60.59 | 90.30 | 166 |
| GFRC019 | | 672561 | 7163980 | 583 | -60.12 | 90.75 | 142 |
| GFRC020 | | 672479 | 7163970 | 581 | -59.82 | 91.67 | 196 |
| GJDD001 | **Jubilee/Golden Treasure** | 672335 | 7165523 | 571 | -60.55 | 180.60 | 100 |
| GJRC046 | | 672023 | 7165596 | 570 | -60.73 | 150.13 | 206 |
| GJRC049 | | 672580 | 7165480 | 574 | -60.74 | 181.95 | 142 |
| GJRC050 | | 672280 | 7165173 | 582 | -61.21 | 182.86 | 88 |
| GJRC051 | | 672283 | 7165210 | 581 | -59.85 | 180.46 | 82 |
| GJRC052 | | 672239 | 7165172 | 583 | -60.22 | 180.75 | 82 |
| GJRC053 | | 672238 | 7165210 | 581 | -60.67 | 181.11 | 82 |
| GJRC054 | | 672158 | 7165169 | 583 | -61.34 | 180.54 | 94 |
| GJRC055 | | 671923 | 7165455 | 575 | -60.08 | 132.86 | 232 |
| GJRC056 | | 671893 | 7165484 | 573 | -59.92 | 129.76 | 190 |
| GJRC057 | | 672051 | 7165384 | 576 | -60.70 | 151.19 | 184 |
| GJRC058 | | 672011 | 7165537 | 573 | -60.01 | 150.42 | 196 |
| GJRC059 | | 672069 | 7165515 | 573 | -60.96 | 149.07 | 184 |
| GJRC060 | | 672001 | 7165636 | 566 | -60.86 | 147.31 | 202 |
| GJRC061 | | 671964 | 7165619 | 567 | -60.74 | 151.37 | 130 |
| GJRC062 | | 672027 | 7165670 | 566 | -60.61 | 150.95 | 208 |
| GJRC063 | | 672096 | 7165628 | 568 | -59.72 | 149.43 | 232 |
| GJRC064 | | 672074 | 7165667 | 565 | -60.73 | 150.02 | 160 |
| GJRC065 | | 671957 | 7165552 | 570 | -60.33 | 150.98 | 212 |
| GJRC066 | | 671911 | 7165622 | 567 | -60.18 | 91.88 | 104 |
| GJRC067 | | 672200 | 7165170 | 583 | -60.10 | 181.89 | 80 |
| GJRC068 | | 672202 | 7165209 | 581 | -60.08 | 181.36 | 86 |
| GJRC069 | | 672185 | 7165474 | 573 | -60.28 | 152.21 | 164 |
| GJRC070 | | 672167 | 7165527 | 573 | -59.99 | 152.29 | 152 |
| GJRC071 | | 672169 | 7165584 | 570 | -60.32 | 150.02 | 122 |
| GJRC072 | | 672222 | 7165565 | 570 | -60.00 | 150.29 | 128 |
| GJRC073 | | 672182 | 7165636 | 569 | -60.59 | 150.21 | 164 |
| GJRC074 | | 672238 | 7165593 | 569 | -59.94 | 183.54 | 122 |
| GJRC075 | | 672391 | 7165593 | 570 | -62.46 | 180.50 | 128 |
| GJRC076 | | 672599 | 7165571 | 573 | -62.26 | 181.38 | 128 |
| GJRC077 | | 672270 | 7165566 | 570 | -61.99 | 180.13 | 104 |
| GJRC078 | | 672281 | 7165597 | 569 | -62.50 | 183.55 | 122 |
| GJRC079 | | 672304 | 7165536 | 571 | -62.18 | 181.14 | 104 |
| GJRC080 | | 672303 | 7165573 | 569 | -62.62 | 179.95 | 104 |

| Hole ID | Prospect | Easting | Northing | RL | Dip | Azimuth | Depth |
|---|---|---|---|---|---|---|---|
| GJRC081 | Jubilee / Golden Treasure | 672325 | 7165577 | 571 | -63.55 | 182.03 | 116 |
| GJRC082 | | 672340 | 7165611 | 570 | -62.46 | 181.55 | 110 |
| GJRC083 | | 672419 | 7165570 | 569 | -62.04 | 180.59 | 110 |
| GJRC084 | | 672442 | 7165595 | 569 | -62.59 | 178.10 | 128 |
| GJRC085 | | 672464 | 7165587 | 569 | -62.21 | 180.05 | 110 |
| GJRC086 | | 672481 | 7165600 | 569 | -62.31 | 180.05 | 140 |
| GJRC087 | | 672523 | 7165603 | 569 | -55.16 | 180.93 | 140 |
| GJRC088 | | 672560 | 7165605 | 571 | -55.37 | 182.80 | 152 |
| GJRC089 | | 672203 | 7165601 | 570 | -62.35 | 151.38 | 122 |
| GJRC090 | | 672145 | 7165624 | 569 | -62.34 | 152.23 | 104 |
| GJRC091 | | 672187 | 7165551 | 572 | -61.75 | 151.50 | 122 |
| GJRC092 | | 672108 | 7165609 | 570 | -62.08 | 153.09 | 182 |
| GJRC093 | | 672166 | 7165515 | 573 | -62.14 | 153.47 | 104 |
| GJRC094 | | 672107 | 7165528 | 573 | -62.34 | 153.75 | 200 |
| GJRC095 | | 672059 | 7165610 | 569 | -62.40 | 150.80 | 139 |
| GJRC096 | | 672025 | 7165515 | 574 | -61.89 | 153.19 | 152 |
| GJRC097 | | 672081 | 7165501 | 575 | -62.28 | 153.15 | 182 |
| GJRC098 | | 672061 | 7165533 | 574 | -62.25 | 151.44 | 200 |
| GJRC099 | | 672038 | 7165569 | 572 | -62.27 | 151.27 | 200 |
| GJRC100 | | 672041 | 7165648 | 567 | -62.40 | 150.73 | 200 |
| GJRC101 | | 671996 | 7165489 | 575 | -62.32 | 152.01 | 224 |
| GJRC102 | | 671975 | 7165529 | 574 | -60.43 | 150.86 | 182 |
| GJRC103 | | 672023 | 7165439 | 576 | -62.30 | 152.62 | 170 |
| GJRC104 | | 672109 | 7165282 | 579 | -62.30 | 156.66 | 224 |
| GJRC105 | | 672089 | 7165318 | 578 | -60.35 | 152.57 | 164 |
| GJRC107 | | 672046 | 7165478 | 575 | -60.42 | 152.81 | 182 |
| GTDD001 | | 672055 | 7165460 | 576 | -59.76 | 149.87 | 213 |

# APPENDIX 1 - JORC CODE, 2012 EDITION TABLE 1 (PEAK HILL PROJECT)

## Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria | Commentary |
|---|---|
| **Sampling techniques** | At the Peak Hill Project RC samples are collected into calico bags over 1m intervals using a cyclone splitter. The residual bulk samples are placed in lines of piles on the ground. 2 cone splits are taken off the rig splitter for RC drilling. Visually prospective zones are sampled over 1m intervals and sent for analysis while the rest of the hole is composited over 4m intervals by taking a scoop sample from each 1m bag.<br>Core samples are selected visually based on observations of alteration and mineralisation and sampled to contacts or metre intervals as appropriate. Once samples are marked the core is cut in half longitudinally with one half taken for assay and the other half returned to the core tray.<br>All core is oriented in order to measure and record structural orientations.<br>AC samples are placed in piles on the ground with 4m composite samples taken using a scoop. In instances where AC drilling is planned to be used in mineral resource estimation 1m samples are taken off a cyclone splitter, the same as RC.<br>Any composite samples assaying 0.1g/t Au or more are re-assayed in 1m intervals. |
| **Drilling techniques** | Industry standard drilling methods and equipment were utilised. The majority of RC drilling has been completed by OX SR72 or Schramm 650 rigs and diamond drilling using a Boart Longyear KWL1600. |
| **Drill sample recovery** | Sample recovery data is noted in geological comments as part of the logging process. Sample condition has been logged for every geological interval as part of the logging process. Where water is encountered during drilling the resultant sample quality is noted as being dry, moist or wet.<br>No quantitative twinned drilling analysis has been undertaken. |
| **Logging** | Geological logging of drilling followed established company procedures. Qualitative logging of samples includes lithology, mineralogy, alteration, veining and weathering. Abundant geological comments supplement logged intervals. |
| **Sub-sampling techniques and sample preparation** | 1m cyclone splits and 4m speared composite samples are taken in the field. Samples are prepared and analysed at ALS Laboratories Perth for RC and diamond drilling and Intertek Laboratories for the AC drilling and auger soil samples.<br>Samples are pulverized so that each sample has a nominal grainsize of 85% passing 75 microns. Au analysis is undertaken using Au-AA26 involving a 50g lead collection fire assay and Atomic Adsorption Spectrometry (AAS) finish. For AC drilling, Au analysis is undertaken at Intertek using a 50g lead collection fire assay with ICP-OES finish (FA50/OE). Any sample returning 40ppm Au or above is re-assayed using photon assay.<br>Multi-element analysis is completed at both ALS and Intertek Laboratories. Digestion is completed using both 4 Acid and Aqua-regia and analysed by ICP-AES and ICP-MS (Intertek code 4A/MS48, ALS codes ME-MS61, ME-ICP41-ABC). |

| Criteria | Commentary |
|---|---|
| **Quality of assay data and laboratory tests** | All samples are assayed by ALS and Intertek laboratories in Perth using industry standard techniques: Fire assay for gold; four-acid digest and aqua regia for multi-element analysis. |
| **Verification of sampling and assaying** | The standard GBR protocol is followed for insertion of standards and blanks with a blank and standard inserted per 25 for RC drilling and 40 samples for AC drilling. Field Duplicates as second cone splits are inserted within known ore zones to assess repeatability.<br>Analysis of ME is typically done on master pulps after standard gold analysis with a company multi-element standard inserted every 30 samples for litho-geochemistry or more frequency if lithology changes are observed within a 30m interval.<br>No QAQC problems were identified in the results. No twinned drilling has been undertaken. |
| **Location of data points** | Sample locations and mapping observations are located and recorded electronically using a handheld GPS. Coordinates are recorded in GDA94 grid in Zone 50, which is the GDA94 zone for the Meekatharra area.<br>Drill holes are positioned using the same technique. Hole collars are initially picked up after drilling using a handheld GPS. RC and Diamond hole collars or any hole required for resource estimation purposes are subsequently surveyed with a DGPS for greater accuracy.<br>This accuracy is sufficient for the intended purpose of the data. |
| **Data spacing and distribution** | The spacing and location of drilling in the projects varies depending on the activity and the amount and quality of the existing and historical data. As each prospect advances the drill spacing is decreased until the confidence of continuity is sufficient to allow the estimation of a mineral resource. Resource classification (e.g. Inferred or Indicated) is assigned by an independent resource consultant. |
| **Orientation of data in relation to geological structure** | Drilling is dominantly perpendicular to regional geological trends where interpreted and practical. Wherever possible, cross sections are shown to give a visual indication of the relationship between intersection width and lode thickness.<br>The spacing and location of the data is currently only being considered for exploration purposes. |
| **Sample security** | GBR personnel are responsible for delivery of samples from the drill site to the Peak Hill sample laydown where Team Global Express collects and transports the samples to the laboratories in Perth. |
| **Audits or reviews** | Data review and interpretation by independent consultants on a regular basis. Group technical meetings are usually held monthly with input from independent expert consultants in the fields of geochemistry, petrology, structural geology and geophysics. |

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | Commentary |
|---|---|
| **Mineral tenement and land tenure status** | The Peak Hill Project comprises exploration licence E52/2471, miscellaneous licences L52/2, L52/19, L52/20, L52/39, L52/62, L52/63 and L52/173, and mining leases M52/35, M52/56, M52/297, M52/474, M52/801, M52/1073 and M52/1090.<br>E52/2471 is held jointly by Aragon Resources Pty Ltd and Walter Scott Wilson.<br>Miscellaneous licences L52/2, L52/19, L52/20, L52/39, L52/62, L52/63 and L52/173 and Mining leases M52/35, M52/56, M52/297 and M52/474 are held by Aragon Resources Pty Ltd.<br>M52/801 is held jointly by Aragon Resources Pty Ltd and Horseshoe Gold Mine Pty Ltd.<br>M52/1073 and M52/1090 are held jointly by Aragon Resources Pty Ltd and Walter Scott Wilson. |
| **Exploration done by other parties** | The Peak Hill district has a long history of exploration and mining by previous operators including Barrack Mines Limited, Peko Wallsend Operations Limited, Grants Patch Mining Limited, Peko Gold Limited, Plutonic Resources Limited, North Limited, Homestake Gold of Australia Limited, Montezuma Mining Company Ltd and Westgold Resources Limited. Exploration by previous operators led to the discovery and mining of Peak Hill's Fiveways, Jubilee, Mt Pleasant and Harmony deposits. |
| **Geology** | The Peak Hill district represents remnants of a Proterozoic fold belt comprising completely deformed trough and shelf sediments and mafic / ultramafic volcanic rocks, which in part are moderately metamorphosed. In the vicinity of Peak Hill, the Ravelstone and Narracoota Formations are in faulted contact with rocks of the Peak Hill Schist at the southwestern end of the Archean Marymia Inlier. The host lithologies comprise mafic and ultramafic volcanic rocks, turbiditic metasedimentary rocks, banded iron formation and associated clastic sediments, all of which are intensely deformed and metamorphosed.<br>Regionally, major gold deposits are generally located at or close to the top of the Narracoota Volcanics near the contact with the overlying Thaduna Greywacke or Labouchere formation, with some exceptions. These (contact) related deposits are generally associated with quartz veins or chert horizons at or close to the contact. The Peak Hill area is dominated by the Early Proterozoic Peak Hill Schist, a highly deformed and metamorphosed sequence of uncertain origin. The Peak Hill Schist is locally broken down into three stratigraphic units comprising: The Intermediate/Footwall Sequence; The Mine Sequence; The Hangingwall Sequence. These units are frequently bounded by or transected by mylonite units. Gold mineralisation has been mined from the Core sequence (Mt Pleasant), Mine Sequence (Fiveways, Main Pit) and the Hangingwall Sequence (Jubilee). The Peak Hill Schist is unconformably overlain by the Narracoota Volcanics, which host mineralisation at Enigma North and Harmony.<br>The mineralisation at Fiveways/Main Pit appears to be associated with quartz veins within zones of strong biotite alteration. The lodes are sub-parallel to low angle thrust surfaces on the west limb of an antiform and are thought to be the result of dilation zones as a result of west over east movement. Mineralisation continues at depth along strike (Fiveways North). |
| **Drill hole Information** | A list of the drill hole coordinates, orientations and intersections reported in this announcement are provided as an appended table in the relevant announcements for each drilling program. |
| **Data aggregation methods** | Results are reported using cut-off levels relevant to the sample type. For composited samples significant intercepts are reported for grades greater than 0.1g/t Au with a maximum internal |

| Criteria | Commentary |
|---|---|
| | dilution of 4m. For single metre splits, significant intercepts are reported for grades greater than 0.5g/t Au, with a maximum internal consecutive waste of 2m.<br>A weighted average calculation may be used to allow for bottom of hole composites that are less than the standard 4m and when intervals contain composited samples plus 1m split samples. In such instances the presence of composite samples within the intersection is noted in the comments.<br>No metal equivalents are used. |
| **Relationship between mineralisation widths and intercept lengths** | Historic drilling by various explorers was conducted in multiple directions and not always at perpendicular orientations to the mineralisation or lithologies. Stratigraphy appears to be moderately dipping to the west however folding and doming has been observed, adding complexity. Mineralisation may have a different orientation. Cross sections are shown wherever possible to illustrate relationships between drilling and interpreted mineralisation.<br>Drilling done by Great Boulder is conducted using appropriate orientations with the goal to obtain true and representative interval widths. Mineralisation varies across prospects and deposits. Cross sections are shown wherever possible to illustrate relationships between drilling and interpreted mineralisation. |
| **Diagrams** | Refer to figures in announcement. |
| **Balanced reporting** | It is not practical to report all historical exploration results from the Peak Hill project. Selected historical intercepts have been selected by GBR to highlight the prospectivity of the region. Results of exploration drilling conducted by GBR are reported in ASX announcements since 12 June 2026. |
| **Other substantive exploration data** | GBR acquired the project in 2026. The project contains substantial historical drill data that are presented alongside GBR new results. The data are results from previous companies, including Plutonic Resources Limited, North Limited, Homestake Gold of Australia Limited, Montezuma Mining Company Ltd and Westgold Resources Limited. |
| **Further work** | Further work is discussed in the document. |

## Section 3 Estimation and Reporting of Mineral Resources

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

| Criteria | Commentary |
|---|---|
| **Database integrity** | The estimates were based on drilling, geological and assay data compiled from legacy datasets. Data quality, reliability and the level of verification of historical data were considered in the confidence assigned to the estimates. |
| **Site visits** | The Company's Competent Person has visited site numerous times. |
| **Geological interpretation** | The Peak Hill district represents remnants of a Proterozoic fold belt comprising completely deformed sediments and mafic to ultramafic volcanic rocks, which are in part moderately metamorphosed. In the vicinity of Peak Hill, the Ravelstone and Narracoota Formations are in faulted contact with rocks of the Peak Hill Schist at the southwestern end of the Archean Marymia Inlier. |

| | |
|---|---|
| | At Five Ways, geological interpretation was carried out using structural and lithological controls. Geological domaining was not constrained by a minimum grade cut-off. Mineralisation was modelled within footwall and hanging wall boundaries (the Mine Sequence).<br>At Jubilee, mineralised wireframes were created using criteria of a minimum 3m thickness at 0.5g/t Au and up to 2m internal dilution. At Harmony, mineralisation domaining was separated into laterite, oxide, transitional and fresh weathering domains.<br>At Enigma, mineralisation domain boundaries were geologically controlled based firstly on the occurrence of veining, then by a low-grade cut-off of 0.5g/t Au and a minimum downhole length of 3m to delineate separate vein arrays. Lower grade material was locally included to maintain spatial continuity, and fault surfaces were used to adjust the strike extents of the wireframes.<br>At Durack, geological interpretation was carried out using structural and lithological controls, with mineralisation modelled within footwall and hangingwall boundaries. |
| **Dimensions** | The Five Ways model extends for approximately 1,400 m along strike, 1,950 m across the model area and 310 m vertically. Jubilee mineralisation was interpreted within the J2 and J3 zones which extends for approximately 640m along strike, 340m in width and to a depth of 150m. In addition, the historical J1 pit covered an area of approximately 150m by 150m to a depth of 35m. The Harmony model extends for approximately 3840m along strike, 3500m across the area and 260m vertically. The Enigma model extends for approximately 1,550 m along strike, 850 m across the area and 210 m vertically. The Durack model extends for approximately 1,590 m along strike, 1,100 m across the area and 190 m vertically. |
| **Estimation and modelling techniques** | The Five Ways mineralisation was estimated using Multiple Indicator Kriging (MIK). The MIK estimate was carried out in Datamine and then processed using GSLIB Postik. Block sizes were set at 20m x 30m x 5m. Search ellipses were derived from variography and oriented to geological controls. No top-cut was applied.<br>At Jubilee, gold grade was estimated using Ordinary Kriging, with search orientation aligned dynamically to the wireframe geometry to preserve local grade variation.<br>Harmony was estimated using Multiple Indicator Kriging (MIK). The MIK estimate was carried out in Datamine and then processed using GSLIB Postik. Block sizes were set at 20m x 20m x 5m. Search ellipses were derived from variography and oriented to geological controls.<br>Enigma was estimated using ordinary kriging and inverse distance squared, depending on sample support and variogram quality within each domain. The block model used 20m x 10m x 5m parent blocks with sub-celling to 5m x 2.5m x 1.25m. Domain boundaries were treated as hard boundaries.<br>Durack was estimated using Multiple Indicator Kriging (MIK). The MIK estimate was carried out in Datamine and then processed using GSLIB Postik. Block sizes were set at 20m x 20m x 5m. Search ellipses were derived from variography and aligned with the local geology. All estimation domain boundaries were treated as hard boundaries, and no top-cut was applied. |
| **Moisture** | No moisture factors are stated for the estimates. |
| **Cut-off parameters** | The Five Ways estimate was reported at a 0.8g/t Au cut-off grade above 435mRL and a 2.0g/t Au cut-off grade below 435mRL. The Jubilee estimate was reported at a 1.0g/t Au cut-off grade. The Harmony estimate was reported at a 0.8g/t Au cut-off grade. The Enigma |

| | |
|---|---|
| | estimate was reported at a 0.7g/t Au cut-off grade. The Durack estimate was reported at a 0.8g/t Au cut-off above 390mRL. |
| **Mining factors or assumptions** | The Peak Hill area has an history of successful open pit mining. The Five Ways Main Pit estimate includes open pit and underground components, with the open pit component reported above 435 mRL and the underground component reported below 435 mRL.<br>The J2 estimate was constrained by an optimised pit shell. The J3 estimate was reported as a separate underground component.<br>The Harmony estimate was constrained by an optimised pit shell.<br>The Enigma estimate was constrained by an optimised pit shell.<br>The Durack estimate was reported above 390 mRL<br>Western Australia has a low geopolitical risk, an extensive history of gold mining and stable government policies and processes. |
| **Metallurgical factors or assumptions** | Available metallurgical information dates back to the Baxter Joint Venture in 1993-94. There are no known metallurgical problems with gold mineralisation in the Peak Hill area, which has had a long history of successful gold production. |
| **Environmental factors or assumptions** | It is assumed that no environmental factors exist that could prohibit any potential mining development at the deposits. |
| **Bulk density** | Five Ways: Bulk density values were assigned by weathering state, using 1.9t/$m^3$ for oxide, 2.2t/$m^3$ for transitional and 2.6t/$m^3$ for fresh material. Jubilee: Density values were assigned by weathering state. Density measurements were 2.0t/$m^3$ for completely weathered, 2.2t/$m^3$ for moderately weathered, 2.3t/$m^3$ for slightly weathered and 2.5t/$m^3$ for fresh rock. The densities used in the estimate were 2.0t/$m^3$ for completely weathered, 2.25t/$m^3$ for moderately weathered, 2.25t/$m^3$ for slightly weathered and 2.5t/$m^3$ for fresh rock. Harmony: Bulk density values were based on historical density measurements taken in 1993 and grouped by visible weathering. Applied densities were 1.9t/$m^3$ for completely weathered material, 2.2t/$m^3$ for moderately weathered material, 2.6t/$m^3$ for slightly weathered or fresh material, and 2.1t/$m^3$ for lateritic crust. Enigma: Bulk density values were assigned by weathering state, using 1.9t/$m^3$ for oxide, 2.2t/$m^3$ for transitional and 2.6t/$m^3$ for fresh material. Durack: Bulk density values were assigned by weathering state, using 1.9t/$m^3$ for oxide, 2.2t/$m^3$ for transitional and 2.6t/$m^3$ for fresh material. |
| **Classification** | Five Ways, Harmony, and Durack: The estimates were classified as Indicated and Inferred in accordance with the guidelines set out in the JORC Code. Sampling methods, drillhole spacing and grade continuity were considered in the application of the resource categorisation. The lack of QAQC data and limited density data were identified as risks and were also considered. No Measured Resource was classified.<br>Jubilee: The estimate was classified as Indicated and Inferred. Classification confidence was negatively influenced by the predominance of historical drilling, uncertainty in the density values, and limited understanding of the controlling structure and lithology. Enigma has been classified as Indicated and Inferred. Classification considered confidence in tonnage and grade estimation, geological and grade continuity, and data quality, quantity and distribution. No Measured Resource was classified. |

| | |
|---|---|
| **Audits or reviews** | All estimates will be reviewed by GBR and re-estimated once sufficient validation drilling is completed. |
| **Discussion of relative accuracy/ confidence** | Five Ways, Harmony and Durack: Relative accuracy and confidence were assessed by global grade comparison, sectional visual comparison and grade trend analysis. Comparisons between drillhole data and block model grades were considered reasonable overall.<br>Enigma: Relative accuracy and confidence were assessed by statistical comparison of composites and block grades, visual comparison, block volume comparison to wireframes, and swath plots.<br>Jubilee: Relative accuracy and confidence were assessed by graphical and statistical validation. Confidence was reduced by the predominance of historical drilling, uncertainty in density values, and limited understanding of controlling structure and lithology. |