

## Barbara Lake and Greenbush Lithium Projects, Ontario, Canada

# Spodumene pegmatites return up to 2.24% Li<sub>2</sub>O

### Highlights

- Results received from 40 rock chip samples collected on MM1's Greenbush and Barbara Lake Lithium Projects in Ontario, Canada
- Additional results up to 2.24% Li<sub>2</sub>O in this batch at Barbara Lake from detrital spodumene pegmatite
- Fractionated in-situ pegmatite discovered under moss cover. Stripping work planned in upcoming field season to assess size and potential for lithium mineralisation
- Drone LiDAR survey at Barbara Lake successfully identifies multiple outcrop targets for future ground-truthing and sampling
- In addition, further mapping and sampling planned for Greenbush after Northern Winter
- Results pending for 39 assays from sampling at Reid-Aylmer Lithium Project, Northwest Territories, Canada – results expected March quarter 2024.

### Managing Director Mark Calderwood commented:

*"We are encouraged by the discovery of highly fractionated in-situ pegmatite and several spodumene-bearing pegmatite boulders at the Barbara Lake Lithium project. Additional sampling at Greenbush South was constrained to small areas, however we have now confirmed there are numerous pegmatites accessible for sampling next season".*

---

**Midas Minerals Ltd** ("Midas", or "the Company") (ASX: MM1) is pleased to announce the latest assay results from mapping and sampling at its Barbara Lake and Greenbush Lithium Projects in Ontario, Canada.

### Barbara Lake Lithium Project

Midas has received excellent results from the 23 surface samples from in situ and detrital pegmatites, returning up to **2.24% Li<sub>2</sub>O**. These results are from follow-up mapping completed in August and September 2023 (refer to ASX release dated 13 July 2023).

Prior to the field visit, Midas received data from a drone-based LiDAR survey and high-resolution aerial photography. This survey successfully identified several outcrop targets, which proved crucial in the discovery of a highly fractionated in-situ pegmatite obscured by moss cover (BRK009, favourable K:Rb ratio of 25). Midas has planned stripping work for the upcoming field season to determine the pegmatite's size and potential for lithium mineralisation.

The 2.1km<sup>2</sup> Barbara Lake Project is located 35km northeast of Nipigon, about 130km northeast of Thunder Bay, Ontario. It forms part of the tenement package optioned with the Greenbush Project. The project area falls within an prolific lithium province, surrounded by Imagine Lithium Corps' (TSX-V:ILI) Jackpot Project and is about 15km south of Rock Tech Lithium Inc's (TSX-V:RCK) Georgia Lake Project.




Figure 1: Locations of samples at the Barbara Lake Lithium Project, Ontario.

### Greenbush Lithium Project

Assay results from 17 pegmatite surface samples collected in the southern part of the Greenbush Lithium Project have returned no results of significance.

These initial results from a limited area are only the beginning of an extensive mapping and sampling campaign aimed at evaluating several prospective pegmatite swarms situated in the southern part of the tenement group. Midas is also moving forward with the drill permitting process, focusing on a known spodumene-rich pegmatite zone to the north.

The 102km<sup>2</sup> Greenbush Lithium Project is located ~12km east of Highway 599, about 95km north of Savant Lake and 70km south of Pickle Lake in the Thunder Bay district, Ontario. Green Technology Metals' (ASX: GT1) Root Lithium Project is 80km to the east of Greenbush, which straddles the boundary between the English River and Uchi sub-provinces.




Figure 2: Location of samples at Greenbush Lithium Project, Ontario.






Figure 3: Location of Midas Minerals' lithium projects in relation to other lithium projects in the Thunder Bay area, Ontario, Canada.

The Board of Midas Minerals Ltd authorised this release.

**For more information:**

**Mark Calderwood**  
 Managing Director  
 E: [mcaldерwood@midasminerals.com](mailto:mcaldерwood@midasminerals.com)


**Nathan Ryan**  
 Media / Investor Relations  
 E: [nathan.ryan@nwrcommunications.com.au](mailto:nathan.ryan@nwrcommunications.com.au)

## About Midas

Midas Minerals is a junior mineral exploration company with a primary focus on lithium and gold. Midas' Board and management has a strong track record of delivering value for shareholders through mineral discoveries and mine development and growing microcap explorers into successful ASX100-ASX300 companies. The Company has three projects located in Western Australia (refer below), as well as the Greenbush Project in Ontario, Canada and the Yellowknife and Reid-Aylmer Lithium Projects in the Northwest Territories, Canada.



*Midas Minerals Canadian Projects  
Location Map*



*Midas Minerals Western Australia Projects  
Location Map*

**Yellowknife Lithium Project:** The Company can earn up to 80% of 718km<sup>2</sup> of mineral claims and applications located outside Yellowknife City, Northwest Territories. Large numbers of pegmatites associated with multiple fertile granite intrusions of Slave Craton. Several known lithium and tantalum occurrences on the project and a number of significant lithium deposits located nearby. Exploration has commenced to map and sample pegmatite swarms. The Company has staked 15 mineral claims totalling 157km<sup>2</sup> known as the Reid-Aylmer Lithium Project over pegmatites swarms considered prospective for lithium in the Northwest Territories, Canada. Midas has completed initial sampling, with 39 pegmatite samples submitted for analysis. Results are expected in the March quarter of 2024.

**Greenbush Lithium Project:** 102km<sup>2</sup> of mining claims located proximal to infrastructure, with little outcrop and no historic drilling. A 15m by 30m spodumene bearing pegmatite outcrop was discovered in 1955 on the northeast shore of a lake and initial sampling by Midas has returned results up to 3.82% Li<sub>2</sub>O from the main outcrop and surrounds, as well as anomalous tantalum occurrences demonstrating regional upside potential (refer ASX release dated 13 July 2023). Further mapping and sampling are planned in parallel with seeking drilling permits. Midas also holds the 2.1km<sup>2</sup> Barbara Lake Project about 130km northeast of Thunder Bay.

**Newington Lithium-Gold Project:** 316km<sup>2</sup> of tenements located at the north end of the Southern Cross and Westonia greenstone belts, prospective for lithium and gold. Exploration in 2022 has outlined anomalous lithium and LCT indicator elements over at least 20km strike. Initial drilling intercepted pegmatites that are laterally extensive, wide and gently dipping. The project also has a number of gold targets and includes significant prior drill intercepts that justify follow-up exploration.

**Weebo Gold Project:** Tier 1 location within the Yandal greenstone belt with 323km<sup>2</sup> of tenements between the Thunderbox and Bronzewing gold mines, prospective for gold and nickel.

**Challa Gold, Nickel-Copper-PGE Project:** 907km<sup>2</sup> of tenement and applications with limited but successful exploration to date. A number of significant PGE and gold-copper exploration targets have been defined.

## Competent Persons Statement

The information in this announcement that relates to new Exploration Results is based on and fairly represents information and supporting documentation prepared by Mr Mark Calderwood, the managing director of the Company. Mr Calderwood is a Competent Person and is a member of the Australasian Institute of Mining and Metallurgy. Mr Calderwood has sufficient experience relevant to the style of mineralisation under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the “Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves” (“JORC Code”). Mr Calderwood consents to the inclusion in this announcement of the matters based on his information and supporting documents in the form and context in which it appears.

Mr Calderwood is a shareholder of the Company and the Company does not consider this to constitute an actual or potential conflict of interest to his role as Competent Person due to the overarching duties he owes to the Company. Mr Calderwood is not aware of any other relationship with Midas which could constitute a potential for a conflict of interest.

The information in this announcement that relates to previous exploration results is extracted from the following ASX announcements:

- 13/02/2023 – MM1 to Acquire Greenbush Lithium Project in Ontario, Canada
- 28/03/2023 – Spodumene confirmed at Greenbush Lithium Project, Ontario
- 14/06/2023 – MM1 sampling returns up to 1.68% Li<sub>2</sub>O from Greenbush, Canada
- 13/07/2023 – Spodumene pegmatite results up to 3.82% Li<sub>2</sub>O at Greenbush

The above announcements are available to view on the Company’s website at [www.midasminerals.com](http://www.midasminerals.com). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and that the form and context in which the Competent Person’s findings are presented have not been materially modified from the original market announcements.

## Forward Looking Statements

This announcement may contain certain forward-looking statements and projections, including statements regarding Midas’ plans, forecasts and projections with respect to its mineral properties and programmes. Although the forward-looking statements contained in this release reflect management’s current beliefs based upon information currently available to management and based upon what management believes to be reasonable assumptions, such forward looking statements/projections are estimates for discussion purposes only and should not be relied upon. They are not guarantees of future performance and involve known and unknown risks, uncertainties and other factors many of which are beyond the control of the Company.

The forward looking statements/projections are inherently uncertain and may therefore differ materially from results ultimately achieved. For example, there can be no assurance that Midas will be able to confirm the presence of Mineral Resources or Ore Reserves, that Midas’ plans for development of its mineral properties will proceed, that any mineralisation will prove to be economic, or that a mine will be successfully developed on any of Midas’ mineral properties. The performance of Midas may be influenced by a number of factors which are outside the control of the Company, its directors, staff or contractors.

The Company does not make any representations and provides no warranties concerning the accuracy of the projections, and disclaims any obligation to update or revise any forward looking statements/projects based on new information, future events or otherwise except to the extent required by applicable laws.

## APPENDIX A: SURFACE SAMPLE RESULTS

**Table 1 – Assay Results – Barbara Lake August/September 2023 Samples**

Coordinates given in UTM Zone 16 NAD 83

Sample	Easting	Northing	Be ppm	Cs ppm	Li <sub>2</sub> O %	Li ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	K:Rb ratio
1309651	428462	5458873	1.3	2.2	0.01	24	4.1	53.3	<3	0.72	238
1309652	428641	5458726	1	0.7	0	8	2	21.7	<3	0.38	318
1309653	428572	5458491	<0.4	0.7	0	7	<0.8	19	<3	0.08	211
1309654	428529	5458434	183.5	24.7	<b>1.13</b>	5,270	37.2	262	78	<b>43.7</b>	<b>33</b>
1309655	428390	5458113	<0.4	1.1	0	13	1.5	27.6	<3	0.15	232
1309656	428442	5458020	<0.4	0.1	0	10	<0.8	3.3	<3	0.21	242
1309657	428480	5457887	0.4	0.8	0	11	1.7	20.2	<3	0.15	223
1309658	428367	5457768	<0.4	2.7	0	17	1.8	33.2	<3	0.26	199
1309659	428235	5457696	0.7	0.5	0	9	3.5	20.3	<3	0.29	256
1309660	428226	5457684	0.4	1.1	0	10	2.9	27.5	<3	0.28	240
1309661	428267	5457882	<0.4	0.7	0	11	2.1	22.6	<3	0.33	212
1309662	428525	5458794	0.4	1	0	11	1	44.6	<3	0.12	188
1309663	428523	5458401	0.8	0.7	0	5	1	17.5	<3	0.27	251
1309664	428460	5458470	218	16.4	0.01	34	80.1	289	<b>46</b>	<b>75.5</b>	<b>27</b>
1309665	428460	5458432	<0.4	1.7	0	7	0.8	17.6	<3	0.23	182
1309666	428329	5458227	170	<b>69.4</b>	0.01	32	6.7	199	15	4.43	104
1309667	428329	5458222	250	27	0	3	1.1	226	<3	3.1	87
1309668	428365	5458162	109.5	<b>67.4</b>	<b>2.24</b>	10,400	57.1	795	<b>119</b>	<b>50.2</b>	<b>31</b>
BRK009	428297	5458222	227	<b>89.6</b>	0.01	24	70.7	1,050	<b>98</b>	<b>91.3</b>	<b>25</b>
BRK011	428896	5458432	131	5.2	<b>0.12</b>	570	38.7	285	<b>56</b>	11.15	67
BRK012	428232	5458835	142.5	5.4	<b>0.19</b>	860	15.6	254	20	8.93	77
BRK013	428530	5459081	233	<b>21.2</b>	<b>2.11</b>	9,820	6.2	444	16	7.33	70
BRK014	428575	5459167	2.3	1.9	0.01	31	1.3	94.9	3	1.18	220

Notes: BRK010 (non-pegmatite) not included.

**Table 2 – Assay Results – Greenbush August/September 2023 Samples**

Coordinates given in UTM Zone 15 NAD 83

Sample	Easting	Northing	Be ppm	Cs ppm	Li <sub>2</sub> O %	Li ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	K:Rb ratio
1309601	699692	5645492	0.8	2.9	0.00	16	5.2	148.5	<3	0.38	360
1309602	699692	5645492	0.5	2.8	0.00	20	6	146	<3	0.46	360
1309603	700081	5645381	1.5	6.5	0.01	40	7.6	115.5	<3	0.82	197
1309604	700087	5645393	<0.4	2.9	0.00	11	3.8	141	<3	0.6	362

Sample	Easting	Northing	Be ppm	Cs ppm	Li <sub>2</sub> O %	Li ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	K:Rb ratio
1309605	699864	5645573	3	3.3	0.00	7	<0.8	152.5	<3	0.19	388
1309606	699853	5645608	2.7	1.7	0.00	8	2.3	69.6	5	0.21	296
1309607	700476	5645615	0.6	2.1	0.00	9	2.4	123	<3	0.27	368
1309608	700513	5645612	<0.4	1.3	0.00	4	1.5	108.5	<3	0.41	421
1309609	700530	5645623	0.8	2.4	0.00	13	2.8	104	<3	0.27	363
1309610	700526	5645615	0.5	4.2	0.00	23	6.6	139.5	<3	0.5	293
1309612	701111	5645513	0.7	3.6	0.00	16	4.2	79.6	<3	0.44	241
1309613	701228	5645510	<0.4	3.9	0.00	18	4.8	143	<3	0.44	333
1309614	706698	5648372	1	0.8	0.00	20	8.2	91.1	<3	0.51	339
1309615	706720	5648397	<0.4	0.2	0.00	2	1	12	<3	0.54	242
1309616	706755	5648365	0.5	2.3	0.00	4	1.5	142.5	<3	0.52	292
1309617	706878	5648358	1.5	1.2	0.00	7	1.5	57.6	<3	0.23	366
1309618	707141	5648710	0.6	1.5	0.00	7	1.4	106.5	<3	0.14	425

## APPENDIX B: SAMPLE OUTCROP DETAILS

Table 1 – Outcrop details – Barbara Lake August/September 2023 Samples

Sample	Easting	Northing	Lithology	Outcrop Type
1309651	428462	5458873	Pegmatite	Outcrop
1309652	428641	5458726	Pegmatite	Outcrop
1309653	428572	5458491	Pegmatite	Outcrop
1309654	428529	5458434	Pegmatite	Float
1309655	428390	5458113	Pegmatite	Outcrop
1309656	428442	5458020	Pegmatite	Outcrop
1309657	428480	5457887	Pegmatite	Outcrop
1309658	428367	5457768	Pegmatite	Outcrop
1309659	428235	5457696	Pegmatite	Outcrop
1309660	428226	5457684	Pegmatite	Outcrop
1309661	428267	5457882	Pegmatite	Outcrop
1309662	428525	5458794	Pegmatite	Outcrop
1309663	428523	5458401	Pegmatite	Outcrop
1309664	428460	5458470	Pegmatite	Float
1309665	428460	5458432	Pegmatite	Outcrop
1309666	428329	5458227	Pegmatite	Outcrop
1309667	428329	5458222	Pegmatite	Outcrop
1309668	428365	5458162	Pegmatite	Float



Sample	Easting	Northing	Lithology	Outcrop Type
BRK009	428297	5458222	Pegmatite	Outcrop
BRK011	428896	5458432	Pegmatite	Float
BRK012	428232	5458835	Pegmatite	Float
BRK013	428530	5459081	Pegmatite	Float
BRK014	428575	5459167	Pegmatite	Outcrop

**Table 2 – Outcrop details – Greenbush Lake August/September 2023 Samples**

Sample	Easting	Northing	Lithology	Outcrop Type
1309601	699692	5645492	Pegmatite	Outcrop
1309602	699692	5645492	Pegmatite	Outcrop
1309603	700081	5645381	Pegmatite	Outcrop
1309604	700087	5645393	Pegmatite	Outcrop
1309605	699864	5645573	Pegmatite	Subcrop
1309606	699853	5645608	Pegmatite	Subcrop
1309607	700476	5645615	Pegmatite	Outcrop
1309608	700513	5645612	Pegmatite	Outcrop
1309609	700530	5645623	Pegmatite	Outcrop
1309610	700526	5645615	Pegmatite	Outcrop
1309612	701111	5645513	Pegmatite	Outcrop
1309613	701228	5645510	Pegmatite	Outcrop
1309614	706698	5648372	Pegmatite	Outcrop
1309615	706720	5648397	Pegmatite	Outcrop
1309616	706755	5648365	Pegmatite	Outcrop
1309617	706878	5648358	Pegmatite	Outcrop
1309618	707141	5648710	Pegmatite	Outcrop

## APPENDIX C: JORC CODE, 2012 EDITION

**Table 1 – For Exploration Results, JORC Code 2012 Edition  
Section 1 Sampling Techniques and Data**

Criteria	JORC Code Explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<p>Greenbush Project – reported samples were grab rock chip samples.</p> <p>Barbara Lake Project – reported samples were grab rock chip samples.</p>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</li> </ul>	Not applicable for the program undertaken.
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	Not applicable for the program undertaken.
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	Rock chip sample descriptions for all samples have been recorded according to sample type, rock type and mineral assemblage. Sample descriptions are qualitative in nature.

Criteria	JORC Code Explanation	Commentary
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<p>Samples are rudimentary and not representative of the pegmatite as a whole.</p> <p>Samples prepared at ALS Thunder Bay were dried and crushed to a top size of 70% passing 2.0mm. 250grams of crushed samples were pulverised to 85 passing 75 microns. 2 samples were split to produce a duplicate for QAQC purposes.</p> <p>The preparation methods are appropriate for the sampling method.</p>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<p>At ALS Vancouver, prepared rock chip samples were fused with sodium peroxide and digested in dilute hydrochloric acid. The resultant solution was analysed by Inductively Coupled Plasma – Mass Spectrometry (ICP-MS) for (lab code ICP-MS89L) Ag, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ge, Ho, In, K, La, Li, Lu, Mn, Mo, Nb, Nd, Ni, Pb, Pr, Rb, Re, Sb, Se, Sm, Sn, Sr, Ta, Tb, Te, Th, Ti, Tl, Tm, U, V, W, Y, Yb, Zn.</p> <p>The sodium peroxide fusion – hydrochloric digest method offers total dissolution of the sample and is useful for LCT mineral matrices that may resist acid digestions.</p> <p>Industry, normal practice, QAQC procedures were followed by ALS.</p>
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<p>Not applicable for the early-stage exploratory programs undertaken.</p>
Location of data points	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<p>Sample locations for Greenbush are accurate to +/- 10M (UTM Zone 15 NAD 83).</p> <p>Sample locations for Barbara Lake are accurate to +/-10m (UTM Zone 16 NAD 83).</p>
Data spacing and distribution	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> </ul>	<p>Not applicable for the early-stage exploratory programs undertaken.</p>

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> <li>Whether sample compositing has been applied.</li> </ul>	
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	Not applicable for the early-stage exploratory programs undertaken.
Sample security	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	Samples were collected and delivered to the laboratory by company personnel.
Audits or reviews	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	No audits or reviews of sampling techniques have been undertaken.

## Section 2 Reporting of Exploration Results

Criteria	JORC Code Explanation	Commentary																		
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<p>The Greenbush Project and Barbara Lake Projects comprise 519 tenements blocks with two types of ownership. These are detailed as follows:</p> <p><b>1</b> = 100% owned by a wholly-owned subsidiary of Midas</p> <p><b>2</b> = Midas, through a wholly-owned subsidiary, has exclusive option agreement to buy 100% with 1% NSR (0.5% can be purchased any time by Midas for C\$500,000).</p> <table border="1"> <thead> <tr> <th>Tenement no.</th> <th>Ownership</th> <th>Location</th> </tr> </thead> <tbody> <tr> <td>546125 – 546128</td> <td>2</td> <td>Northern Greenbush</td> </tr> <tr> <td>742269 – 742363</td> <td>2</td> <td>Northern Greenbush</td> </tr> <tr> <td>782381 – 782809</td> <td>1</td> <td>Southern Greenbush</td> </tr> <tr> <td>790015 – 790022</td> <td>2</td> <td>Southern Greenbush</td> </tr> <tr> <td>550220 – 550219</td> <td>2</td> <td>Barbara Lake</td> </tr> </tbody> </table> <p>The Greenbush Project is located on crown land outside provincial parks, wilderness areas, conservation reserves and enhanced management areas. Mishkeegogamang First Nation (New Osnaburgh) and Slate Falls First Nation communities may have an interest over the project area.</p> <p>There are no current impediments to obtaining a license to operate in the project area.</p> <p>The Barbara Project is located on crown land outside provincial parks, wilderness areas, conservation reserves and enhanced management areas.</p> <p>There are no current impediments to obtaining a license to operate in the project area.</p>	Tenement no.	Ownership	Location	546125 – 546128	2	Northern Greenbush	742269 – 742363	2	Northern Greenbush	782381 – 782809	1	Southern Greenbush	790015 – 790022	2	Southern Greenbush	550220 – 550219	2	Barbara Lake
Tenement no.	Ownership	Location																		
546125 – 546128	2	Northern Greenbush																		
742269 – 742363	2	Northern Greenbush																		
782381 – 782809	1	Southern Greenbush																		
790015 – 790022	2	Southern Greenbush																		
550220 – 550219	2	Barbara Lake																		



Criteria	JORC Code Explanation	Commentary
Exploration done by other parties	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<p>Prior exploration is included in Midas' ASX announcement dated 13 February 2023 "MM1 to Acquire Greenbush Lithium Project in Ontario, Canada".</p>
Geology	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<p><b>Greenbush Project</b></p> <p>The bedrock in the area is reported (Goodwin, 1965) to be of Precambrian age. It is comprised of an older assemblage of metasediments and metavolcanics and associated mafic intrusions; younger felsic intrusions; and diabase dikes. The metavolcanics consist predominantly of felsic to mafic tuffs, flows and breccias and metamorphic equivalents. There are occasional dikes and sills as well as larger, irregular masses of metadiorite and metagabbro. The metavolcanics of the older assemblage generally overlie but are also interzoned with the older metasediments. Generally, the metasediments consist of quartz-mica schist, arkose, greywacke, staurolite-garnet andalusite schist, pebble conglomerate and banded iron formation. Together they are conformably overlain by a substantial thickness of assorted felsic to mafic volcanic rocks in which several thinner zones of metasediments are associated. The intrusive rocks primarily include a massive to porphyritic granitic batholith extending to the northwest, as well as smaller granitic stocks, dikes and sills. Pegmatites of a wide variety of shapes and sizes occur locally and in great profusion near the south marginal contact of the granite batholith. Other instances of pegmatite dykes were formed by injection along fractures. The Precambrian assemblage is unconformably overlain by unconsolidated till, gravel, sand and clay, primarily of Pleistocene age.</p> <p><b>Barbara Lake Project</b></p> <p>The bedrock in the area was mapped and described by Pye (1965). Metasediments constituted of Biotite-quartz-feldspar schist or gneiss are intruded by pegmatite and diabase dykes.</p>
Drill hole Information	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<p>No drilling activities are being reported.</p> <p>The coordinates, samples and descriptions of samples assayed to date are included in Appendix A, Tables 1 and 2.</p>

Criteria	JORC Code Explanation	Commentary
Data aggregation methods	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	No drilling activities are being reported.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	No drilling activities are being reported.
Diagrams	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	Figures 1 and 2 show sample locations.
Balanced reporting	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	All relevant and material exploration data for the target areas discussed, has been reported or referenced. "
Other substantive exploration data	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	All relevant and material exploration data for the target areas discussed, has been reported or referenced.
Further work	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	Further exploration is warranted across the tenements to improve the understanding of the mineralisation.