

Leverage to commodity price and exploration success

Corporate Update Macquarie Australia Conference 9 May 2014

WWW.PANORAMICRESOURCES.COM | ASX: PAN

Forward Looking Statements

This presentation may contain certain "forward-looking statements" which may not have been based solely on historical facts, but rather may be based on the Company's current expectations about future events and results. Such forward-looking statements may include, without limitation:

- estimates of future earnings, the sensitivity of earnings to metal prices and foreign exchange rate movements;
- estimates of future metal production and sales;
- estimates of future cash flows, the sensitivity of cash flows to metals prices and foreign exchange rate movements;
- statements regarding future debt repayments;
- estimates of future capital expenditures;
- estimates of reserves and statements regarding future exploration results and the replacement of reserves; and
- statements regarding modifications to the Company's hedge position.

Where the Company expresses or implies an expectation or belief as to future events or results, such expectation or belief is expressed in good faith and believed to have a reasonable basis. However, forward looking statements are subject to risks, uncertainties, assumptions and other factors, which could cause actual results to differ materially from future results expressed, projected or implied by such forward-looking statements. Such risks include, but are not limited to metals price volatility, currency fluctuations, increased production costs and variances in ore grade or recovery rates from those assumed in mining plans, as well as political and operational risks in the Countries and States in which we operate or sell product to, and governmental regulation and judicial outcomes.

For a more detailed discussion of such risks and other factors, see the Company's Annual Reports, as well as the Company's other filings. The Company does not undertake any obligation to release publicly any revisions to any "forward-looking statement" to reflect events or circumstances after the date of this presentation, or to reflect the occurrence of unanticipated events, except as may be required under applicable securities laws.



Agenda



1	Company Overview	
2	Leveraged to Nickel	
3	Leveraged to Gold	
4	Leveraged to PGMs	
5	Investment Case	LARK .
6	Additional Information	

Panoramic at a glance






Significant Resource Base as at 30 June 2013								
Platinum + Palladium2.8M oz								
Gold	2.5M oz							
Nickel	187kt							
Copper	39kt							
Cobalt	3kt							

Market Cap and Enterprise Value Pro forma


Shares on issue	~319M
Share Price	~\$0.62
Market Capitalisation	~A\$200M
Cash	~A\$41M (30 March 2014)
Bank debt	Nil
Enterprise Value	~A\$160M

Strong cumulative cash flow




Performance against peers in last 12 months





Our portfolio





Team

Board




	Brian Phillips Non Exec. Chairman +50 years extensive	Senior N	Lanagement Team Trevor Eton CFO / Company Secretary +25 years corporate experience in the minerals industry.	Finance and Accounting
	mining industry experience. Peter Harold Managing Director		Terry Strong Chief Operating Officer +17 years experience as a mining engineer in the mining industry.	Savannah Operations Lanfranchi Operations
Anteres .	+26 years corporate experience in the minerals industry.		Angus Thomson Executive GM Business Development +15 years experience as a geologist and business development in the mining industry.	Business Development & Investor Relations
	Christopher Langdon Non Exec. Director +25 years of corporate finance and management experience.	-min-	Christopher Williams General Manager Project Development & Technical Services +30 years experience as a mining engineer in the mining industry.	Gold PGM
	John Rowe Non Exec. Director +40 years experience as		John Hicks General Manager Exploration +30 years experience in the Australian mining and exploration industry.	Exploration, Resources, Geology
R	a geologist with extensive mining expertise.		Tracey Ram General Manager Human Resources +22 years of HR and industrial relations experience in both the private and public sectors.	Human Resources

Experienced Board and management team with track record of discovery, development and production

Safety – Our number one value




- Back to Basics safety focus at shop floor level
- Improved hazard reporting and a reduction in the number of incidents
- The 12 month moving average Group LTI Frequency Rate (LTIFR) increased over the March 2014 quarter to 7.69
- Five Lost Time Injuries during the March 2014 quarter (mostly soft tissue injuries)



The diagram shows the Group LTIFR, which has increased above the Group Target of 4.14, and the recently published 2011/12 WA Nickel Industry Average LTIFR of 2.30 from the WA Department of Mines and Petroleum (DMP)

Value Created for Shareholders





Total liabilities

Shareholders equity

Total assets

Cash flow from operating activities before tax

\$104.7 million paid in fully franked dividends to-date

Shareholder equity and total assets

March 2014 quarter highlights

Group

- Production approx. 5,731t Ni, a record quarter
- Costs aggregate Group site costs down to A\$5.18/lb (US\$4.64/lb)
- Safety five LTIs during the quarter (predominantly soft tissue)
- Liquid assets up 26% to \$67 million
- FY14 production guidance increased to 21,500-22,000t contained Ni Savannah
- Production 2,375t Ni in concentrate (up 18%)
- Costs payable cash costs A\$4.81/lb Ni (down 23%)
- **Exploration** Savannah North discovery, a potential game changer

Lanfranchi

- Production 3,356t Ni in ore production record
- Costs payable cash costs A5.48/lb Ni
- Exploration drilling undertaken on targets down-plunge of Deacon, Lanfranchi, potential channel east of Deacon

Projects

- **Gold Projects** Feasibility Studies on track for delivery in June quarter
- PGM Projects planning has commenced for ore upgrading studies at Panton and work progressed on partnership strategy for Thunder Bay North







Shareholders and Operations Manager at Lanfranchi

Nickel market tightens





Source: INSG, Macquarie Research, April 2014




Source: INSG, Macquarie Research, April 2014

Recent developments:

- The implementation of the Indonesian ore export ban 12 Jan 2014
- Better than expected demand growth especially outside of China
- Nickel production losses
 - Faster declines in Chinese NPI than expected
 - Ongoing conventional losses (BHP Billiton, Cubaniquel and Pamco, Jinchuan)
- ~30% price rally since January 2014
- Market anticipating move to deficit sooner than previously expected

Most forecasters predicting Ni prices above current levels in the medium/longer term






Note: This graph is based on mid-point of guidance for PAN FY2014 nickel production, US\$3.00/lb Cu, US\$12.50/lb Co and is for illustration purposes only

Note: This graph is based on mid-point of guidance for PAN FY2014 nickel production, US\$8.00/lb Ni, US\$3.00/lb Cu, US\$12.50/lb Co and is for illustration purposes only

Nickel operations performing strongly






- Operations preforming strongly FY2014 production guidance increased to 21,500-22,000t nickel
- Cost reductions and productivity improvements ongoing with total site costs trending down
- Significant nickel exploration targets identified aggressive exploration programs can now proceed

Historical performance





<u>Savannah</u> ~78,790t of nickel mined from 2004 to 2013 from an initial planned reserve of 49,250t Ni Mine life extended from an initial 6 years to over 12 years (to FY17) before additional exploration

<u>Lanfranchi</u> ~68,580t of nickel mined from 2005 to 2013 from an initial reserve of 19,330t Ni Mine life extended from an initial 5 years to over 12 years (to FY16) before additional exploration

Accelerating nickel exploration



- High priority nickel exploration targets identified at Savannah
 and Lanfranchi
- Exploration was scaled back for FY14 budget due to weak nickel price and strong A\$
- Additional funding from Placement and SPP will allow aggressive exploration over the next 18-24 months
- Exploration programs commenced:
 - **Savannah** testing a new geological theory
 - KUD1525 89.3m at 1.60% Ni
 - KUD1525B 33.7m at 1.56% Ni
 - Lanfranchi drilling to test existing channel extensions, new channels and the over turned dome theory
- Target is to extend the mine life of each operation by at least 5 years



Savannah North - Exploration





Surface drill rigs on location at Savannah North


- Two surface drills mobilised during the quarter to drill a series of broadly spaced surface holes (over 2-3 mths)
- Three surface holes completed during the March 2014 quarter
 - SMD153
 - SMD154
 - SMD155

Major discovery – Savannah North



Two significant intersections at Savannah North


- KUD1525 intersected 89.3m @ 1.60% Ni, 0.76%
 Cu, 0.12% Co from 704.9m including:
 - 13.2m @ 2.10% Ni, 0.72% Cu, 0.15% Co from 741.8m
 - 17.0m @ 2.28% Ni, 1.16% Cu, 0.17% Co from 777.0m
- KUD1525B intersected 33.7m @ 1.56% Ni including:
 - 25.7m @ 1.79% Ni
- Another exploration success underpinned by applying sound geological principles



Savannah North – cross section view




- Broad zones of disseminated sulphides on the North Olivine Gabbro open up potential new exploration front
- Strong off-hole EM response in KUD1525 and SMD153 not yet explained
- Follow up drilling required
- Planning for new exploration drive is in progress requiring potentially 600-800m of development
- Drive potentially available in December 2014 quarter for an estimated cost of <\$4M



Lanfranchi Exploring for new channels






- Potential new channel identified to the east of Deacon
- Targeting down-plunge of the Lanfranchi Channel
- Targeting down-plunge of Deacon
- Ongoing review of historic Western
 Mining database to identify new targets
- Targeting prospective Tramways Overturned Dome for new discoveries

Lanfranchi Deacon channel extensions




- Exploration has identified a number of strong EM conductors down dip of the Deacon ore body
- EM conductors have only been partially tested
- Existing drilling has only tested the margins of the EM conductors. Best drilling results to date include:
 - HS713C 3.23m @ 4.28% Ni
 - HS 732 12m @ 1.34% Ni
 - HS756 7.26m @ 2.03% Ni
- Follow up drilling is required to fully test these conductors



Lanfranchi Extending known channels


- Successful infill drill programs have extend the Lanfranchi ore body by a further ~120m down plunge
- Mineralisation remains open down plunge
- Best intersections include:
 - LAN260 10.18m @ 3.84% Ni
 - LAN258A 7.56m @ 3.83% Ni and 13.17m @ 4.04%
 - LAN278 4.05m @ 5.78%
- New drill platform required to test for down plunge extensions



Lanfranchi Exploring for new discoveries




- Previous exploration confirmed prospective channels are located on northern side of the Kambalda Dome
- A program of surface holes is planned to further test the northern side of the Kambalda Dome
- Cross hole seismic and/or down hole EM will be used to help identify potential new targets




Gold and PGMs optionality






- Total Resources of 2.8Moz Pt+Pd*
- Panton BFS updated March 2012
- Thunder Bay North PEA completed 2011 •
- Aim is to be a 150k plus oz pa Pt+Pd producer within 5 years



- Two advanced projects
- Total Resources of 2.5Moz Au*
- Both Gidgee and Mt Henry have Scoping Studies indicating robust economics
- Gidgee Feasibility Study due June guarter 2014
- Mt Henry BFS due June quarter 2014
- Aim is to be a 150-200k oz pa gold producer within 3 years

Panoramic Gold – Gidgee and Mt Henry





Product	Gold
Mining	Open pit and underground
Resources	17.9Mt @ 2.3g/t for 1.3Moz Au

Mt Henry (70%)



Product	Gold
Mining	Open pit
Resources	31.6Mt @ 1.18g/t for 1.2Moz Au (PAN 70% share)

Gold market




Short term

- Gold price has rallied off recent lows
- Spot US\$1320/oz (A\$1475 oz)
- Refocus on gold equities by investors

Medium/Long term

- Many forecasters still quoting US\$1,200-1,300/oz longer term
- A\$1,400-1,530/oz at A\$:US\$ 0.85
- We use A\$1,500/oz for project evaluation



PGMs – Thunder Bay North and Panton






Products	Platinum, Palladium						
Mining	Open cut and underground						
Resources	10.4Mt @ 1.13g/t Pt and 1.07g/t Pd						



Products	Platinum, Palladium, Gold
Mining	Open cut and underground
Resources	1.0Moz Pt and 1.1Moz Pd

PGM market






Platinum market balance

Supply issues

- Limited new supply to meet forecast deficits
- Ongoing structural supply issues in Africa
- Spot Pt US\$1420/oz

Palladium market balance




Demand drivers

- Positive demand growth in China and US
- Limited ability to substitute
- Spot Pd US\$735/oz

Industry forecasters are predicting Pt & Pd prices significantly above current levels in the medium/longer term

Source : UBS and Johnson Matthey





* Subject to attractive commodity prices, US\$ A\$ exchange rate, company costs and more necessary project approvals and financing


Focus and priorities



Safety	 Continue to improve safety performance 	
Operating Margin	Reduce operating costsOptimise production	
Mine Life Extensions	 Convert existing Resources to Reserves Discover additional mineralisation Savannah North drill program 	
Dividends	 Continue to reward shareholders 	
Growth	 Deliver on diversified commodity strategy 	

Investment case







ASX : PAN www.panoramicresources.com

Mission Statement

We strive to achieve excellence in all aspects of our business to provide long term capital growth and dividend return to our shareholders, a safe and rewarding work environment for our employees, and opportunities and benefits to the people in the communities we operate in.

WWW.PANORAMICRESOURCES.COM | ASX: PAN



Appendices

Resources, Reserves, Relevant Disclosures and Competent Persons Statements

Note: further 2012 Edition JORC compliance tables are referenced in the PAN December 2013 quarterly report

Appendix 1: Panoramic - Nickel Resources (Ni,Cu,Co)



Savannah, Copernicus, Lanfranchi Resources Table

	Fauity	Equity	Date of	JORC	Measured Indicated			Inferred		Total		Metal	
Resource	(%)	Metal	Resource	Compliance	Tonnes	Ni (%)	Tonnes	Ni (%)	Tonnes	Ni (%)	Tonnes	Ni (%)	Tonnes
Savannah Project	100												
		Nickel	Jul-13	2012	2,175,000	1.52	1,508,000	1.54	-	-	3,684,000	1.53	56,400
		Copper				0.80		1.04		-		0.90	33,200
		Cobalt				0.08		0.07		-		0.08	2,900
Copernicus	~78												
		Nickel	Jul-10	2004	307,000	1.08	316,000	1.38	18,000	1.01	641,000	1.23	7,900
		Copper				0.66		0.99		0.70		0.82	5,300
		Cobalt				0.04		0.05		0.03		0.04	300
Lanfranchi Project	100	Nickel											
Cruikshank			Apr-11	2004	-	-	2,018,000	1.42	611,000	0.79	2,629,000	1.28	33,600
Deacon			Jul-13	2012	918,000	2.64	229,000	2.60	105,000	1.66	1,252,000	2.55	32,000
Gigantus			Jul-07	2004	-	-	-	-	652,000	1.63	652,000	1.63	10,600
Helmut South			Jul-12	2012	28,000	3.00	-	-	-	-	28,000	3.00	900
Helmut South Ext			Jun-13	2012	17,000	3.66	124,000	3.20	4,000	2.24	145,000	3.23	4,700
John			Jul-07	2004	-	-	-	-	291,000	1.42	291,000	1.42	4,100
Lanfranchi			Jul-13	2012	71,000	5.32	86,000	4.50	63,000	4.03	220,000	4.63	10,200
Martin			Feb-12	2012	-	-	47,000	3.58	7,000	4.16	54,000	3.66	2,000
McComish			Jul-07	2004	-	-	-	-	992,000	1.49	992,000	1.49	14,800
Metcalfe			Jul-13	2012	-	-	237000	2.1	86,000	1.75	323,000	2.01	6,500
Schmitz			Jul-13	2012	11,000	6.51	38,000	3.39	20,000	3.50	69,000	3.93	2,700
Winner			Jul-11	2004	-	-	14,000	4.40	-	-	14,000	4.40	600
Total (Equity)		Nickel											186,800
		Copper											38,400
		Cobalt											3,200

Appendix 2: Panoramic - Nickel Reserves (Ni,Cu,Co)



Savannah, Copernicus, Lanfranchi Reserves Table

Decemus	Equity	Date of		JORC	Proven		Probable		Total		Metal	
Reserve	(%)	Metal	Reserve	Compliance	Tonnes	(%)	Tonnes	(%)	Tonnes	(%)	Tonnes	
Savannah Project												
Upper Zone	100	Nickel	Jul-13	2012	-	-	650,000	1.23	650,000	1.23	8,000	
		Copper				-		0.57		0.57	3,700	
		Cobalt				-		0.07		0.07	500	
Lower Zone	100	Nickel	Jul-13	2012	-	-	2,041,000	1.32	2,041,000	1.32	26,900	
		Copper				-		0.83		0.83	16,900	
		Cobalt				-		0.06		0.06	1,300	
Copernicus O/Pit	~78	Nickel	Jul-13	2004	-	-	288,000	1.03	288,000	1.03	3,000	
		Copper				-		0.63		0.63	1,800	
		Cobalt				-		0.04		0.04	100	
Lanfranchi Project	100											
Deacon			Jul-13	2012	-	-	967,000	2.02	967,000	2.02	19,500	
Lanfranchi			Jul-13	2012	-	-	73,000	4.61	73,000	4.61	3,400	
Helmut Sth Ext			Jul-13	2012	-	-	158,000	2.13	158,000	2.13	3,400	
Total (Equity)		Nickel									64,100	
		Copper									22,500	
		Cobalt									1,900	



Savannah Project (including Copernicus)

All Savannah Project Resources and Reserves, with the exception of Copernicus have been transitioned to JORC Code 2012. The Copernicus Project Resources and Reserves remain JORC 2004 compliant and are based on a cut-off grade at 0.50% Ni.

Lanfranchi Project

All Lanfranchi Project Resources and Reserves have been transitioned to JORC Code 2012 compliance.

Competent Persons Disclosures:

The information in this report that relates to Mineral Resources (excluding the Copernicus Project) is based on information compiled by or reviewed by Paul Hetherington (MAusIMM) for the Savannah Project Resource and Bradley Robinson (MAusIMM) for the Lanfranchi Project Resources. The aforementioned are full-time employees of Panoramic Resources Limited. The aforementioned have sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("the JORC Code"). The aforementioned consent to the inclusion in the report of the matters based on this information in the form and context in which it appears.

The information in this release that relates to Mineral Resources for the Copernicus Project is based on information compiled by or reviewed by Paul Hetherington (MAusIMM). The aforementioned is a full-time employee of Panoramic Resources Limited. The aforementioned has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2004 Edition of the Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("the JORC Code"). The aforementioned consents to the inclusion in the release of the matters based on this information in the form and context in which it appears.

Information in this release relating to Ore Reserves (excluding the Copernicus Project) has been completed by or reviewed by Lilong Chen (MAusIMM) for both the Savannah Project and Lanfranchi Project. The aforementioned is a full-time employee of Panoramic Resources Limited. The aforementioned has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. The aforementioned consents to the inclusion in the release of the matters based on this information in the form and context in which it appears.

Information in this release relating to Ore Reserves for the Copernicus Project has been completed by or reviewed by Jonathon Bayley (MAusIMM). The aforementioned has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2004 Edition of the JORC Code. The aforementioned consents to the inclusion in the release of the matters based on this information in the form and context in which it appears.

Appendix 3 : Panoramic – Gold Project(s) Resources (Au)



	Equity	uity	uity Date		Date of JORC		Measured		Indicated		d	Total		Metal
Resource	(%)	Metal	Resource	Compliance	Tonnes	Au (g/t)	Tonnes	Au (g/t)	Tonnes	Au (g/t)	Tonnes	Au (g/t)	(Au oz)	
Gidgee Project	100	Gold												
Swan OC			Jun-12	2004	-	-	3,399,000	2.40	327,000	3.51	3,726,000	2.49	298,600	
Heron South			Oct-12	2004	-	-	1,000,000	2.31	136,000	1.41	1,136,000	2.20	80,300	
Howards			Jul-13	2012	-	-	5,255,000	1.07	716,000	1.01	5,971,000	1.06	204,000	
Specimen Well			Jun-12	2004	-	-	289,000	2.06	72,000	1.79	361,000	2.00	23,200	
Toedter			Jun-12	2004	-	-	-	-	661,000	1.62	661,000	1.62	34,400	
Eagles Peak			Mar-06	2004	-	-	13,000	3.46	-	-	13,000	3.46	1,400	
Orion			Mar-06	2004	-	-	22,000	3.04	-	-	22,000	3.04	2,200	
Deep South			Mar-06	2004	-	-	20,000	3.02	-	-	20,000	3.02	1,900	
Shiraz			Jul-13	2012	-	-	2,476,000	0.84	440,000	0.76	2,916,000	0.83	77,600	
Swan UG			Jun-12	2004	-	-	207,000	8.71	125,000	9.02	332,000	8.83	94,200	
Swift UG			Jun-12	2004	-	-	-	-	72,000	9.23	72,000	9.23	21,400	
Omega UG			Mar-06	2004	-	-	31,000	9.20	-	-	31,000	9.20	9,200	
Kingfisher UG			Mar-06	2004	-	-	390,000	6.80	-	-	390,000	6.80	85,300	
Wilsons UG			Jul-13	2012	-	-	2,131,000	5.33	136,000	5.97	2,267,000	5.37	391,500	
Mt Henry Project	70	Gold												
Selene			Jul-13	2012	-	-	11,491,000	1.17	3,466,000	0.93	14,957,000	1.11	535,900	
Mt Henry			Jul-13	2012	-	-	10,487,000	1.27	4,435,000	1.14	14,922,000	1.23	590,800	
North Scotia			Jul-13	2012	-	-	250,000	3.11	97,000	1.95	347,000	2.79	31,100	
Total (Equity)		Gold			-	-	37,461,000	1.67	10,683,000	1.37	48,144,000	1.60	2,483,100	



Gidgee Project

On the Gidgee Project, Howards, Shiraz and Wilsons Resources have been transitioned to JORC Code 2012 compliance. All other Resources remain JORC 2004 compliant. Individual Project Resources and Reserves are stated on an equity basis.

Information in relation to 2004 JORC compliant Resources:

Swan OC Resource cut-off grade is 0.7 g/t • Eagles Peak Resource cut-off grade is 1.2 g/t • Orion Resource cut-off grade is 1.3 g/t • Deep South Resource cut-off grade is 1.2 g/t • Swan UG Resource cut-off grade is 4.0 g/t for Indicated resources and 5.0 g/t for Inferred resources • Swift UG Resource cut-off grade is 5.0 g/t • Omega UG Resource cut-off grade is 3.0 g/t • Kingfisher UG Resource cut-off grade is 3.0 g/t • Heron South Resource cut-off grade is 0.5 g/t • Specimen Well Resource cut-off grade is 0.5 g/t • Toedter Resource cut-off grade is 0.5 g/t.

Competent Persons Disclosures:

The information in this release that relates to the Swan OC, Eagles Peak, Orion, Deep South, Swan UG, Swift UG, Omega, and Kingfisher Mineral Resources is based on information compiled by or reviewed by Dr Spero Carras (FAusIMM). Dr Carras is the Executive Director of Carras Mining Pty Ltd and was acting as a consultant to Legend Mining Ltd in 2006 and Panoramic Resources Limited in 2012. Dr Carras has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the JORC Code. Dr Carras consents to the inclusion in the release of the matters based on this information in the form and context in which it appears.

The information in this release that relates to the Heron South, Howards, Shiraz, Specimen Well, Toedter and Wilsons Mineral Resources is based on information compiled by or reviewed by Andrew Bewsher (AIG) and Ben Pollard (AIG & MAusIMM). The aforementioned are full time employees of BM Geological Services and have sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2004 and 2012 Editions of the JORC Code. The aforementioned all consent to the inclusion in the release of the matters based on this information in the form and context in which it appears.

Mt Henry Project (Panoramic 70%)

All Mt Henry Project Resources have been transitioned to JORC Code 2012 compliance. All Mt Henry Project Resources are stated on an equity basis. The information in this report that relates to the Mt Henry Project Mineral Resources is based on information compiled by or reviewed by Andrew Bewsher (MAusIMM). Andrew Bewsher is a full time employee of BM Geological Services and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Andrew Bewsher consents to the inclusion in the report of the matters based on this information in the form and context in which it appears.



Panton PGM Project - Resources

_	Equity	Date of Resource	JORC Compliance	Tonnage			Grade	Metal (oz)			
Resource	(%)				Pt (g/t)	Pd (g/t)	Au (g/t)	Cu (%)	Ni (%)	Pt	Pd
Top Reef	100	Mar-12	2004								
Measured				4,400,000	2.46	2.83	0.42	0.28	0.08	348,000	400,000
Indicated				4,130,000	2.73	3.21	0.38	0.31	0.09	363,000	426,000
Inferred				1,560,000	2.10	2.35	0.38	0.36	0.13	105,000	118,000
Middle Reef	100	Mar-12	2004								
Measured				2,130,000	1.36	1.09	0.10	0.18	0.03	93,000	75,000
Indicated				1,500,000	1.56	1.28	0.10	0.19	0.04	75,000	62,000
Inferred				600,000	1.22	1.07	0.01	0.19	0.05	24,000	21,000
Total (Equity)				14,320,000	2.19	2.39	0.31	0.27	0.08	984,000	1,081,000

Qualifying statement and notes

The information is in this release that relates to the Panton Project Mineral Resource is based on a resources estimate compiled by Ted Copeland who is a Director of Cube Consulting Pty Ltd. and is a Member of the Australian Institute of Mining and Metallurgy. Ted Copeland has more than 10 years' experience which is relevant to the style of mineralisation and type of deposit under consideration and in the activity which he is undertaking and qualifies as a Competent Person as defined in the 2004 Edition of the JORC Code. Ted Copeland consents to the inclusion in the release of the matters based on the information in the form and context in which they appear.

Appendix 5: Thunder Bay North PGM Project Resources



Resource	Equity (%)	Date of Resource	JORC Compliance	Tonnage	Grade									Metal (oz))	
					Pt (g/t)	Pd (g/t)	Rh (g/t)	Au (g/t)	Ag (g/t)	Cu (%)	Ni (%)	Co (%)	Pt-Eq (g/t)	Pt	Pd
Open Pit	100	Jan-11	2004												
Indicated				8,460,000	1.04	0.98	0.04	0.07	1.50	0.25	0.18	0.014	2.13	283,000	267,000
Inferred				53,000	0.96	0.89	0.04	0.07	1.60	0.22	0.18	0.014	2.00	2,000	2,000
Underground	100	Feb-12	2004												
Indicated				1,369,000	1.65	1.54	0.08	0.11	2.60	0.43	0.24	0.016	3.67	73,000	68,000
Inferred				472,000	1.32	1.25	0.06	0.09	2.10	0.36	0.19	0.011	2.97	20,000	19,000
Total (Equity)				10,354,000										377,000	355,000

Qualifying statement and notes

Open Pit Resource

The effective date of this estimate is 11 January 2011, which represents the cut-off date for the most recent scientific and technical information used in the report. The Mineral Resource categories under the JORC Code (2004) are the same as the equivalent categories under the CIM Definition Standards for Mineral Resources and Mineral Reserves (2010). The portion of the Mineral Resource underlying Current Lake is assumed to be accessible and that necessary permission and permitting will be acquired. All figures have been rounded; summations within the tables may not agree due to rounding.

The open pit Mineral Resource is reported at a cut-off grade of 0.59 g/t Pt-Eq within a Lerchs-Grossman resource pit shell optimized on Pt-Eq. The strip ratio (waste:ore) of this pit is 9.5:1. The contained metal figures shown are in situ. No assurance can be given that the estimated quantities will be produced. The platinum-equivalency formula is based on assumed metal prices and overall recoveries. The Pt-Eq formula is: Pt-Eq g/t = Pt g/t + Pd g/t x 0.3204 + Au g/t x 0.6379 + Ag g/t x 0.0062 + Cu g/t x 0.00011 + Total Ni g/t x 0.000195 + Total Co g/t x 0.000124 + Rh g/t x 2.1816. The conversion factor shown in the formula for each metal represents the conversion from each metal to platinum on a recovered value basis. The assumed metal prices used in the Pt-Eq formula are: Pt US\$1,595/oz, Pd US\$512/oz, Au US\$1,015/oz, Ag US\$15.74/oz, Cu US\$2.20/lb, Ni US\$7.71/lb, Co US\$7.71/lb and Rh US\$3,479/oz. The assumed combined flotation and PlatsoITM process recoveries used in the Pt-Eq formula are: Pt 76%, Pd 75%, Au 76%, Ag 55%, Cu 86%, Ni 44%, Co 28% and Rh 76%. The assumed refinery payables are: Pt 98%, Pd 98%, Au 97%, Ag 85%, Cu 100%, Ni 100%, Co 100% and Rh 98%.

The updated Resources do not include drilling conducted since 31 May 2010. The information in this release that relates to Mineral Resources compiled by AMEC Americas Limited was prepared by Greg Kulla P.Geo (APOG #1752, APEGBC #23492) and David Thomas, P.Geo, MAusIMM

(APEGBC #149114, MAusIMM #225250), both full time employees of AMEC Americas Limited. The aforementioned have sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activities undertaken to qualify as Competent Persons as defined in the 2004 Edition of the JORC Code and independent qualified persons as this term is defined in Canadian National Instrument 43-101.



Underground Resource

The internal Underground Mineral Resource estimate for the East Beaver Lake extension was made by ordinary kriging methods using the same technical and financial parameters as those used by AMEC Americas Limited for the Underground Mineral Resource estimate reported by Magma Metals limited ("Magma") on 6 September 2010. The Underground Mineral Resource is reported at a cut-off grade of 1.94g/t Pt-Eq. The contained metal figures shown are in situ. The platinum equivalency formula is based on assumed metal prices and recoveries and therefore represents Pt-Eq metal in situ. The Pt-Eq formula is: Pt-Eq g/t = Pt g/t + Pd g/t x 0.2721 + Au g/t x 0.3968 + Ag g/t x 0.0084 + Cu g/t x 0.000118 + Sulphide Ni g/t x 0.000433 + Sulphide Co g/t x 0.000428 + Rh g/t x 2.7211. The assumed metal prices used in the Pt-Eq formula are: Pt US\$1,470/oz, Pd US\$400/oz, Rh US\$4,000/oz, Au US\$875/oz, Ag US\$14.30/oz, Cu US\$2.10/lb, Ni US\$7.30/lb and Co US\$13.00/lb. The assumed process recoveries used in the Pt-Eq formula are: Pt 75%, Pd 75%, Rh 75%, Au 50%, Ag 50%, Cu 90%, and Ni and Co in sulphide 90%. The assumed smelter recoveries used in the Pt-Eq formula are Pt 85%, Pd 85%, Rh 85%, Au 85%, Ag 85%, Cu 85%, Ni 90% and Co 50%. To account for a portion of the Ni and Co occurring as silicate minerals, Ni and Co in sulphide were estimated by linear regression of MgO to total Ni and total Co respectively. The regression formula for Ni in sulphide (NiSx) is: NiSx = Ni - (MgO% x 60.35 - 551.43). The regression formula for Co in sulphide (CoSx) is: CoSx = Co - (MgO% x 4.45 - 9.25). All figures have been rounded. Summations within the tables may not agree due to rounding. Magma undertook quality assurance and quality control studies on the mineral resource data and concluded that the collar, assay and lithology data are adequate to support resource estimation.

The Mineral Resource categories under JORC are the same as the equivalent categories under CIM Definition Standards (2005). The Mineral Resource has been estimated in conformity with both generally accepted CIM "Estimation of Mineral Resources and Mineral Reserves Best Practice" (2003) guidelines and the 2004 Edition of the JORC Code. Mineral Resources are not Mineral Reserves and do not have demonstrated economic viability.

The information in this release that relates to Mineral Resources compiled internally was prepared by Guoliang Leon Ma P.Geo and Allan MacTavish P.Geo, both full time employees of Panoramic PGMs (Canada) Limited, a wholly owned subsidiary of Panoramic Resources Limited. Both the aforementioned have sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activities undertaken to qualify as Competent Persons as defined in the 2004 Edition of the JORC Code and qualified persons as this term is defined in Canadian National Instrument 43-101. The aforementioned all consent to the inclusion in the release of the matters based on this information in the form and context in which it appears.