

ASX Announcement 22 June 2026

GoldArc Confirms Critical Element Signature Within Mt Stirling Gold System

Highlights

- **Multi-element analysis confirms gold is consistently associated with** arsenic, antimony and tungsten at Mt Stirling, while gold at Mt Stirling Well is associated with elevated silver, bismuth and molybdenum.
 - **Grades up to 6.06% As, 0.88% W and 0.03% Sb** were recorded in hole 26MSDD001 associated with gold mineralised zone at Mt Stirling.
 - **Grades up to 62g/t Ag, 466ppm Bi and 214ppm Mo with anomalous Cu-Pb-Zn** were recorded in holes 26MSDD003 and 26MSDD004a at Mt Stirling Well.
- **The multi-element dataset refines GoldArc's understanding** of host-rock chemistry and alteration at Mt Stirling and Mt Stirling Well.
- **Confirms trace-element signature within** previously reported (see ASX announcement dated 16 March 2026) high-grade gold intercepts including:
 - **5.6m at 8.71 g/t Au** from 106.4m, including **3m at 15.53 g/t Au** from 106.4m (26MSDD001) at Mt Stirling
 - **6m at 3.41 g/t Au** from 11m, including **4m at 4.53 g/t Au** from 13m (26MSDD002) at Mt Stirling
 - **1.57m at 14.2 g/t Au** from 47m including **1m at 30.2 g/t Au** from 47.9m (26MSDD003) at Mt Stirling Well
 - **1.25m at 2.86 g/t Au** from 35.75m (26MSDD004a) at Mt Stirling Well
- **Metallurgical test work on the PQ core is under way and targeted for completion within four weeks**, a key input for finalising the mining implementation plan with BML Ventures.
- **Selective re-assay of mineralised zones at Mt Stirling** for arsenic, antimony and tungsten planned to evaluate their potential significance as associated elements.

GoldArc Resources Limited (ASX:GA8) ('GoldArc' or 'the Company') has analysed samples from four PQ diamond holes drilled at the high-grade Mt Stirling and Mt Stirling Well gold deposits for a broader suite of 59 elements, which GoldArc understands to be the first time this type of multi-element analysis has been carried out on drill samples from either deposit.

The results confirm that gold mineralisation at Mt Stirling is consistently accompanied by elevated arsenic, antimony and tungsten, and at Mt Stirling Well by elevated silver, bismuth and molybdenum, sharpening GoldArc's geological model of both gold systems as it progresses metallurgical and geotechnical work with its partner BML Ventures toward a mining implementation plan.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

GoldArc Resources Managing Director, Paul Stephen commented: “Our focus remains squarely on growing and developing the gold resource at Mt Stirling and Mt Stirling Well, and this multi-element work supports exactly that. Running a full 59-element suite on these samples for the first time has sharpened our picture of what’s hosting the gold at each deposit, and it’s a useful bonus that antimony and tungsten, which sit alongside the gold at Mt Stirling, are recognised critical minerals. Metallurgical test work is under way and targeted for completion approximately four weeks, which will help us finalise the mining implementation plan with BML Ventures.”

Diamond Drilling Results

The PQ-diameter diamond drill program, conducted in partnership with BML Ventures, comprised four holes for approximately 316 metres (Figure 1). These holes targeted the core mineralised zones at the Mt Stirling (M37/1306) and Mt Stirling Well (M37/1305) deposits. Significant intercepts from this campaign include (see Appendix 1 for full table of results):

- **5.6m @ 8.71 g/t Au** from 106.4m, including **3m @ 15.53 g/t Au** from 106.4m, also **8m @ 1.9% As** from 106m, **3.64m @ 192ppm Sb** from 106.4m, **4m @ 0.28% W** from 108m (26MSDD001) at Mt Stirling.
- **6m @ 3.41 g/t Au** from 11m, including **4m @ 4.53 g/t Au** from 13m also **17m @ 370ppm As** from 3m and **26m @ 44ppm W** from 0m (26MSDD002) at Mt Stirling.
- **1.57m @ 14.2 g/t Au** from 47m, including **1m @ 30.2 g/t Au** from 47.9m, also **2.85m @ 21.51g/t Ag, 97ppm Bi and 60ppm Mo** from 45.82m (26MSDD003) at Mt Stirling Well.
- **1.25m @ 2.86 g/t Au** from 35.75m, also **1.55m @ 25.31g/t Ag, 124ppm Bi, 71.6ppm Mo** from 34.45m (26MSDD004a) at Mt Stirling Well.




Figure 1 – Plan View of PQ Diamond Drilling at Mt Stirling and Mt Stirling Well

Metallurgical & Geotechnical Drilling Program

The primary objective of this campaign was the recovery of high-quality PQ core samples to facilitate definitive metallurgical and geotechnical test work. In addition to gold, all samples from four diamond holes were analysed for 59 elements at Bureau Veritas in Kalgoorlie using four acid digest (ICP102/ICP302). The samples have been digested and refluxed with a mixture of acids including Hydrofluoric, Nitric, Hydrochloric and Perchloric Acids. This extended digest approaches a total digest for many elements however some refractory minerals are not completely attacked.

Metallurgical testing was designed to establish a fundamental baseline of the mineralogy by determining the specific ore composition. This test work is still ongoing, and the data will be essential to finalising the mining implementation plan.

Geological Context

At the **Mt Stirling** deposit, gold mineralisation is hosted within high-strain schistosed-mylonitic deformation within the Hydra Fault, within a strongly hydrothermally altered greenschist-facies meta-basalt. Gold is preferentially associated with strongly and pervasively silicified/silica-flooded, sulphidic intervals with elevated/enriched arsenic-tungsten-antimony contents.

At **Mt Stirling Well**, gold mineralisation occurs in a distinct structural setting: narrow, flat-dipping and weakly sulphidic quartz veins with elevated/enriched silver-bismuth-molybdenite-copper-lead-zinc within a granitoid (tonalite) host.

The Rb/Sr ratios (alteration) are anomalous around gold mineralisation in all holes however, the ratio is much broader at Mt Stirling.




Figure 2 – Downhole Interpreted Lithologies, with gold and Rb/Sr Ratio displayed as graphs for comparison - Mt Stirling and Mt Stirling Well

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

Next Steps

The Company is advancing the following near-term milestones:

- Continue 34,000m RC grade control program at Mt Stirling and Mt Stirling Well under the BML Ventures partnership, with further batches of results expected progressively.
- Complete metallurgical baseline test work, targeted for completion within approximately four weeks, ahead of finalising the mining implementation plan.
- Selective re-assay mineralised zones within the Mt Stirling deposit for a suite of elements including arsenic, antimony and tungsten to evaluate their economic potential.
- Apply the multi-element-derived lithological model to refine geological interpretation ahead of future drill targeting.

This announcement has been authorised for release by the Board of Directors.

- ENDS -

Investors

Paul Stephen

Managing Director

GoldArc Resources Limited

info@goldarcres.com.au

Investor Relations

Madeline Howson

Investor Relations

Discover Investor Relations

madeline@discover.com.au

Forward-Looking Statements Disclaimer

This announcement contains certain “forward-looking statements” and comments about future matters. Forward-looking statements can generally be identified by the use of forward-looking words such as, “expect”, “anticipate”, “likely”, “intend”, “should”, “estimate”, “target”, “outlook”, and other similar expressions and include, but are not limited to, indications of, and guidance or outlook on, future events, growth opportunities, exploration activities or the financial position or performance of the Company. You are cautioned not to place undue reliance on forward-looking statements. Any such statements, opinions and estimates in this release speak only as of the date hereof, are preliminary views and are based on assumptions and contingencies subject to change without notice. Forward-looking statements are provided as a general guide only. There can be no assurance that actual outcomes will not differ materially from these forward-looking statements. Any such forward-looking statement also inherently involves known and unknown risks, uncertainties and other factors and may involve significant elements of subjective judgement and assumptions that may cause actual results, performance and achievements to differ. Except as required by law the Company undertakes no obligation to finalise, check, supplement, revise or update forward-looking statements in the future, regardless of whether new information, future events or results or other factors affect the information contained in this announcement.

Competent Persons Statements

The information in this announcement as it relates to exploration results and geology is based on, and fairly represents, information and supporting documentation that was compiled by Mr. Ziggy Lubieniecki, who is a director, employee and shareholder of the Company. Mr. Lubieniecki has sufficient experience which is relevant to the styles of mineralisation and types of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Lubieniecki consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The information in this announcement that relates to the Orion-Sapphire Mineral Resources is contained in the ASX announcement released on 28 May 2024. The information in this announcement that relates to the gold Mineral Resources for the Mt Stirling Project is contained in the ASX announcements released on 25 February 2019, 29 January 2020 and 5 September 2022. The Company confirms that it is not aware of any new information or data that materially affects the information in the relevant market announcements, and that all material assumptions and technical parameters underpinning the estimates in the relevant announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original announcements.

ASX:GA8

GoldArc Resources

goldarcres.com.au


104 Colin Street
West Perth WA 6005

+618 9420 8208



About GoldArc Resources

GoldArc Resources Limited (ASX:GA8) is a Western Australian focused mineral exploration company with a portfolio of highly prospective gold projects located in the world-class Leonora and Kookynie districts of the Eastern Goldfields. GoldArc's strategy is focused on growing its existing 200,000oz JORC resource base and making new, large-scale discoveries through a disciplined and systematic approach to exploration.



GoldArc Resources Total JORC Mineral Resources

GoldArc Gold Projects	Category	Tonnes	Gold Grade (g/t Au)	Gold Ounces
Leonora North – Mt Stirling	Indicated	391,000	2.1	26,000
	Inferred	2,158,000	1.6	111,000
Leonora North – Mt Stirling Well	Inferred	198,000	2.3	15,000
Leonora South – Orion	Inferred	370,000	2.2	26,409
Leonora South – Sapphire	Inferred	320,000	2.1	21,605
Total		3,437,000	1.82	200,014

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



GoldArc

Appendix 1 – Diamond Drillhole Information Collar Information *Coordinates provided in GDA94_Zone 51S*

Prospect	Hole ID	Easting	Northing	RL	Dip	Azimuth	Depth	Tenement
Mt Stirling	26MSDD001	311,398	6,835,141	418	-60	240	140	M37/1306
Mt Stirling	26MSDD002	311,592	6,834,920	419	-60	240	61.2	M37/1306
Mt Stirling Well	26MSDD003	311,278	6,834,200	428	-90	0	65	M37/1305
Mt Stirling Well	26MSDD004a	311,315	6,834,265	426	-90	0	50	M37/1305

Significant multi-element assays

Hole ID	Sample ID	From	To	Interval	Au ppm	Ag ppm	Bi ppm	Cu ppm	Mo ppm	Pb ppm	S ppm	Zn ppm
26MSDD003	SWDD054	45.82	46.00	0.18	0.30	47.00	466	30	118	283	2400	84
26MSDD003	SWDD055	46.00	47.00	1.00	0.20	4.00	14	48	20	107	1800	178
26MSDD003	SWDD056	47.00	47.90	0.90	0.51	2.50	17	60	15	410	100	750
26MSDD003	SWDD057	47.90	48.67	0.77	30.20	60.50	211	218	150	851	3400	434
26MSDD004a	SWDD120	35.45	35.75	0.30	0.17	30.00	318	230	214	328	4050	184
26MSDD004a	SWDD121	35.75	36.10	0.35	2.94	61.50	144	242	36	1030	3150	522
26MSDD004a	SWDD122	36.10	36.50	0.40	0.02	3.00	8	56	17	39	650	212
26MSDD004a	SWDD123	36.50	37.00	0.50	5.08	15.00	86	202	56	141	1100	190

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208





GoldArc



ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Hole ID	Sample ID	From	To	Interval	Au ppm	As ppm	S ppm	Sb ppm	W ppm
26MSDD001	MSDD029	103	104	1.00	0.01	225	2,500	21	19
26MSDD001	MSDD030	104	105	1.00	0.01	755	2,450	23	63
26MSDD001	MSDD031	105	106	1.00	0.07	456	4,400	39	36
26MSDD001	MSDD032	106	106.4	0.40	0.12	2,360	4,400	34	11
26MSDD001	MSDD033	106.4	107	0.60	10.80	26,400	36,000	143	163
26MSDD001	MSDD034	107	108	1.00	22.60	60,600	73,600	257	72
26MSDD001	MSDD035	108	109	1.00	10.50	42,900	60,200	274	432
26MSDD001	MSDD036	109	109.64	0.64	6.42	22,200	57,400	126	8,840
26MSDD001	MSDD037	109.64	110.6	0.96	0.04	1,170	2,400	25	203
26MSDD001	MSDD038	110.6	111	0.40	4.45	19,900	54,500	102	2,530
26MSDD001	MSDD039	111	112	1.00	3.28	6,490	57,300	43	3,860
26MSDD001	MSDD042	112	112.8	0.80	0.54	1,760	74,100	21	88
26MSDD001	MSDD043	112.8	113.37	0.57	0.06	2,060	9,050	14	44
26MSDD001	MSDD044	113.37	114	0.63	0.23	1,270	15,700	17	91
26MSDD001	MSDD045	114	115	1.00	0.21	87	23,600	10	34
26MSDD001	MSDD046	115	116	1.00	0.02	54	35,200	7	40
26MSDD001	MSDD047	116	117	1.00	0.01	25	13,300	7	23
26MSDD001	MSDD048	117	118	1.00	0.04	11	13,100	5	26
26MSDD001	MSDD049	118	119	1.00	0.02	31	36,100	5	29
26MSDD001	MSDD050	119	120	1.00	0.04	20	25,600	4	36
26MSDD001	MSDD051	120	121	1.00	0.07	19	13,700	3	44
26MSDD001	MSDD052	121	122	1.00	0.03	8	900	1	7
26MSDD001	MSDD053	122	122.85	0.85	0.17	5	1,450	2	8
26MSDD001	MSDD054	122.85	123	0.15	0.07	34	28,600	4	37
26MSDD001	MSDD055	123	124	1.00	0.05	10	13,500	3	18
26MSDD001	MSDD056	124	125	1.00	0.03	11	9,450	3	15
26MSDD001	MSDD057	125	126	1.00	0.13	8	10,900	2	14
26MSDD001	MSDD058	126	127	1.00	0.05	15	15,300	3	17
26MSDD001	MSDD059	127	128	1.00	0.02	10	6,300	3	9
26MSDD001	MSDD062	128	128.4	0.40	0.06	34	20,800	4	12
26MSDD001	MSDD063	128.4	128.83	0.43	0.04	9	6,450	3	12
26MSDD002	MSDD076	0	1	1.00	0.07	19	500	1	16
26MSDD002	MSDD077	1	2	1.00	0.03	29	400	1	12
26MSDD002	MSDD078	2	3	1.00	0.01	68	400	2	23
26MSDD002	MSDD079	3	4	1.00	0.01	150	550	6	31
26MSDD002	MSDD080	4	5	1.00	0.01	222	300	3	42
26MSDD002	MSDD081	5	6	1.00	0.01	340	150	3	46
26MSDD002	MSDD082	6	7	1.00	0.04	173	100	5	38
26MSDD002	MSDD083	7	8	1.00	0.07	209	100	2	44
26MSDD002	MSDD084	8	9	1.00	0.03	106	100	2	37
26MSDD002	MSDD085	9	10	1.00	0.03	173	100	3	39
26MSDD002	MSDD086	10	11	1.00	0.02	215	100	4	38
26MSDD002	MSDD087	11	12	1.00	1.04	584	150	3	45
26MSDD002	MSDD088	12	13	1.00	1.81	1,360	300	14	50
26MSDD002	MSDD089	13	14	1.00	7.78	442	850	10	113
26MSDD002	MSDD090	14	15	1.00	4.57	424	2,650	8	113
26MSDD002	MSDD091	15	16	1.00	2.45	371	2,150	9	78
26MSDD002	MSDD092	16	17	1.00	3.31	784	650	8	51
26MSDD002	MSDD093	17	18	1.00	0.17	179	200	6	25
26MSDD002	MSDD094	18	19	1.00	0.25	402	200	7	82
26MSDD002	MSDD097	20	21	1.00	0.80	161	100	4	25
26MSDD002	MSDD098	21	22	1.00	0.10	77	100	4	24
26MSDD002	MSDD099	22	23	1.00	0.04	54	100	3	18
26MSDD002	MSDD100	23	24	1.00	0.04	32	100	4	21
26MSDD002	MSDD101	24	25	1.00	0.04	32	100	3	85
26MSDD002	MSDD102	25	26	1.00	0.03	15	- 50	3	45

Appendix 2 – JORC Code, 2012 Edition – Table 1

Section 1 – Sampling Techniques and Data

Criteria	Commentary
Sampling techniques	- Samples within the Projects were collected using Diamond (DD) Holes were either vertical or angled at 60°. Given the status of the Project this is considered reasonable - DD samples were collected 0.18-1.00m downhole using PQ half-core. Samples were collected using industry standard methods - All samples were crushed at the independent international accredited laboratory, 40g Fire Assay DD samples an established Industry-standard method for gold mineralisation - The sampling techniques used are deemed appropriate for the style of mineralisation and exploration undertaken - BML Ventures ensured all sample preparation was completed by independent international accredited laboratories
Drilling techniques	DD drilling was undertaken by Terra Drilling; Industry drilling methods and equipment were utilised to maximise sample integrity and recovery
Drill sample recovery	- All care was taken by Terra Drilling to maximise the drill sample recovery - Sample recovery and condition data are noted in geological comments as part of the logging process for DD drilling
Logging	- All drill holes have been geologically logged to an appropriate level of detail to support a mineral resource estimation - Logging is qualitative in nature based on the observational skills and experience of Geologist - All drilling was logged from start of hole to end of hole and all holes were logged. - Logging was captured digitally
Sub-sampling techniques and sample preparation	- Samples were prepared and analysed at Bureau Veritas in Kalgoorlie - Samples were crushed so that each sample had a nominal 85% passing 2mm - Sample preparation was by Bureau Veritas, and the samples were pulverised to less than 75um - All samples were analysed for gold via 40g fire assay with an AAS finish and suite of 59 elements analysed with four acid digest ICP102/ICP320 at Bureau Veritas. - The QAQC procedure included assaying of Oreas Standards, sand blanks and quartz washes between certain samples - Industry standard sampling methods employed, and size of samples is appropriate for material sampled
Quality of assay data and laboratory tests	- Routine 'standard' (mineralised pulp) Certified Reference Material (CRM) was inserted by BML Ventures at a nominal rate of 1 in 20 samples - Routine 'blank' material (unmineralised sand) was inserted at a nominal rate of 1 in 20 samples - No significant issues have been noted. The techniques are considered quantitative in nature - The Analytical method is considered appropriate for samples with visible gold observed - The analytical laboratories provided their own routine quality controls within their own practices as per international ISO standards
Verification of sampling and assaying	- Independent verification of significant intersections was carried out by additional company personnel, reviewing the original laboratory files and the assay database. Additional company personnel were present from the point of logging the geology to submission of the samples - This drilling was in confirmation holes for verification purposes. - There has been no adjustment to the assay data.
Location of data points	- Drill hole collars were surveyed in GDA 94_51 coordinates using both handheld GPS - Down hole surveys were taken at the end of the drilling using the Axis Gyro tool
Data spacing and distribution	Drill spacing is appropriate for the reporting of exploration results
Orientation of data in relation to geological structure	- The drilling is approximately perpendicular to the strike and dip of mineralisation and therefore the sampling is considered representative of the mineralised zones - The deposits are aligned with well-defined structural orientations, and drilling is oriented to generally intersect at a high angle to the mineralisation and the holes have been vertical or angled at -60
Sample security	Samples are packed into calico bags which are sealed and conveyed to Bureau Veritas in Kalgoorlie by GoldArc personnel.
Audits or reviews	All assay data has been reviewed by two company personnel. No external audits have been conducted.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



GoldArc

Section 2 – Reporting of Exploration Results

Criteria	Commentary
Mineral tenement and land tenure status	• Areas discussed herein are located on M37/1306 • An agreement between GoldArc and Ross Crew has been signed whereby Ross Crew retains a royalty on any production. • The Mt Stirling Gold Project in the Leonora Gold District of Western Australia comprises sixty-nine leases – 6 Mining leases, 1 Exploration lease and 62 Prospecting leases. The combined area of the project is approximately 17,876 ha. • There is a 2% royalty to a third party for minerals on these licenses. • There are no known impediments to obtaining a licence to operate.
Exploration done by other parties	• Mt Stirling Gold Tenements have undergone multiple drill programs over a protracted period focusing on areas around the historical prospects of Diorite King and Mt Stirling Well. Numerous significant intercepts occur outside of mined areas. • In 2014, A&C completed Aircore and RC drilling. • Hill Minerals 1984 Diorite King shaft sampling and RAB drilling • Esso Minerals 1986 mapping, RAB drilling • Mt Edon Mines 1988 mapping, rock chip sampling, RAB drilling, RC drilling during 1997–1998. • Tarmoola Australia 2000–2001 mapping and RC drilling on the Ursus Fault. • Jupiter Mines 2006–2010 geological reconnaissance, data acquisition, mapping and research on Kurrajong Project. 2006 AC around Diorite King, Golden king and Rose of Diorite. 93 holes for 1767m. • Bligh Resources and BMGS in 2010 to compile data for Diorite King. Mapping by Jon Standing, Southern Geoscience Consultants for geophysical interpretation in 2012. • Torian Resources (predecessor to Asra) engaged SGC to interpret the whole Mt Stirling Project. RC, diamond and vacuum drilling at Mt Stirling and Yttria REE deposit.
Geology	• The Mt Stirling Gold Project is located in the central part of the Norseman–Wiluna belt of the Eastern Goldfields terrane. • The project area is in the hinge zone of the gently north-plunging Tarmoola anticline. The greenstone sequence is thought to overlie a major detachment fault separating a granite gneiss complex (Leonora Batholith) from the overlying greenstones. The detachment fault hosts the Sons of Gwalia deposit at Leonora. The project area is an area of extensive gabbro–dolerite–basalt outcrop and subcrop. The mafic rocks dip about the Tarmoola Anticline variably at 30 to 60 degrees and can be divided into predominantly massive basalts in the west and pillowed, variolitic basalts in the east. The Mt Stirling syenogranite/monzogranite has intruded the massive basalts (Evans, 1998). • Project stratigraphy consists of a succession of variolitic, pillowed high Mg basalts containing differentiated dolerite/gabbro sills. The two basalt lithotypes are divided by a central shear zone which trends 340° in the south and 315° in the north. The shear zone consists of chlorite±tremolite/actinolite schist with narrow quartz veins. Widely spaced sinistral shear bands trending 300–320° overprint the main foliation. Some quartz veins are compatible with the sinistral movement indicated by the shear bands. The main well-developed steeply (65–80 degrees) east-dipping fabric locally contains a well-developed sub-horizontal mineral lineation which appears to be doubly plunging. No alteration is observed within the shear zone at surface. The main shear zone and shear bands are interpreted to be D2 /– D3 structures. • The Mt Stirling granitoid outcrops to the north of the Diorite CRG leases. Extensive millimetre to centimetre scale quartz veining is present with sericite/muscovite–epidote–pyrite alteration selvages adjacent to many veins. Alteration is not pervasive and is primarily associated with veining. Multiple quartz vein sets are present, producing local stockwork arrays. Numerous felsic dykes and plugs observed throughout the area possibly representing apophyses of the monzogranite pluton. • All significant results for completed AC and RC drilling have been tabulated. • The extent of drilling is shown with diagrams included in this announcement.
Drill hole Information	• The extent of drilling is shown with diagrams and tables included in this announcement
Data aggregation methods	• All reported assay intervals have been length weighted. No top cuts were applied. • A nominal lower cut-off of 0.5 g/t Au was applied with maximum 1m of internal dilution allowed • For hole 26MSDD001 following lower cut-off grades applied: 1270ppm As, 126ppm Sb, 203ppm W, • For hole 26MSDD002 following lower cut-off grades applied: 150ppm As, 12ppm W, • For hole 26MSDD003 following lower cut-off grades applied: 2.5g/t Ag, 14ppm Bi, 14.5ppm Mo,

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208





GoldArc

Criteria	Commentary
	For hole 26MSDD004a following lower cut-off grades applied: 3.00g/t Ag, 8ppm Bi, 16.5ppm Mo
Relationship between mineralisation widths and intercept lengths	- The drill holes are interpreted to be approximately perpendicular to the strike and dip of mineralisation. - All results were reported as down holes
Diagrams	Suitable figures have been included in the body of the announcement.
Balanced reporting	Key results and conclusions have been included in the body of the announcement.
Other substantive exploration data	Compilation of all historical exploration data at the project is underway and will be stored digitally.
Further work	Follow up field work is planned.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

