
Shallow High Grade Gold results at Livingstone North Prospect

Highlights

- Results received from remaining Phase II drill program to evaluate Livingstone North gold prospect
- Results include:
 - 7m @ 3.91g/t Au from 37m (LN22RC017), incl 2m @ 10.66g/t Au from 37m
 - 4m @ 6.26g/t Au from 21m (LN22RC014)
 - 1m @ 4.56g/t Au from 59m and 2m @ 2.28g/t Au from 66m (LN22RC021)
 - 13m @ 1.03g/t Au from 18m and 4m @ 2.93g/t Au from 43m (LN22RC022)
 - 6m @ 2.85g/t Au from 14m (LN22RC023)
- Results support multiple parallel mineralized lodes at Livingstone North

Metal Bank Limited (ASX: MBK) ('Metal Bank', 'MBK' or the 'Company') is pleased to provide an update on exploration at its Livingstone gold project in Western Australia (75% MBK).



Figure 1: RC drilling at Livingstone Project

Assays from the remaining 14 RC holes at Livingstone North have been received (Figure 2). These holes formed part of the Livingstone Phase 2 drilling program, completed in early September.

Results include:

- **7m @ 3.91g/t Au from 37m (LN22RC017) including 2m @ 10.66g/t Au from 37m**
- **4m @ 6.26g/t Au from 21m (LN22RC014)**
- **1m @ 4.56g/t Au from 59m and 2m @ 2.28g/t Au from 66m (LN22RC021)**
- **4m @ 2.93g/t Au from 43m (LN22RC022)**
- **6m @ 2.85g/t Au from 14m (LN22RC023)**

These encouraging initial results validate historically noted high grade gold zones and also demonstrate mineralisation of substantial aggregate strike extent along multiple artisanal mine workings, interpreted as a parallel series of mineralised lodes.




Figure 2: Livingstone North Drilling recent results

Commenting on the Livingstone North results, Metal Bank’s Chair, Inés Scotland said:

“Our exploration results at Livingstone continue to deliver. These latest positive results from Livingstone North suggest multiple mineralised zones, that remain open and untested to the east and west. We are encouraged that the Livingstone North prospect will be incorporated into the Livingstone Project’s growing Resource base in the near future.”

Livingstone North RC results

The final results for the initial evaluation of Livingstone North have been received from the northern part of the prospect. Drilling tested downdip and along strike from historical artisanal mine workings and results confirm multiple parallel zones of high-grade gold mineralisation with an aggregate strike length of over 500m (Refer to figures 2 & 3 and Table 1 below). Gold is dominantly hosted in quartz-tourmaline breccia zones within a schistose host rock. Mineralisation remains open and untested to east and west.




Figure 3: Livingstone North NW/SE Cross section - drilling locations and results to date

The drilling results confirm that the Livingstone North project has the potential to host a significant gold system. Work is underway to design the next phase of drilling to progress a maiden gold Resource for this project in 2023.

Table 1: Livingstone North significant drilling intercepts (> 0.2 g/t Au cut off)

HOLE ID	FROM	TO	INTERVAL	Au g/t
LN22RC014	21	25	4	6.26
LN22RC015	27	28	1	1.84
LN22RC015	38	39	1	1.60
LN22RC015	45	46	1	0.61
LN22RC015	53	54	1	0.98
LN22RC015	60	61	1	0.52
LN22RC016	14	15	1	0.58
LN22RC017	37	44	7	3.91
LN22RC017	75	76	1	0.91
LN22RC019	33	34	1	0.70
LN22RC019	58	59	1	0.73
LN22RC020	15	16	1	0.66
LN22RC020	21	22	1	0.75
LN22RC020	28	30	2	2.05
LN22RC020	54	55	1	0.57
LN22RC020	61	62	1	0.60
LN22RC021	59	60	1	4.56
LN22RC021	66	68	2	2.28
LN22RC022	18	31	13	1.03
LN22RC022	38	39	1	0.55
LN22RC022	43	47	4	2.93
LN22RC023	14	20	6	2.85
LN22RC023	47	48	1	0.60
LN22RC024	5	19	14	0.73
LN22RC024	39	41	2	2.11
LN22RC024	64	65	1	0.56
LN22RC025	13	15	2	0.79
LN22RC025	30	31	1	2.20
LN22RC025	61	62	1	1.09
LN22RC026	30	32	2	1.72
LN22RC027	1	2	1	0.84
LN22RC027	6	8	2	0.80
LN22RC027	11	12	1	0.60
LN22RC027	28	29	1	0.88
LN22RC027	38	39	1	2.17




Figure 4: MBK Livingstone gold, nickel and iron prospects

Livingstone Project

The Livingstone Project is an advanced gold exploration project with ~80,000oz¹ of defined gold resources and multiple exploration targets. Located 140km northwest of Meekatharra in Western Australia, it includes 395 km² of granted exploration licences covering the entire western arm of the Proterozoic Bryah-Padbury Basin (host to the Fortnum, Horseshoe and Peak Hill gold deposits and >2Moz Au endowment) (Figure 4).

The Livingstone Project provides:

- a JORC 2004 Inferred Resource of 49,900oz Au² at the Homestead prospect with potential for expansion;
- the Kingsley deposit hosting JORC 2012 Inferred Resource of 30,500oz Au³;
- the Kingsley Exploration Target of 290 - 400kt at 1.8 -2.0 g/t for 16,800 – 25,700oz Au³;

¹ MBK ASX Release 26 October 2021 "Livingstone Acquisition and Entitlement Offer to raise \$6.34M" and 070301_HC_TR_BoundaryResourceEstimate_R2004 – Talisman Mining Ltd, and KSN ASX Announcement dated 2 December 2020 and MBK ASX Release 18 January 2022 "Kingsley Deposit Maiden Mineral Resource Estimate"

² MBK ASX Release 26 October 2021 "Livingstone Acquisition and Entitlement Offer to raise \$6.34M" and 070301_HC_TR_BoundaryResourceEstimate_R2004 – Talisman Mining Ltd, and KSN ASX Announcement dated 2 December 2020

³ MBK ASX Release 18 January 2022 "Kingsley Deposit Maiden Mineral Resource Estimate"

- the Livingstone North prospect with extensive Au-in soil anomaly, historical mining activities and historical high-grade drilling intersections;
- multiple advanced gold targets (Figure 4), inadequately tested to date including Hilltop, Stanley, Winja, Winja West, VHF
- multi element targets including Kirba (Ni) and Iron Ore (Fe); and
- over 10 regional greenfields targets identified by independent experts with 40km prospective strike length.




Figure 5: Livingstone Project location within Bryah Basin and relative to other gold operations.

Authorised by the Board

For further information contact:

Inés Scotland – Executive Chair: ines@metalbank.com.au

or

Sue-Ann Higgins - Director and Company Secretary: sue-ann@metalbank.com.au

About Metal Bank

Metal Bank Limited is an ASX-listed minerals exploration company (ASX: MBK) holding a significant portfolio of advanced gold and copper exploration projects with substantial growth upside, including:

- the right to earn up to 80% of the Millennium Copper & Cobalt project which holds an inferred 2012 JORC resource of 5.9Mt @ 1.08% CuEq⁴, across 5 granted Mining Leases with significant potential for expansion;
- a 75% interest in the advanced Livingstone Gold Project in WA which holds a JORC 2004 Inferred Resource of 49,900oz Au⁵ at the Homestead prospect, a JORC 2012 Inferred Resource of 30,500oz⁶ Au at Kingsley, and an Exploration Target⁶ of 290 – 400Kt at 1.8 – 2.0 g/t Au for 16,800 – 25,700oz Au at Kingsley; and
- the 8 Mile, Wild Irishman and Eidsvold Gold projects in South East Queensland where considerable work by MBK to date has drill-proven both high grade vein-style and bulk tonnage intrusion-related Au mineralisation.

Metal Bank’s exploration programs at these projects are focussed on:

- short term resource growth - advancing existing projects to substantially increase JORC Resources;
- identifying additional mineralisation at each of its projects; and
- assessing development potential and including fast tracking projects through feasibility and development to production.

Metal Bank is also committed to a strategy of diversification and growth through identification of new exploration opportunities which complement its existing portfolio and pursuit of other opportunities to diversify the Company’s assets through acquisition of advanced projects or cash-flow generating assets to assist with funding of the exploration portfolio.



Competent Person Statements

⁴HMX ASX Announcement dated 6 December 2016 and MBK ASX Release dated 13 December 2021 “MBK signs Earn-in and JV Agreement for the Millennium Project

⁵ As per footnote 2 on Page 5

⁶ As per footnote 3 on Page 5

The information in this announcement, that relates to MBK Exploration Results, Mineral Resources and Exploration Target statements is based on information compiled or reviewed by Mr Rhys Davies. Mr Davies is a contractor to the Company and eligible to participate in the Company's equity incentive plan. Mr Davies is a Member of The Australasian Institute of Geoscientists has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Davies consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant ASX announcements and News Releases. In the case of Mineral Resource estimates and Ore Reserve estimates, all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons' findings are presented have not been materially modified from the original ASX announcements or News Releases.

It should be noted that the MBK Exploration Targets described in this announcement are conceptual in nature and there is insufficient information to establish whether further exploration will result in the determination of Mineral Resources. As a Cautionary Statement, an Exploration Target is a statement or estimate of the exploration potential of a mineral deposit in a defined geological setting where the statement or estimate, quoted as a range of tonnes and a range of grade, relates to mineralization where there has been insufficient exploration to estimate a Mineral Resource. The potential quantity and grade of the Exploration Targets is conceptual in nature, there has been insufficient exploration to estimate an additional Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource. The Exploration Targets take no account of geological complexity that may be encountered, possible mining method or metallurgical recovery factors. It is acknowledged that the currently available data is insufficient spatially in terms of the density of drill holes, and in quality, in terms of MBK's final audit procedures for down hole data, data acquisition and processing, for the results of this analysis to be classified as Mineral Resources in accordance with the JORC Code.

APPENDIX 1

DRILLHOLE COLLAR LOCATIONS

Table 2: Livingstone North Drill hole details

Hole ID	GDA94 E	GDA94 N	RL	Dip	Azi	Depth	Hole Type
LN22RC014	567770	7171541	528	60	40	80	RC
LN22RC015	567775	7171524	527	60	220	66	RC
LN22RC016	567800	7171571	524	-60	40	60	RC
LN22RC017	567792	7171560	525	-60	220	80	RC
LN22RC018	567822	7171640	528	60	10	60	RC
LN22RC019	567822	7171666	543	60	10	60	RC
LN22RC020	567828	7171681	521	60	10	66	RC
LN22RC021	567856	7171624	529	60	10	110	RC
LN22RC022	567863	7171652	534	60	10	70	RC
LN22RC023	567865	7171677	535	60	10	60	RC
LN22RC024	567906	7171658	535	59	197	89	RC
LN22RC025	567895	7171640	531	60	18	79	RC
LN22RC026	567890	7171623	526	60	13	80	RC
LN22RC027	567937	7171636	525	60	10	60	RC

Table 3: Livingstone North LV22RC014-027 full Au assay results

HOLE ID	FROM	TO	INT (m)	Au g/t
LN22RC014	0.00	1.00	1.00	0.02
LN22RC014	1.00	2.00	1.00	0.03
LN22RC014	2.00	3.00	1.00	0.06
LN22RC014	3.00	4.00	1.00	0.04
LN22RC014	4.00	5.00	1.00	0.03
LN22RC014	5.00	6.00	1.00	0.02
LN22RC014	6.00	7.00	1.00	0.04
LN22RC014	7.00	8.00	1.00	0.05
LN22RC014	8.00	9.00	1.00	0.01
LN22RC014	9.00	10.00	1.00	0.03
LN22RC014	10.00	11.00	1.00	0.05
LN22RC014	11.00	12.00	1.00	0.01
LN22RC014	12.00	13.00	1.00	0.06
LN22RC014	13.00	14.00	1.00	0.06
LN22RC014	14.00	15.00	1.00	0.02
LN22RC014	15.00	16.00	1.00	0.01
LN22RC014	16.00	17.00	1.00	-0.01
LN22RC014	17.00	18.00	1.00	0.01
LN22RC014	18.00	19.00	1.00	-0.01
LN22RC014	19.00	20.00	1.00	-0.01
LN22RC014	20.00	21.00	1.00	-0.01

LN22RC014	21.00	22.00	1.00	11.65
LN22RC014	22.00	23.00	1.00	9.46
LN22RC014	23.00	24.00	1.00	1.37
LN22RC014	24.00	25.00	1.00	2.55
LN22RC014	25.00	26.00	1.00	0.03
LN22RC014	26.00	27.00	1.00	0.03
LN22RC014	27.00	28.00	1.00	0.03
LN22RC014	28.00	29.00	1.00	0.01
LN22RC014	29.00	30.00	1.00	0.01
LN22RC014	30.00	31.00	1.00	0.01
LN22RC014	31.00	32.00	1.00	0.02
LN22RC014	32.00	33.00	1.00	0.06
LN22RC014	33.00	34.00	1.00	0.01
LN22RC014	34.00	35.00	1.00	0.01
LN22RC014	35.00	36.00	1.00	0.09
LN22RC014	36.00	37.00	1.00	0.01
LN22RC014	37.00	38.00	1.00	0.07
LN22RC014	38.00	39.00	1.00	0.01
LN22RC014	39.00	40.00	1.00	-0.01
LN22RC014	40.00	41.00	1.00	0.01
LN22RC014	41.00	42.00	1.00	0.01
LN22RC014	42.00	43.00	1.00	0.01
LN22RC014	43.00	44.00	1.00	0.01
LN22RC014	44.00	45.00	1.00	0.14
LN22RC014	45.00	46.00	1.00	0.11
LN22RC014	46.00	47.00	1.00	0.04
LN22RC014	47.00	48.00	1.00	0.09
LN22RC014	48.00	49.00	1.00	0.01
LN22RC014	49.00	50.00	1.00	0.01
LN22RC014	50.00	51.00	1.00	0.01
LN22RC014	51.00	52.00	1.00	0.01
LN22RC014	52.00	53.00	1.00	0.01
LN22RC014	53.00	54.00	1.00	0.06
LN22RC014	54.00	55.00	1.00	0.01
LN22RC014	55.00	56.00	1.00	0.01
LN22RC014	56.00	57.00	1.00	0.01
LN22RC014	57.00	58.00	1.00	0.02
LN22RC014	58.00	59.00	1.00	0.01
LN22RC014	59.00	60.00	1.00	0.01
LN22RC014	60.00	61.00	1.00	0.01
LN22RC014	61.00	62.00	1.00	0.02
LN22RC014	62.00	63.00	1.00	0.06
LN22RC014	63.00	64.00	1.00	0.05
LN22RC014	64.00	65.00	1.00	0.05
LN22RC014	65.00	66.00	1.00	0.05
LN22RC014	66.00	67.00	1.00	0.01

LN22RC014	67.00	68.00	1.00	0.03
LN22RC014	68.00	69.00	1.00	0.01
LN22RC014	69.00	70.00	1.00	-0.01
LN22RC014	70.00	71.00	1.00	0.04
LN22RC014	71.00	72.00	1.00	0.03
LN22RC014	72.00	73.00	1.00	0.05
LN22RC014	73.00	74.00	1.00	0.01
LN22RC014	74.00	75.00	1.00	0.02
LN22RC014	75.00	76.00	1.00	0.04
LN22RC014	76.00	77.00	1.00	0.14
LN22RC014	77.00	78.00	1.00	0.01
LN22RC014	78.00	79.00	1.00	0.01
LN22RC014	79.00	80.00	1.00	-0.01
LN22RC015	0.00	1.00	1.00	0.18
LN22RC015	1.00	2.00	1.00	0.05
LN22RC015	2.00	3.00	1.00	0.17
LN22RC015	3.00	4.00	1.00	0.15
LN22RC015	4.00	5.00	1.00	0.07
LN22RC015	5.00	6.00	1.00	0.15
LN22RC015	6.00	7.00	1.00	0.08
LN22RC015	7.00	8.00	1.00	0.02
LN22RC015	8.00	9.00	1.00	0.02
LN22RC015	9.00	10.00	1.00	0.04
LN22RC015	10.00	11.00	1.00	0.04
LN22RC015	11.00	12.00	1.00	0.08
LN22RC015	12.00	13.00	1.00	0.03
LN22RC015	13.00	14.00	1.00	0.10
LN22RC015	14.00	15.00	1.00	0.43
LN22RC015	15.00	16.00	1.00	0.23
LN22RC015	16.00	17.00	1.00	0.15
LN22RC015	17.00	18.00	1.00	0.04
LN22RC015	18.00	19.00	1.00	0.40
LN22RC015	19.00	20.00	1.00	0.25
LN22RC015	20.00	21.00	1.00	0.15
LN22RC015	21.00	22.00	1.00	0.23
LN22RC015	22.00	23.00	1.00	0.22
LN22RC015	23.00	24.00	1.00	0.23
LN22RC015	24.00	25.00	1.00	0.19
LN22RC015	25.00	26.00	1.00	0.03
LN22RC015	26.00	27.00	1.00	0.11
LN22RC015	27.00	28.00	1.00	1.84
LN22RC015	28.00	29.00	1.00	0.29
LN22RC015	29.00	30.00	1.00	0.01
LN22RC015	30.00	31.00	1.00	0.01
LN22RC015	31.00	32.00	1.00	0.03
LN22RC015	32.00	33.00	1.00	0.02

LN22RC015	33.00	34.00	1.00	0.05
LN22RC015	34.00	35.00	1.00	0.02
LN22RC015	35.00	36.00	1.00	0.01
LN22RC015	36.00	37.00	1.00	0.07
LN22RC015	37.00	38.00	1.00	0.32
LN22RC015	38.00	39.00	1.00	1.60
LN22RC015	39.00	40.00	1.00	0.07
LN22RC015	40.00	41.00	1.00	0.03
LN22RC015	41.00	42.00	1.00	0.15
LN22RC015	42.00	43.00	1.00	0.04
LN22RC015	43.00	44.00	1.00	0.14
LN22RC015	44.00	45.00	1.00	0.28
LN22RC015	45.00	46.00	1.00	0.61
LN22RC015	46.00	47.00	1.00	0.31
LN22RC015	47.00	48.00	1.00	0.23
LN22RC015	48.00	49.00	1.00	0.07
LN22RC015	49.00	50.00	1.00	0.45
LN22RC015	50.00	51.00	1.00	0.04
LN22RC015	51.00	52.00	1.00	0.24
LN22RC015	52.00	53.00	1.00	0.22
LN22RC015	53.00	54.00	1.00	0.98
LN22RC015	54.00	55.00	1.00	0.16
LN22RC015	55.00	56.00	1.00	0.17
LN22RC015	56.00	57.00	1.00	0.20
LN22RC015	57.00	58.00	1.00	0.15
LN22RC015	58.00	59.00	1.00	0.18
LN22RC015	59.00	60.00	1.00	0.21
LN22RC015	60.00	61.00	1.00	0.52
LN22RC015	61.00	62.00	1.00	0.06
LN22RC015	62.00	63.00	1.00	0.16
LN22RC015	63.00	64.00	1.00	0.16
LN22RC015	64.00	65.00	1.00	0.18
LN22RC015	65.00	66.00	1.00	0.11
LN22RC016	0.00	1.00	1.00	0.08
LN22RC016	1.00	2.00	1.00	0.17
LN22RC016	2.00	3.00	1.00	0.04
LN22RC016	3.00	4.00	1.00	0.05
LN22RC016	4.00	5.00	1.00	0.07
LN22RC016	5.00	6.00	1.00	0.02
LN22RC016	6.00	7.00	1.00	0.01
LN22RC016	7.00	8.00	1.00	0.01
LN22RC016	8.00	9.00	1.00	0.03
LN22RC016	9.00	10.00	1.00	0.01
LN22RC016	10.00	11.00	1.00	0.01
LN22RC016	11.00	12.00	1.00	0.06
LN22RC016	12.00	13.00	1.00	0.09

LN22RC016	13.00	14.00	1.00	0.05
LN22RC016	14.00	15.00	1.00	0.58
LN22RC016	15.00	16.00	1.00	0.03
LN22RC016	16.00	17.00	1.00	0.21
LN22RC016	17.00	18.00	1.00	0.25
LN22RC016	18.00	19.00	1.00	0.07
LN22RC016	19.00	20.00	1.00	0.05
LN22RC016	20.00	21.00	1.00	0.15
LN22RC016	21.00	22.00	1.00	0.03
LN22RC016	22.00	23.00	1.00	0.05
LN22RC016	23.00	24.00	1.00	0.03
LN22RC016	24.00	25.00	1.00	0.01
LN22RC016	25.00	26.00	1.00	0.06
LN22RC016	26.00	27.00	1.00	0.14
LN22RC016	27.00	28.00	1.00	0.01
LN22RC016	29.00	30.00	1.00	0.07
LN22RC016	30.00	31.00	1.00	0.02
LN22RC016	31.00	32.00	1.00	0.04
LN22RC016	32.00	33.00	1.00	0.05
LN22RC016	33.00	34.00	1.00	0.01
LN22RC016	34.00	35.00	1.00	-0.01
LN22RC016	35.00	36.00	1.00	-0.01
LN22RC016	36.00	37.00	1.00	-0.01
LN22RC016	37.00	38.00	1.00	0.01
LN22RC016	38.00	39.00	1.00	0.12
LN22RC016	39.00	40.00	1.00	0.03
LN22RC016	40.00	41.00	1.00	0.01
LN22RC016	41.00	42.00	1.00	0.01
LN22RC016	42.00	43.00	1.00	0.06
LN22RC016	43.00	44.00	1.00	0.01
LN22RC016	44.00	45.00	1.00	-0.01
LN22RC016	45.00	46.00	1.00	0.01
LN22RC016	46.00	47.00	1.00	0.01
LN22RC016	47.00	48.00	1.00	0.07
LN22RC016	48.00	49.00	1.00	0.28
LN22RC016	49.00	50.00	1.00	0.12
LN22RC016	50.00	51.00	1.00	0.06
LN22RC016	51.00	52.00	1.00	0.03
LN22RC016	52.00	53.00	1.00	0.01
LN22RC016	53.00	54.00	1.00	0.01
LN22RC016	54.00	55.00	1.00	0.06
LN22RC016	55.00	56.00	1.00	-0.01
LN22RC016	56.00	57.00	1.00	0.01
LN22RC016	57.00	58.00	1.00	0.01
LN22RC016	58.00	59.00	1.00	0.01
LN22RC016	59.00	60.00	1.00	-0.01

LN22RC017	0.00	1.00	1.00	0.03
LN22RC017	1.00	2.00	1.00	0.22
LN22RC017	2.00	3.00	1.00	0.20
LN22RC017	3.00	4.00	1.00	0.10
LN22RC017	4.00	5.00	1.00	0.05
LN22RC017	5.00	6.00	1.00	0.03
LN22RC017	6.00	7.00	1.00	0.11
LN22RC017	7.00	8.00	1.00	0.02
LN22RC017	8.00	9.00	1.00	0.02
LN22RC017	9.00	10.00	1.00	0.01
LN22RC017	10.00	11.00	1.00	0.07
LN22RC017	11.00	12.00	1.00	0.28
LN22RC017	12.00	13.00	1.00	0.03
LN22RC017	13.00	14.00	1.00	0.01
LN22RC017	14.00	15.00	1.00	0.02
LN22RC017	15.00	16.00	1.00	0.02
LN22RC017	16.00	17.00	1.00	0.01
LN22RC017	17.00	18.00	1.00	0.01
LN22RC017	18.00	19.00	1.00	0.13
LN22RC017	19.00	20.00	1.00	0.10
LN22RC017	20.00	21.00	1.00	0.13
LN22RC017	21.00	22.00	1.00	0.05
LN22RC017	22.00	23.00	1.00	0.03
LN22RC017	23.00	24.00	1.00	0.01
LN22RC017	24.00	25.00	1.00	0.18
LN22RC017	25.00	26.00	1.00	0.07
LN22RC017	26.00	27.00	1.00	0.03
LN22RC017	27.00	28.00	1.00	0.01
LN22RC017	28.00	29.00	1.00	0.01
LN22RC017	29.00	30.00	1.00	0.01
LN22RC017	30.00	31.00	1.00	0.01
LN22RC017	31.00	32.00	1.00	0.01
LN22RC017	32.00	33.00	1.00	0.01
LN22RC017	33.00	34.00	1.00	0.01
LN22RC017	34.00	35.00	1.00	0.01
LN22RC017	35.00	36.00	1.00	0.07
LN22RC017	36.00	37.00	1.00	0.04
LN22RC017	37.00	38.00	1.00	13.60
LN22RC017	38.00	39.00	1.00	7.71
LN22RC017	39.00	40.00	1.00	1.95
LN22RC017	40.00	41.00	1.00	0.31
LN22RC017	41.00	42.00	1.00	1.87
LN22RC017	42.00	43.00	1.00	0.22
LN22RC017	43.00	44.00	1.00	1.68
LN22RC017	44.00	45.00	1.00	0.23
LN22RC017	45.00	46.00	1.00	0.02

LN22RC017	46.00	47.00	1.00	0.01
LN22RC017	47.00	48.00	1.00	0.25
LN22RC017	48.00	49.00	1.00	0.04
LN22RC017	49.00	50.00	1.00	0.02
LN22RC017	50.00	51.00	1.00	0.11
LN22RC017	51.00	52.00	1.00	0.02
LN22RC017	52.00	53.00	1.00	0.02
LN22RC017	53.00	54.00	1.00	0.04
LN22RC017	54.00	55.00	1.00	0.03
LN22RC017	55.00	56.00	1.00	0.04
LN22RC017	56.00	57.00	1.00	0.03
LN22RC017	57.00	58.00	1.00	0.02
LN22RC017	58.00	59.00	1.00	0.01
LN22RC017	59.00	60.00	1.00	0.01
LN22RC017	60.00	61.00	1.00	0.01
LN22RC017	61.00	62.00	1.00	0.01
LN22RC017	62.00	63.00	1.00	-0.01
LN22RC017	63.00	64.00	1.00	0.01
LN22RC017	64.00	65.00	1.00	-0.01
LN22RC017	65.00	66.00	1.00	-0.01
LN22RC017	66.00	67.00	1.00	0.10
LN22RC017	67.00	68.00	1.00	0.03
LN22RC017	68.00	69.00	1.00	0.03
LN22RC017	69.00	70.00	1.00	0.15
LN22RC017	70.00	71.00	1.00	0.01
LN22RC017	71.00	72.00	1.00	0.22
LN22RC017	72.00	73.00	1.00	0.01
LN22RC017	73.00	74.00	1.00	0.02
LN22RC017	74.00	75.00	1.00	0.30
LN22RC017	75.00	76.00	1.00	0.91
LN22RC017	76.00	77.00	1.00	0.05
LN22RC017	77.00	78.00	1.00	0.03
LN22RC017	78.00	79.00	1.00	0.25
LN22RC017	79.00	80.00	1.00	0.10
LN22RC018	0.00	1.00	1.00	0.03
LN22RC018	1.00	2.00	1.00	0.07
LN22RC018	2.00	3.00	1.00	0.04
LN22RC018	3.00	4.00	1.00	0.02
LN22RC018	4.00	5.00	1.00	0.03
LN22RC018	5.00	6.00	1.00	0.01
LN22RC018	6.00	7.00	1.00	0.01
LN22RC018	7.00	8.00	1.00	0.01
LN22RC018	8.00	9.00	1.00	-0.01
LN22RC018	9.00	10.00	1.00	-0.01
LN22RC018	10.00	11.00	1.00	-0.01
LN22RC018	11.00	12.00	1.00	-0.01

LN22RC018	12.00	13.00	1.00	0.01
LN22RC018	13.00	14.00	1.00	0.01
LN22RC018	14.00	15.00	1.00	0.04
LN22RC018	15.00	16.00	1.00	0.01
LN22RC018	16.00	17.00	1.00	0.01
LN22RC018	17.00	18.00	1.00	0.03
LN22RC018	18.00	19.00	1.00	0.10
LN22RC018	19.00	20.00	1.00	0.04
LN22RC018	20.00	21.00	1.00	0.08
LN22RC018	21.00	22.00	1.00	0.03
LN22RC018	22.00	23.00	1.00	0.01
LN22RC018	23.00	24.00	1.00	0.01
LN22RC018	24.00	25.00	1.00	0.01
LN22RC018	25.00	26.00	1.00	0.01
LN22RC018	26.00	27.00	1.00	0.19
LN22RC018	27.00	28.00	1.00	0.01
LN22RC018	28.00	29.00	1.00	0.01
LN22RC018	29.00	30.00	1.00	0.01
LN22RC018	30.00	31.00	1.00	0.04
LN22RC018	31.00	32.00	1.00	0.01
LN22RC018	32.00	33.00	1.00	0.01
LN22RC018	33.00	34.00	1.00	0.02
LN22RC018	34.00	35.00	1.00	0.02
LN22RC018	35.00	36.00	1.00	0.01
LN22RC018	36.00	37.00	1.00	-0.01
LN22RC018	37.00	38.00	1.00	0.01
LN22RC018	38.00	39.00	1.00	-0.01
LN22RC018	39.00	40.00	1.00	0.01
LN22RC018	40.00	41.00	1.00	0.17
LN22RC018	41.00	42.00	1.00	0.06
LN22RC018	42.00	43.00	1.00	0.01
LN22RC018	43.00	44.00	1.00	0.01
LN22RC018	44.00	45.00	1.00	0.01
LN22RC018	45.00	46.00	1.00	-0.01
LN22RC018	46.00	47.00	1.00	0.01
LN22RC018	47.00	48.00	1.00	-0.01
LN22RC018	48.00	49.00	1.00	0.01
LN22RC018	49.00	50.00	1.00	-0.01
LN22RC018	50.00	51.00	1.00	-0.01
LN22RC018	51.00	52.00	1.00	-0.01
LN22RC018	52.00	53.00	1.00	-0.01
LN22RC018	53.00	54.00	1.00	-0.01
LN22RC018	54.00	55.00	1.00	0.01
LN22RC018	55.00	56.00	1.00	0.07
LN22RC018	56.00	57.00	1.00	0.07
LN22RC018	57.00	58.00	1.00	-0.01

LN22RC018	58.00	59.00	1.00	0.01
LN22RC018	59.00	60.00	1.00	-0.01
LN22RC019	0.00	1.00	1.00	0.46
LN22RC019	1.00	2.00	1.00	0.15
LN22RC019	2.00	3.00	1.00	0.11
LN22RC019	3.00	4.00	1.00	0.06
LN22RC019	4.00	5.00	1.00	0.10
LN22RC019	5.00	6.00	1.00	0.07
LN22RC019	6.00	7.00	1.00	0.01
LN22RC019	7.00	8.00	1.00	0.01
LN22RC019	8.00	9.00	1.00	0.03
LN22RC019	9.00	10.00	1.00	0.02
LN22RC019	10.00	11.00	1.00	0.03
LN22RC019	11.00	12.00	1.00	0.27
LN22RC019	12.00	13.00	1.00	0.04
LN22RC019	13.00	14.00	1.00	0.13
LN22RC019	14.00	15.00	1.00	0.04
LN22RC019	15.00	16.00	1.00	0.03
LN22RC019	16.00	17.00	1.00	0.06
LN22RC019	17.00	18.00	1.00	0.07
LN22RC019	18.00	19.00	1.00	0.05
LN22RC019	19.00	20.00	1.00	0.02
LN22RC019	20.00	21.00	1.00	-0.01
LN22RC019	21.00	22.00	1.00	-0.01
LN22RC019	22.00	23.00	1.00	0.02
LN22RC019	23.00	24.00	1.00	0.07
LN22RC019	24.00	25.00	1.00	0.08
LN22RC019	25.00	26.00	1.00	0.04
LN22RC019	26.00	27.00	1.00	0.03
LN22RC019	27.00	28.00	1.00	0.03
LN22RC019	28.00	29.00	1.00	0.02
LN22RC019	29.00	30.00	1.00	0.03
LN22RC019	30.00	31.00	1.00	0.02
LN22RC019	31.00	32.00	1.00	0.03
LN22RC019	32.00	33.00	1.00	0.13
LN22RC019	33.00	34.00	1.00	0.70
LN22RC019	34.00	35.00	1.00	0.34
LN22RC019	35.00	36.00	1.00	0.45
LN22RC019	36.00	37.00	1.00	0.35
LN22RC019	37.00	38.00	1.00	0.37
LN22RC019	38.00	39.00	1.00	0.07
LN22RC019	39.00	40.00	1.00	0.02
LN22RC019	40.00	41.00	1.00	0.25
LN22RC019	41.00	42.00	1.00	0.09
LN22RC019	42.00	43.00	1.00	0.04
LN22RC019	43.00	44.00	1.00	0.01

LN22RC019	44.00	45.00	1.00	-0.01
LN22RC019	45.00	46.00	1.00	0.01
LN22RC019	46.00	47.00	1.00	-0.01
LN22RC019	47.00	48.00	1.00	-0.01
LN22RC019	48.00	49.00	1.00	-0.01
LN22RC019	49.00	50.00	1.00	-0.01
LN22RC019	50.00	51.00	1.00	0.01
LN22RC019	51.00	52.00	1.00	0.02
LN22RC019	52.00	53.00	1.00	0.02
LN22RC019	53.00	54.00	1.00	-0.01
LN22RC019	54.00	55.00	1.00	-0.01
LN22RC019	55.00	56.00	1.00	-0.01
LN22RC019	56.00	57.00	1.00	-0.01
LN22RC019	57.00	58.00	1.00	0.07
LN22RC019	58.00	59.00	1.00	0.73
LN22RC019	59.00	60.00	1.00	0.06
LN22RC020	0.00	1.00	1.00	0.03
LN22RC020	1.00	2.00	1.00	0.01
LN22RC020	2.00	3.00	1.00	0.01
LN22RC020	3.00	4.00	1.00	0.01
LN22RC020	4.00	5.00	1.00	-0.01
LN22RC020	5.00	6.00	1.00	0.01
LN22RC020	6.00	7.00	1.00	0.01
LN22RC020	7.00	8.00	1.00	-0.01
LN22RC020	8.00	9.00	1.00	-0.01
LN22RC020	9.00	10.00	1.00	-0.01
LN22RC020	10.00	11.00	1.00	0.01
LN22RC020	11.00	12.00	1.00	0.02
LN22RC020	12.00	13.00	1.00	0.01
LN22RC020	13.00	14.00	1.00	0.02
LN22RC020	14.00	15.00	1.00	0.11
LN22RC020	15.00	16.00	1.00	0.66
LN22RC020	16.00	17.00	1.00	0.36
LN22RC020	17.00	18.00	1.00	0.01
LN22RC020	18.00	19.00	1.00	0.01
LN22RC020	19.00	20.00	1.00	0.01
LN22RC020	20.00	21.00	1.00	0.01
LN22RC020	21.00	22.00	1.00	0.75
LN22RC020	22.00	23.00	1.00	0.20
LN22RC020	23.00	24.00	1.00	0.19
LN22RC020	24.00	25.00	1.00	0.01
LN22RC020	25.00	26.00	1.00	0.48
LN22RC020	26.00	27.00	1.00	0.24
LN22RC020	27.00	28.00	1.00	0.10
LN22RC020	28.00	29.00	1.00	0.60
LN22RC020	29.00	30.00	1.00	3.50

LN22RC020	30.00	31.00	1.00	0.37
LN22RC020	31.00	32.00	1.00	0.06
LN22RC020	32.00	33.00	1.00	0.04
LN22RC020	33.00	34.00	1.00	0.06
LN22RC020	34.00	35.00	1.00	0.03
LN22RC020	35.00	36.00	1.00	0.02
LN22RC020	36.00	37.00	1.00	0.02
LN22RC020	37.00	38.00	1.00	0.03
LN22RC020	38.00	39.00	1.00	0.03
LN22RC020	39.00	40.00	1.00	0.04
LN22RC020	40.00	41.00	1.00	0.14
LN22RC020	41.00	42.00	1.00	0.03
LN22RC020	42.00	43.00	1.00	0.01
LN22RC020	43.00	44.00	1.00	0.01
LN22RC020	44.00	45.00	1.00	0.01
LN22RC020	45.00	46.00	1.00	0.01
LN22RC020	46.00	47.00	1.00	0.01
LN22RC020	47.00	48.00	1.00	0.01
LN22RC020	48.00	49.00	1.00	0.02
LN22RC020	49.00	50.00	1.00	0.04
LN22RC020	50.00	51.00	1.00	0.01
LN22RC020	51.00	52.00	1.00	0.01
LN22RC020	52.00	53.00	1.00	0.01
LN22RC020	53.00	54.00	1.00	-0.01
LN22RC020	54.00	55.00	1.00	0.57
LN22RC020	55.00	56.00	1.00	0.04
LN22RC020	56.00	57.00	1.00	0.02
LN22RC020	57.00	58.00	1.00	0.20
LN22RC020	58.00	59.00	1.00	0.10
LN22RC020	59.00	60.00	1.00	0.05
LN22RC020	60.00	61.00	1.00	0.03
LN22RC020	61.00	62.00	1.00	0.60
LN22RC020	62.00	63.00	1.00	0.31
LN22RC020	63.00	64.00	1.00	0.04
LN22RC020	64.00	65.00	1.00	0.03
LN22RC020	65.00	66.00	1.00	0.02
LN22RC021	0.00	1.00	1.00	0.03
LN22RC021	1.00	2.00	1.00	0.03
LN22RC021	2.00	3.00	1.00	0.10
LN22RC021	3.00	4.00	1.00	0.03
LN22RC021	4.00	5.00	1.00	0.02
LN22RC021	5.00	6.00	1.00	0.01
LN22RC021	6.00	7.00	1.00	0.01
LN22RC021	7.00	8.00	1.00	0.01
LN22RC021	8.00	9.00	1.00	0.01
LN22RC021	9.00	10.00	1.00	0.01

LN22RC021	10.00	11.00	1.00	0.01
LN22RC021	11.00	12.00	1.00	0.03
LN22RC021	12.00	13.00	1.00	0.01
LN22RC021	13.00	14.00	1.00	0.01
LN22RC021	14.00	15.00	1.00	0.01
LN22RC021	15.00	16.00	1.00	0.03
LN22RC021	16.00	17.00	1.00	0.02
LN22RC021	17.00	18.00	1.00	0.01
LN22RC021	18.00	19.00	1.00	0.01
LN22RC021	19.00	20.00	1.00	0.01
LN22RC021	20.00	21.00	1.00	0.03
LN22RC021	21.00	22.00	1.00	0.05
LN22RC021	22.00	23.00	1.00	0.03
LN22RC021	23.00	24.00	1.00	0.01
LN22RC021	24.00	25.00	1.00	0.02
LN22RC021	25.00	26.00	1.00	0.04
LN22RC021	26.00	27.00	1.00	0.01
LN22RC021	27.00	28.00	1.00	0.01
LN22RC021	28.00	29.00	1.00	0.01
LN22RC021	29.00	30.00	1.00	0.01
LN22RC021	30.00	31.00	1.00	0.02
LN22RC021	31.00	32.00	1.00	0.01
LN22RC021	32.00	33.00	1.00	0.09
LN22RC021	33.00	34.00	1.00	0.08
LN22RC021	34.00	35.00	1.00	0.01
LN22RC021	35.00	36.00	1.00	0.01
LN22RC021	36.00	37.00	1.00	0.01
LN22RC021	37.00	38.00	1.00	-0.01
LN22RC021	38.00	39.00	1.00	0.05
LN22RC021	39.00	40.00	1.00	0.06
LN22RC021	40.00	41.00	1.00	0.02
LN22RC021	41.00	42.00	1.00	0.01
LN22RC021	42.00	43.00	1.00	0.01
LN22RC021	43.00	44.00	1.00	0.01
LN22RC021	44.00	45.00	1.00	0.01
LN22RC021	45.00	46.00	1.00	0.02
LN22RC021	46.00	47.00	1.00	-0.01
LN22RC021	47.00	48.00	1.00	0.01
LN22RC021	48.00	49.00	1.00	0.01
LN22RC021	49.00	50.00	1.00	0.01
LN22RC021	50.00	51.00	1.00	0.01
LN22RC021	51.00	52.00	1.00	0.04
LN22RC021	52.00	53.00	1.00	0.01
LN22RC021	53.00	54.00	1.00	0.01
LN22RC021	54.00	55.00	1.00	0.01
LN22RC021	55.00	56.00	1.00	0.07

LN22RC021	56.00	57.00	1.00	0.01
LN22RC021	57.00	58.00	1.00	0.01
LN22RC021	58.00	59.00	1.00	0.02
LN22RC021	59.00	60.00	1.00	4.56
LN22RC021	60.00	61.00	1.00	0.44
LN22RC021	61.00	62.00	1.00	0.04
LN22RC021	62.00	63.00	1.00	0.03
LN22RC021	63.00	64.00	1.00	0.02
LN22RC021	64.00	65.00	1.00	0.02
LN22RC021	65.00	66.00	1.00	0.05
LN22RC021	66.00	67.00	1.00	0.53
LN22RC021	67.00	68.00	1.00	4.02
LN22RC021	68.00	69.00	1.00	0.19
LN22RC021	69.00	70.00	1.00	0.10
LN22RC021	70.00	71.00	1.00	0.19
LN22RC021	71.00	72.00	1.00	0.07
LN22RC021	72.00	73.00	1.00	0.04
LN22RC021	73.00	74.00	1.00	0.02
LN22RC021	74.00	75.00	1.00	0.03
LN22RC021	75.00	76.00	1.00	0.11
LN22RC021	76.00	77.00	1.00	0.04
LN22RC021	77.00	78.00	1.00	0.06
LN22RC021	78.00	79.00	1.00	0.05
LN22RC021	79.00	80.00	1.00	0.01
LN22RC021	80.00	81.00	1.00	0.02
LN22RC021	81.00	82.00	1.00	0.02
LN22RC021	82.00	83.00	1.00	0.02
LN22RC021	83.00	84.00	1.00	0.02
LN22RC021	84.00	85.00	1.00	0.01
LN22RC021	85.00	86.00	1.00	0.01
LN22RC021	86.00	87.00	1.00	0.01
LN22RC021	87.00	88.00	1.00	0.01
LN22RC021	88.00	89.00	1.00	0.01
LN22RC021	89.00	90.00	1.00	0.01
LN22RC021	90.00	91.00	1.00	0.01
LN22RC021	91.00	92.00	1.00	0.01
LN22RC021	92.00	93.00	1.00	0.01
LN22RC021	93.00	94.00	1.00	0.01
LN22RC021	94.00	95.00	1.00	0.01
LN22RC021	95.00	96.00	1.00	0.01
LN22RC021	96.00	97.00	1.00	0.02
LN22RC021	97.00	98.00	1.00	0.09
LN22RC021	98.00	99.00	1.00	0.01
LN22RC021	99.00	100.00	1.00	0.01
LN22RC021	100.00	101.00	1.00	0.01
LN22RC021	101.00	102.00	1.00	0.01

LN22RC021	102.00	103.00	1.00	0.13
LN22RC021	103.00	104.00	1.00	0.24
LN22RC021	104.00	105.00	1.00	0.41
LN22RC021	105.00	106.00	1.00	0.40
LN22RC021	106.00	107.00	1.00	0.16
LN22RC021	107.00	108.00	1.00	0.10
LN22RC021	108.00	109.00	1.00	0.03
LN22RC021	109.00	110.00	1.00	0.02
LN22RC022	0.00	1.00	1.00	0.07
LN22RC022	1.00	2.00	1.00	0.03
LN22RC022	2.00	3.00	1.00	0.02
LN22RC022	3.00	4.00	1.00	0.27
LN22RC022	4.00	5.00	1.00	0.28
LN22RC022	5.00	6.00	1.00	0.11
LN22RC022	6.00	7.00	1.00	0.03
LN22RC022	7.00	8.00	1.00	0.01
LN22RC022	8.00	9.00	1.00	0.01
LN22RC022	9.00	10.00	1.00	0.06
LN22RC022	10.00	11.00	1.00	0.02
LN22RC022	11.00	12.00	1.00	0.02
LN22RC022	12.00	13.00	1.00	0.01
LN22RC022	13.00	14.00	1.00	0.01
LN22RC022	14.00	15.00	1.00	0.15
LN22RC022	15.00	16.00	1.00	0.28
LN22RC022	16.00	17.00	1.00	0.05
LN22RC022	17.00	18.00	1.00	0.27
LN22RC022	18.00	19.00	1.00	0.72
LN22RC022	19.00	20.00	1.00	0.34
LN22RC022	20.00	21.00	1.00	1.29
LN22RC022	21.00	22.00	1.00	0.61
LN22RC022	22.00	23.00	1.00	0.26
LN22RC022	23.00	24.00	1.00	1.26
LN22RC022	24.00	25.00	1.00	0.64
LN22RC022	25.00	26.00	1.00	4.40
LN22RC022	26.00	27.00	1.00	1.23
LN22RC022	27.00	28.00	1.00	1.56
LN22RC022	28.00	29.00	1.00	0.34
LN22RC022	29.00	30.00	1.00	0.22
LN22RC022	30.00	31.00	1.00	0.55
LN22RC022	31.00	32.00	1.00	0.36
LN22RC022	32.00	33.00	1.00	0.20
LN22RC022	33.00	34.00	1.00	0.09
LN22RC022	34.00	35.00	1.00	0.05
LN22RC022	35.00	36.00	1.00	0.42
LN22RC022	36.00	37.00	1.00	0.03
LN22RC022	37.00	38.00	1.00	0.20

LN22RC022	38.00	39.00	1.00	0.55
LN22RC022	39.00	40.00	1.00	0.37
LN22RC022	40.00	41.00	1.00	0.38
LN22RC022	41.00	42.00	1.00	0.10
LN22RC022	42.00	43.00	1.00	0.06
LN22RC022	43.00	44.00	1.00	2.47
LN22RC022	44.00	45.00	1.00	4.67
LN22RC022	45.00	46.00	1.00	2.95
LN22RC022	46.00	47.00	1.00	1.64
LN22RC022	47.00	48.00	1.00	0.12
LN22RC022	48.00	49.00	1.00	0.21
LN22RC022	49.00	50.00	1.00	0.44
LN22RC022	50.00	51.00	1.00	0.02
LN22RC022	51.00	52.00	1.00	0.01
LN22RC022	52.00	53.00	1.00	0.01
LN22RC022	53.00	54.00	1.00	0.01
LN22RC022	54.00	55.00	1.00	0.01
LN22RC022	55.00	56.00	1.00	0.01
LN22RC022	56.00	57.00	1.00	-0.01
LN22RC022	57.00	58.00	1.00	0.01
LN22RC022	58.00	59.00	1.00	0.02
LN22RC022	59.00	60.00	1.00	0.01
LN22RC022	60.00	61.00	1.00	0.01
LN22RC022	61.00	62.00	1.00	0.03
LN22RC022	62.00	63.00	1.00	0.01
LN22RC022	63.00	64.00	1.00	0.01
LN22RC022	64.00	65.00	1.00	0.01
LN22RC022	65.00	66.00	1.00	0.01
LN22RC022	66.00	67.00	1.00	0.02
LN22RC022	67.00	68.00	1.00	0.01
LN22RC022	68.00	69.00	1.00	0.10
LN22RC022	69.00	70.00	1.00	-0.01
LN22RC023	0.00	1.00	1.00	0.13
LN22RC023	1.00	2.00	1.00	0.04
LN22RC023	2.00	3.00	1.00	0.05
LN22RC023	3.00	4.00	1.00	0.02
LN22RC023	4.00	5.00	1.00	0.03
LN22RC023	5.00	6.00	1.00	0.14
LN22RC023	6.00	7.00	1.00	0.02
LN22RC023	7.00	8.00	1.00	0.01
LN22RC023	8.00	9.00	1.00	0.17
LN22RC023	9.00	10.00	1.00	0.05
LN22RC023	10.00	11.00	1.00	0.07
LN22RC023	11.00	12.00	1.00	0.06
LN22RC023	12.00	13.00	1.00	0.19
LN22RC023	13.00	14.00	1.00	0.33

LN22RC023	14.00	15.00	1.00	1.08
LN22RC023	15.00	16.00	1.00	2.20
LN22RC023	16.00	17.00	1.00	0.73
LN22RC023	17.00	18.00	1.00	9.08
LN22RC023	18.00	19.00	1.00	2.91
LN22RC023	19.00	20.00	1.00	1.11
LN22RC023	20.00	21.00	1.00	0.34
LN22RC023	21.00	22.00	1.00	0.07
LN22RC023	22.00	23.00	1.00	0.07
LN22RC023	23.00	24.00	1.00	0.05
LN22RC023	24.00	25.00	1.00	0.04
LN22RC023	25.00	26.00	1.00	0.03
LN22RC023	26.00	27.00	1.00	0.01
LN22RC023	27.00	28.00	1.00	0.01
LN22RC023	28.00	29.00	1.00	0.01
LN22RC023	29.00	30.00	1.00	0.01
LN22RC023	30.00	31.00	1.00	0.05
LN22RC023	31.00	32.00	1.00	0.03
LN22RC023	32.00	33.00	1.00	0.01
LN22RC023	33.00	34.00	1.00	0.08
LN22RC023	34.00	35.00	1.00	0.07
LN22RC023	35.00	36.00	1.00	0.07
LN22RC023	36.00	37.00	1.00	0.03
LN22RC023	37.00	38.00	1.00	0.02
LN22RC023	38.00	39.00	1.00	0.03
LN22RC023	39.00	40.00	1.00	0.02
LN22RC023	40.00	41.00	1.00	0.02
LN22RC023	41.00	42.00	1.00	0.02
LN22RC023	42.00	43.00	1.00	0.03
LN22RC023	43.00	44.00	1.00	0.01
LN22RC023	44.00	45.00	1.00	0.03
LN22RC023	45.00	46.00	1.00	0.01
LN22RC023	46.00	47.00	1.00	0.02
LN22RC023	47.00	48.00	1.00	0.60
LN22RC023	48.00	49.00	1.00	0.02
LN22RC023	49.00	50.00	1.00	0.01
LN22RC023	50.00	51.00	1.00	0.01
LN22RC023	51.00	52.00	1.00	-0.01
LN22RC023	52.00	53.00	1.00	0.09
LN22RC023	53.00	54.00	1.00	0.21
LN22RC023	54.00	55.00	1.00	0.01
LN22RC023	55.00	56.00	1.00	0.01
LN22RC023	56.00	57.00	1.00	0.01
LN22RC023	57.00	58.00	1.00	-0.01
LN22RC023	58.00	59.00	1.00	-0.01
LN22RC023	59.00	60.00	1.00	-0.01

LN22RC024	0.00	1.00	1.00	0.15
LN22RC024	1.00	2.00	1.00	0.14
LN22RC024	2.00	3.00	1.00	0.20
LN22RC024	3.00	4.00	1.00	0.05
LN22RC024	4.00	5.00	1.00	0.38
LN22RC024	5.00	6.00	1.00	1.04
LN22RC024	6.00	7.00	1.00	0.21
LN22RC024	7.00	8.00	1.00	0.60
LN22RC024	8.00	9.00	1.00	0.48
LN22RC024	9.00	10.00	1.00	0.21
LN22RC024	10.00	11.00	1.00	0.60
LN22RC024	11.00	12.00	1.00	0.05
LN22RC024	12.00	13.00	1.00	0.15
LN22RC024	13.00	14.00	1.00	1.89
LN22RC024	14.00	15.00	1.00	0.20
LN22RC024	15.00	16.00	1.00	4.07
LN22RC024	16.00	17.00	1.00	0.06
LN22RC024	17.00	18.00	1.00	0.05
LN22RC024	18.00	19.00	1.00	0.66
LN22RC024	19.00	20.00	1.00	0.04
LN22RC024	20.00	21.00	1.00	0.01
LN22RC024	21.00	22.00	1.00	0.02
LN22RC024	22.00	23.00	1.00	0.05
LN22RC024	23.00	24.00	1.00	0.01
LN22RC024	24.00	25.00	1.00	0.03
LN22RC024	25.00	26.00	1.00	0.21
LN22RC024	26.00	27.00	1.00	0.03
LN22RC024	27.00	28.00	1.00	0.01
LN22RC024	28.00	29.00	1.00	0.03
LN22RC024	29.00	30.00	1.00	0.01
LN22RC024	30.00	31.00	1.00	0.02
LN22RC024	31.00	32.00	1.00	0.01
LN22RC024	32.00	33.00	1.00	0.01
LN22RC024	33.00	34.00	1.00	0.01
LN22RC024	34.00	35.00	1.00	0.01
LN22RC024	35.00	36.00	1.00	0.01
LN22RC024	36.00	37.00	1.00	0.19
LN22RC024	37.00	38.00	1.00	0.02
LN22RC024	38.00	39.00	1.00	0.13
LN22RC024	39.00	40.00	1.00	1.09
LN22RC024	40.00	41.00	1.00	3.13
LN22RC024	41.00	42.00	1.00	0.08
LN22RC024	42.00	43.00	1.00	0.06
LN22RC024	43.00	44.00	1.00	0.01
LN22RC024	44.00	45.00	1.00	0.04
LN22RC024	45.00	46.00	1.00	0.01

LN22RC024	46.00	47.00	1.00	0.09
LN22RC024	47.00	48.00	1.00	0.02
LN22RC024	48.00	49.00	1.00	0.02
LN22RC024	49.00	50.00	1.00	0.01
LN22RC024	50.00	51.00	1.00	0.01
LN22RC024	51.00	52.00	1.00	0.01
LN22RC024	52.00	53.00	1.00	0.02
LN22RC024	53.00	54.00	1.00	0.01
LN22RC024	54.00	55.00	1.00	-0.01
LN22RC024	55.00	56.00	1.00	0.04
LN22RC024	56.00	57.00	1.00	0.01
LN22RC024	57.00	58.00	1.00	0.02
LN22RC024	58.00	59.00	1.00	0.01
LN22RC024	59.00	60.00	1.00	0.05
LN22RC024	60.00	61.00	1.00	0.02
LN22RC024	61.00	62.00	1.00	-0.01
LN22RC024	62.00	63.00	1.00	0.01
LN22RC024	63.00	64.00	1.00	-0.01
LN22RC024	64.00	65.00	1.00	0.56
LN22RC024	65.00	66.00	1.00	0.07
LN22RC024	66.00	67.00	1.00	0.01
LN22RC024	67.00	68.00	1.00	0.01
LN22RC024	68.00	69.00	1.00	0.01
LN22RC024	69.00	70.00	1.00	-0.01
LN22RC024	70.00	71.00	1.00	-0.01
LN22RC024	71.00	72.00	1.00	-0.01
LN22RC024	72.00	73.00	1.00	0.01
LN22RC024	73.00	74.00	1.00	-0.01
LN22RC024	74.00	75.00	1.00	0.01
LN22RC024	75.00	76.00	1.00	0.07
LN22RC024	76.00	77.00	1.00	-0.01
LN22RC024	77.00	78.00	1.00	0.01
LN22RC024	78.00	79.00	1.00	0.01
LN22RC024	79.00	80.00	1.00	0.01
LN22RC024	80.00	81.00	1.00	0.01
LN22RC024	81.00	82.00	1.00	-0.01
LN22RC024	82.00	83.00	1.00	0.18
LN22RC024	83.00	84.00	1.00	0.08
LN22RC024	84.00	85.00	1.00	0.02
LN22RC024	85.00	86.00	1.00	0.01
LN22RC024	86.00	87.00	1.00	0.02
LN22RC024	87.00	88.00	1.00	-0.01
LN22RC024	88.00	89.00	1.00	-0.01
LN22RC025	0.00	1.00	1.00	0.15
LN22RC025	1.00	2.00	1.00	0.04
LN22RC025	2.00	3.00	1.00	0.06

LN22RC025	3.00	4.00	1.00	0.02
LN22RC025	4.00	5.00	1.00	0.07
LN22RC025	5.00	6.00	1.00	0.09
LN22RC025	6.00	7.00	1.00	0.14
LN22RC025	7.00	8.00	1.00	0.15
LN22RC025	8.00	9.00	1.00	0.13
LN22RC025	9.00	10.00	1.00	0.02
LN22RC025	10.00	11.00	1.00	0.05
LN22RC025	11.00	12.00	1.00	0.02
LN22RC025	12.00	13.00	1.00	0.08
LN22RC025	13.00	14.00	1.00	0.98
LN22RC025	14.00	15.00	1.00	0.59
LN22RC025	15.00	16.00	1.00	0.09
LN22RC025	16.00	17.00	1.00	0.02
LN22RC025	17.00	18.00	1.00	0.16
LN22RC025	18.00	19.00	1.00	0.03
LN22RC025	19.00	20.00	1.00	0.32
LN22RC025	20.00	21.00	1.00	0.04
LN22RC025	21.00	22.00	1.00	0.04
LN22RC025	22.00	23.00	1.00	0.34
LN22RC025	23.00	24.00	1.00	0.26
LN22RC025	24.00	25.00	1.00	0.39
LN22RC025	25.00	26.00	1.00	0.04
LN22RC025	26.00	27.00	1.00	0.01
LN22RC025	27.00	28.00	1.00	0.01
LN22RC025	28.00	29.00	1.00	0.02
LN22RC025	29.00	30.00	1.00	0.01
LN22RC025	30.00	31.00	1.00	2.20
LN22RC025	31.00	32.00	1.00	0.04
LN22RC025	32.00	33.00	1.00	0.05
LN22RC025	33.00	34.00	1.00	0.09
LN22RC025	34.00	35.00	1.00	0.01
LN22RC025	35.00	36.00	1.00	0.20
LN22RC025	36.00	37.00	1.00	0.02
LN22RC025	37.00	38.00	1.00	0.01
LN22RC025	38.00	39.00	1.00	0.01
LN22RC025	39.00	40.00	1.00	0.03
LN22RC025	40.00	41.00	1.00	0.02
LN22RC025	41.00	42.00	1.00	0.03
LN22RC025	42.00	43.00	1.00	0.07
LN22RC025	43.00	44.00	1.00	0.04
LN22RC025	44.00	45.00	1.00	0.05
LN22RC025	45.00	46.00	1.00	0.19
LN22RC025	46.00	47.00	1.00	0.24
LN22RC025	47.00	48.00	1.00	0.15
LN22RC025	48.00	49.00	1.00	0.21

LN22RC025	49.00	50.00	1.00	0.10
LN22RC025	50.00	51.00	1.00	0.14
LN22RC025	51.00	52.00	1.00	0.21
LN22RC025	52.00	53.00	1.00	0.06
LN22RC025	53.00	54.00	1.00	0.05
LN22RC025	54.00	55.00	1.00	0.05
LN22RC025	55.00	56.00	1.00	0.03
LN22RC025	56.00	57.00	1.00	0.01
LN22RC025	57.00	58.00	1.00	0.02
LN22RC025	58.00	59.00	1.00	0.01
LN22RC025	59.00	60.00	1.00	0.01
LN22RC025	60.00	61.00	1.00	0.01
LN22RC025	61.00	62.00	1.00	1.09
LN22RC025	62.00	63.00	1.00	0.01
LN22RC025	63.00	64.00	1.00	0.01
LN22RC025	64.00	65.00	1.00	0.06
LN22RC025	65.00	66.00	1.00	0.01
LN22RC025	66.00	67.00	1.00	0.01
LN22RC025	67.00	68.00	1.00	0.24
LN22RC025	68.00	69.00	1.00	0.17
LN22RC025	69.00	70.00	1.00	0.02
LN22RC025	70.00	71.00	1.00	0.01
LN22RC025	71.00	72.00	1.00	0.05
LN22RC025	72.00	73.00	1.00	0.01
LN22RC025	73.00	74.00	1.00	0.01
LN22RC025	74.00	75.00	1.00	0.01
LN22RC025	75.00	76.00	1.00	0.05
LN22RC025	76.00	77.00	1.00	0.02
LN22RC025	77.00	78.00	1.00	0.02
LN22RC025	78.00	79.00	1.00	0.01
LN22RC026	0.00	1.00	1.00	0.01
LN22RC026	1.00	2.00	1.00	0.01
LN22RC026	2.00	3.00	1.00	0.01
LN22RC026	3.00	4.00	1.00	-0.01
LN22RC026	4.00	5.00	1.00	0.02
LN22RC026	5.00	6.00	1.00	0.24
LN22RC026	6.00	7.00	1.00	0.01
LN22RC026	7.00	8.00	1.00	-0.01
LN22RC026	8.00	9.00	1.00	-0.01
LN22RC026	9.00	10.00	1.00	-0.01
LN22RC026	10.00	11.00	1.00	-0.01
LN22RC026	11.00	12.00	1.00	-0.01
LN22RC026	12.00	13.00	1.00	0.01
LN22RC026	13.00	14.00	1.00	0.04
LN22RC026	14.00	15.00	1.00	0.02
LN22RC026	15.00	16.00	1.00	0.03

LN22RC026	16.00	17.00	1.00	0.01
LN22RC026	17.00	18.00	1.00	0.01
LN22RC026	18.00	19.00	1.00	0.03
LN22RC026	19.00	20.00	1.00	0.01
LN22RC026	20.00	21.00	1.00	0.01
LN22RC026	21.00	22.00	1.00	0.01
LN22RC026	22.00	23.00	1.00	0.09
LN22RC026	23.00	24.00	1.00	0.05
LN22RC026	24.00	25.00	1.00	0.05
LN22RC026	25.00	26.00	1.00	0.05
LN22RC026	26.00	27.00	1.00	0.14
LN22RC026	27.00	28.00	1.00	0.04
LN22RC026	28.00	29.00	1.00	0.01
LN22RC026	29.00	30.00	1.00	0.10
LN22RC026	30.00	31.00	1.00	1.01
LN22RC026	31.00	32.00	1.00	2.42
LN22RC026	32.00	33.00	1.00	0.37
LN22RC026	33.00	34.00	1.00	0.21
LN22RC026	34.00	35.00	1.00	0.17
LN22RC026	35.00	36.00	1.00	0.07
LN22RC026	36.00	37.00	1.00	0.04
LN22RC026	37.00	38.00	1.00	0.02
LN22RC026	38.00	39.00	1.00	0.02
LN22RC026	39.00	40.00	1.00	0.01
LN22RC026	40.00	41.00	1.00	0.03
LN22RC026	41.00	42.00	1.00	0.20
LN22RC026	42.00	43.00	1.00	0.22
LN22RC026	43.00	44.00	1.00	0.17
LN22RC026	44.00	45.00	1.00	0.05
LN22RC026	45.00	46.00	1.00	0.02
LN22RC026	46.00	47.00	1.00	0.02
LN22RC026	47.00	48.00	1.00	0.02
LN22RC026	48.00	49.00	1.00	0.05
LN22RC026	49.00	50.00	1.00	0.02
LN22RC026	50.00	51.00	1.00	0.02
LN22RC026	51.00	52.00	1.00	0.10
LN22RC026	52.00	53.00	1.00	0.03
LN22RC026	53.00	54.00	1.00	0.11
LN22RC026	54.00	55.00	1.00	0.36
LN22RC026	55.00	56.00	1.00	0.01
LN22RC026	56.00	57.00	1.00	0.01
LN22RC026	57.00	58.00	1.00	0.01
LN22RC026	58.00	59.00	1.00	0.01
LN22RC026	59.00	60.00	1.00	0.01
LN22RC026	60.00	61.00	1.00	0.01
LN22RC026	61.00	62.00	1.00	0.01

LN22RC026	62.00	63.00	1.00	0.01
LN22RC026	63.00	64.00	1.00	0.03
LN22RC026	64.00	65.00	1.00	0.01
LN22RC026	65.00	66.00	1.00	0.01
LN22RC026	66.00	67.00	1.00	0.01
LN22RC026	67.00	68.00	1.00	0.01
LN22RC026	68.00	69.00	1.00	0.01
LN22RC026	69.00	70.00	1.00	0.01
LN22RC026	70.00	71.00	1.00	0.01
LN22RC026	71.00	72.00	1.00	0.04
LN22RC026	72.00	73.00	1.00	0.01
LN22RC026	73.00	74.00	1.00	0.01
LN22RC026	74.00	75.00	1.00	0.04
LN22RC026	75.00	76.00	1.00	0.01
LN22RC026	76.00	77.00	1.00	0.02
LN22RC026	77.00	78.00	1.00	0.05
LN22RC026	78.00	79.00	1.00	0.01
LN22RC026	79.00	80.00	1.00	0.08
LN22RC027	0.00	1.00	1.00	0.07
LN22RC027	1.00	2.00	1.00	0.84
LN22RC027	2.00	3.00	1.00	0.04
LN22RC027	3.00	4.00	1.00	0.05
LN22RC027	4.00	5.00	1.00	0.03
LN22RC027	5.00	6.00	1.00	0.09
LN22RC027	6.00	7.00	1.00	0.90
LN22RC027	7.00	8.00	1.00	0.69
LN22RC027	8.00	9.00	1.00	0.20
LN22RC027	9.00	10.00	1.00	0.13
LN22RC027	10.00	11.00	1.00	0.11
LN22RC027	11.00	12.00	1.00	0.60
LN22RC027	12.00	13.00	1.00	0.41
LN22RC027	13.00	14.00	1.00	0.05
LN22RC027	14.00	15.00	1.00	0.06
LN22RC027	15.00	16.00	1.00	0.05
LN22RC027	16.00	17.00	1.00	0.02
LN22RC027	17.00	18.00	1.00	0.07
LN22RC027	18.00	19.00	1.00	0.02
LN22RC027	19.00	20.00	1.00	0.02
LN22RC027	20.00	21.00	1.00	0.02
LN22RC027	21.00	22.00	1.00	0.03
LN22RC027	22.00	23.00	1.00	0.02
LN22RC027	23.00	24.00	1.00	0.02
LN22RC027	24.00	25.00	1.00	0.13
LN22RC027	25.00	26.00	1.00	0.02
LN22RC027	26.00	27.00	1.00	0.02
LN22RC027	27.00	28.00	1.00	0.03

LN22RC027	28.00	29.00	1.00	0.88
LN22RC027	29.00	30.00	1.00	0.02
LN22RC027	30.00	31.00	1.00	0.07
LN22RC027	31.00	32.00	1.00	0.12
LN22RC027	32.00	33.00	1.00	0.10
LN22RC027	33.00	34.00	1.00	0.06
LN22RC027	34.00	35.00	1.00	0.03
LN22RC027	35.00	36.00	1.00	0.05
LN22RC027	36.00	37.00	1.00	0.06
LN22RC027	37.00	38.00	1.00	0.05
LN22RC027	38.00	39.00	1.00	2.17
LN22RC027	39.00	40.00	1.00	0.02
LN22RC027	40.00	41.00	1.00	0.07
LN22RC027	41.00	42.00	1.00	0.02
LN22RC027	42.00	43.00	1.00	0.01
LN22RC027	43.00	44.00	1.00	0.03
LN22RC027	44.00	45.00	1.00	0.01
LN22RC027	45.00	46.00	1.00	-0.01
LN22RC027	46.00	47.00	1.00	0.01
LN22RC027	47.00	48.00	1.00	-0.01
LN22RC027	48.00	49.00	1.00	0.01
LN22RC027	49.00	50.00	1.00	0.05
LN22RC027	50.00	51.00	1.00	0.02
LN22RC027	51.00	52.00	1.00	0.15
LN22RC027	52.00	53.00	1.00	0.04
LN22RC027	53.00	54.00	1.00	0.01
LN22RC027	54.00	55.00	1.00	0.01
LN22RC027	55.00	56.00	1.00	-0.01
LN22RC027	56.00	57.00	1.00	0.01
LN22RC027	57.00	58.00	1.00	0.02
LN22RC027	58.00	59.00	1.00	0.01
LN22RC027	59.00	60.00	1.00	0.01

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> 5.5" Reverse circulation (RC) drilling was used to obtain chip samples for geological logging and assaying The drill holes were sited to test geophysical targets/surface geochemical targets as well as previous drilling results 1m RC samples were collected via a cyclone mounted rotary splitter for all samples. No composite samples were used. AC and RC samples were submitted to ALS Perth and sample preparation consisted of the drying of the sample, the entire sample being crushed to 70% passing 6mm and pulverized to 85% passing 75 microns in a ring and puck pulveriser. RC samples are assayed for gold by 50g fire assay with AAS finish. Multielement analysis is completed using an ICPAES analysis.
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). 	<ul style="list-style-type: none"> Austex medium duty track mounted RC rig was used for Phase 2 RC drilling
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> RC sample recoveries of less than approximately 80% are noted in the geological/sampling log with a visual estimate of the actual recovery. Very few samples were recorded with recoveries of less than 80%. No wet RC samples were recovered. No relationship has been observed between sample recovery and grade.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Geological logging was carried out on all RC chips. This included lithology, alteration, sulphide percentages and vein percentages. Geological logging of alteration type, alteration intensity, vein type and textures, % of veining, and sulphide composition. All RC chip trays and all core trays are photographed. All drill holes are logged in full.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> 1m primary RC samples were obtained using a cyclone mounted 87.5%:12.5% riffle splitter. No composite samples were taken for RC Duplicated samples were collected in visual ore zones and at a frequency of at least 1 in 20. QAQC samples (standards / blanks) were submitted at a frequency of at least 1 in 20. Regular reviews of the sampling were carried out by the Exploration Manager to ensure all procedures were followed and best industry practice carried out. Sample sizes and preparation techniques are considered appropriate. The sample sizes are considered to be appropriate for the nature of mineralisation within the project area. Duplicate RC sampling concentrated on potentially mineralised intervals.

Criteria	JORC Code explanation	Commentary
Quality of data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> No pXRF data reported. RC samples were assayed for Au using 50g Au-AA26 fire assay which is considered appropriate for this style of mineralisation. Fire assay is considered total assay for gold. Multi-element analysis was conducted by standard ME-ICP61a protocol and considered appropriate for this style of mineralisation. It is considered a near-total assay for most relevant elements Monitoring of results of blanks and standards is conducted regularly. QAQC data is reviewed for bias prior to inclusion in any subsequent Mineral Resource estimate.
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Significant intersections are routinely monitored through review of drill chip and drill core and by site visits when possible, by the Exploration Manager. Data is verified and checked in Micromine software. No twinned holes included. Primary data is collected via paper and 'tough book' laptops in the field in self-validating data entry forms. Data is subsequently uploaded into a corporate database for further validation/checking and data management. All original files are stored as a digital record. No adjustments have been applied to assay data.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> Drill hole collar locations are pegged and checked on completion via handheld GPS with +/-5m accuracy using existing LiDAR and regional DTM data and considered appropriate for this level of exploration work Drill hole collar locations are initially set out (and reported) using a handheld GPS with a location error of +/- 5m. All holes are pegged and will be accurately surveyed (x,y,z) at a later date. Down hole surveys were completed using an Axis Champ Gyro digital survey system at a maximum interval of 30m. All drilling is conducted on the MGA94 Zone 50 grid. A topographic survey of the project area has not been conducted.
Data Spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Drill holes were sited to test along strike and down dip of previous drilling. Some drill holes have been collared off the same drill pads. The current drill hole spacing in some locations is of sufficient density to establish geological and grade continuity appropriate for a Mineral Resource. An updated mineral resource estimate will be considered once further drilling is completed. No sample compositing has been applied.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drilling is oriented to intersect known and interpreted structures as perpendicular as possible in the XY plane and in the XZ plan as required to either infill spacing vertically as required or transect the structure at best possible true widths
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Samples were delivered by staff directly to ALS Perth laboratory in sealed and zip-tied bags and bulk bags
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> The sampling techniques are regularly reviewed.

Section 2 – Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Metal Bank Limited owns 75% interest in the Livingstone Gold Project from Trillbar Resources Pty Ltd. Livingstone (E52/3403) is located northwest of Meekatharra in Western Australia, is an advanced exploration project with an existing JORC2004 Inferred Au resource of 49,900 ounces and 30,500 ounces plus a number of high-grade drilling intersections that indicate excellent potential for additional discoveries. A review of environmental maps at the time of application did not identify any significant environmental restricted areas.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Several exploration companies have completed exploration work at Livingstone in recent years including Kingstons Resources
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The target area sits within a west-northwest trending, western arm of the Palaeoproterozoic Padbury and Bryah Basins, enclosed to the north, west and south by Archaean rocks of the Yilgarn Craton. The sedimentary, volcanic and intrusive basin rocks lie in faulted contact with the Yarlaweelor Domain of the 16 Criteria Commentary Yilgarn Craton to the north, and the Narryer Terrane to the south. Gold deposits within the basins are typically structurally-controlled orogenic lodes, with the major deposits associated with units of the Narracoota Formation and its contacts with the adjacent formations of the Bryah Group (Harmony mine) and Padbury Group (Labouchere, Horseshoe and Fortnum mines). Structurally, there is a spatial correlation between known gold mineralisation and a series of west to north-northwest trending strike-parallel faults of the Livingstone shear zone.
Drill hole information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. 	<ul style="list-style-type: none"> See Table 2,3 & 5 in document Appendix
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high-grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> Samples are 1m or 4m composites, there is no weighting applied. Intervals are reported as a simple arithmetic mean grade. Unless specified otherwise, a nominal 0.5g/t Au lower cut-off has been applied incorporating up to 2m of continuous internal dilution below the reporting cut-off grade and minimum 1m downhole width used to highlight zones of mineralisation. Refer Table 1.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	<ul style="list-style-type: none"> Downhole observation results are listed only and interpreted as approximately 70% true width The internal geometry of the mineralisation and grade distribution is not known in enough detail to determine the true width of the mineralisation. However in most cases a clear gross intersection angle between known mineralised structural corridor and drill hole orientation allows a reasonable estimation of interval true width should mineralisation match Refer Table 1.

Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Refer to figures contained within this report showing the regional location of the drill holes and cross-sections.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> All results are presented in figures and tables contained within this report.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> No other material data collected by Metal Bank Limited is presented in this report.
Further Work	<ul style="list-style-type: none"> The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Further interpretation and review of the data will be completed in conjunction with upcoming drilling.